

Contents

American National Standards

Call for Comment on Standards Proposals	2
Call for Members (ANS Consensus Bodies)	14
Final Actions	16
Project Initiation Notification System (PINS)	17
ANSI-Accredited Standards Developers Contact Information	21
Proposed Foreign Government Regulations	22
Information Concerning	23

American National Standards

Call for comment on proposals listed

This section solicits public comments on proposed draft new American National Standards, including the national adoption of ISO and IEC standards as American National Standards, and on proposals to revise, reaffirm or withdraw approval of existing American National Standards. A draft standard is listed in this section under the ANSI-accredited standards developer (ASD) that sponsors it and from whom a copy may be obtained. Comments in connection with a draft American National Standard must be submitted in writing to the ASD no later than the last day of the comment period specified herein. Such comments shall be specific to the section(s) of the standard under review and include sufficient detail so as to enable the reader to understand the commenter's position, concerns and suggested alternative language, if appropriate. Please note that the ANSI Executive Standards Council (ExSC) has determined that an ASD has the right to require that interested parties submit public review comments electronically, in accordance with the developer's procedures.

Ordering Instructions for "Call-for-Comment" Listings

1. **Order from the organization indicated for the specific proposal.**
2. **Use the full identification in your order, including the BSR prefix; for example, Electric Fuses BSR/SAE J554.**
3. **Include remittance with all orders.**
4. **BSR proposals will not be available after the deadline of call for comment.**

Comments should be addressed to the organization indicated, with a copy to the Board of Standards Review, American National Standards Institute, 25 West 43rd Street, New York, NY 10036. Fax: 212-840-2298; e-mail: psa@ansi.org

* Standard for consumer products

Comment Deadline: November 4, 2012

NSF (NSF International)

Revision

BSR/NSF 14-201x (i47), Plastic Piping System Components and Related Materials (revision of ANSI/NSF 14-2012)

This issue proposes to update Table 33 in ANSI/NSF 14 for PVC pressure pipe and fabricated fitting for water transmission and distribution to reflect QC requirements per AWWA C900 and AWWA C905.

[Click here to view these changes in full](#)

Send comments (with copy to psa@ansi.org) to: Monica Leslie, (734) 827-5643, mleslie@nsf.org

UL (Underwriters Laboratories, Inc.)

Revision

BSR/UL 217-201X, Standard for Safety for Single and Multiple Station Smoke Alarms (revision of ANSI/UL 217-2011)

Correction to Surge Test.

[Click here to view these changes in full](#)

Send comments (with copy to psa@ansi.org) to: Kristin Andrews, (408) 754-6634, Kristin.L.Andrews@ul.com

UL (Underwriters Laboratories, Inc.)

Revision

BSR/UL 797-201x, Standard for Safety for Electrical Metallic Tubing - Steel (Proposal dated 10-5-12) (revision of ANSI/UL 797-2007)

As a result of comments received by the Canadian Standards Association (CSA) requiring a substantive change to the national differences in UL's original proposal dated 8-10-12, UL is recirculating a revised proposal (dated 10-5-12). The proposal would remove the Canadian deviations regarding the addition of date code marking requirements for tubing.

[Click here to view these changes in full](#)

Send comments (with copy to psa@ansi.org) to: Paul Lloret, (408) 754-6618, Paul.E.Lloret@ul.com

UL (Underwriters Laboratories, Inc.)

Revision

BSR/UL 1180-201x, Standard for Safety for Fully Inflatable Recreational Personal Flotation Devices (revision of ANSI/UL 1180-2010)

This 10/5/2012 proposal deletes the Dynamic Strength Test for Inflatable Work Vests.

[Click here to view these changes in full](#)

Send comments (with copy to psa@ansi.org) to: Betty Holthouser, (919) 549-1896, betty.c.holthouser@ul.com

UL (Underwriters Laboratories, Inc.)

Revision

BSR/UL 1691-201X, Standard for Safety for Single Pole Locking-Type Separable Connectors (revision of ANSI/UL 1691-2012a)

- (1) Modification of strain relief requirements; and
- (2) Correction to Figure B1.2, Male Insulating Housing Dimension.

[Click here to view these changes in full](#)

Send comments (with copy to psa@ansi.org) to: Patricia Sena, (919) 549-1636, patricia.a.sena@ul.com

Comment Deadline: November 19, 2012

AAMI (Association for the Advancement of Medical Instrumentation)

Revision

BSR/AAMI ST58-201x, Chemical sterilization and high-level disinfection in health care facilities (revision of ANSI/AAMI ST58-2005 (R2010))

This recommended practice provides guidelines for the selection and use of chemical sterilizing agents and high-level disinfectants (HLDs) that have been cleared for marketing by the FDA for use in hospitals and other healthcare facilities. These guidelines are intended to assist healthcare personnel in the safe and effective use of chemical sterilants, HLDs, and associated equipment.

Single copy price: \$20.00 (AAMI members)/\$25.00 (list)

Obtain an electronic copy from: www.aami.org

Order from: AAMI Publications; Phone: 1-877-249-8226; Fax: 1-301-206-9789

Send comments (with copy to psa@ansi.org) to: Susan Gillespie, (703) 253-8284, sgillespie@aami.org

AISI (American Iron and Steel Institute)

Reaffirmation

BSR/AISI S210-2007 (R201x), North American Standard for Cold-Formed Steel Framing - Floor & Roof Joist System Design, 2007 Edition, (2012) (reaffirmation of ANSI/AISI S210-2007)

This standard governs the design and installation of cold-formed steel framing for floor and roof systems in buildings.

Single copy price: Free

Obtain an electronic copy from: hchen@steel.org

Order from: Helen Chen, (202) 452-7134, hchen@steel.org; doates@steel.org

Send comments (with copy to psa@ansi.org) to: Same

AISI (American Iron and Steel Institute)

Reaffirmation

BSR/AISI S212-2007 (R201x), North American Standard for Cold-Formed Steel Framing - Header Design, 2007 Edition, (2012) (reaffirmation and redesignation of ANSI/AISI S212-2007)

This standard provides design and installation of cold-formed, steel-box, and back-to-back headers and double- and single-L headers for load-carrying purposes in buildings.

Single copy price: Free

Obtain an electronic copy from: hchen@steel.org

Order from: Helen Chen, (202) 452-7134, hchen@steel.org; doates@steel.org

Send comments (with copy to psa@ansi.org) to: Same

AISI (American Iron and Steel Institute)**Reaffirmation**

BSR/AISI S213-2007 w/S1-2009 (R201x), North American Standard for Cold-Formed Steel Framing - Lateral Design including Supplement 1, 2007 Edition, (2012) (reaffirmation and redesignation of ANSI/AISI S213-2007 and ANSI/AISI S213-07/S1-2009)

This standard provides the design requirements for cold-formed steel-framed shear walls, diagonal strap bracing (that is part of a structural wall), and diaphragms to resist wind and seismic loads in buildings.

Single copy price: Free

Obtain an electronic copy from: hchen@steel.org

Order from: Helen Chen, (202) 452-7134, Hchen@steel.org; doates@steel.org

Send comments (with copy to psa@ansi.org) to: Same

AISI (American Iron and Steel Institute)**Reaffirmation**

BSR/AISI S110-2008 & S1-2009 (R201x), Standard for Seismic Design of Cold-Formed Steel Structural Systems - Special Bolted Moment Frames including Supplement No. 1, 2007 Edition, (2012) (reaffirmation of ANSI/AISI S110-2008 and ANSI/AISI S110-07/S1-2009)

This standard provides provisions for the design, fabrication, and installation of cold-formed steel members and connections in the seismic load resisting systems of buildings and other structures. Light-framed shear walls, diagonal strap bracing (that is part of a structural wall), and diaphragms to resist seismic loads are designed in accordance with AISI S213.

Single copy price: Free

Obtain an electronic copy from: hchen@steel.org

Order from: Helen Chen, (202) 452-7134, Hchen@steel.org; doates@steel.org

Send comments (with copy to psa@ansi.org) to: Same

AISI (American Iron and Steel Institute)**Revision**

BSR/AISI S200-200x, North American Standard for Cold-Formed Steel Framing - General Provisions (revision of ANSI/AISI S200-2007)

This standard governs design, construction and installation of structural and nonstructural, cold-formed, steel-framing members, where the specified minimum base steel thickness is not greater than 118 mils (0.1180 inches) (2.997 mm).

Single copy price: Free

Obtain an electronic copy from: hchen@steel.org

Order from: Helen Chen, (202) 452-7134, Hchen@steel.org; doates@steel.org

Send comments (with copy to psa@ansi.org) to: Same

AISI (American Iron and Steel Institute)**Revision**

BSR/AISI S201-201x, North American Standard for Cold-Formed Steel Framing - Product Data (revision of ANSI/AISI S201-2007)

This standard provides criteria, including material and product requirements, where the specified minimum base steel thickness is between 18 mils (0.0179 inches) (0.455 mm) and 118 mils (0.118 inches) (2.997 mm).

Single copy price: Free

Obtain an electronic copy from: hchen@steel.org

Order from: Helen Chen, (202) 452-7134, Hchen@steel.org; doates@steel.org

Send comments (with copy to psa@ansi.org) to: Same

AISI (American Iron and Steel Institute)**Revision**

BSR/AISI S214-201x, North American Standard for Cold-Formed Steel Framing - Truss Design (revision, redesignation and consolidation of ANSI/AISI S214-2007, ANSI/AISI S214-07/S1-2008, and ANSI/AISI S214-07/S2-2008)

This standard governs the design of cold-formed steel trusses for load-carrying purposes in buildings, including manufacturing, quality criteria, installation, and testing, as they relate to the design of cold-formed steel trusses.

Single copy price: Free

Obtain an electronic copy from: hchen@steel.org

Order from: Helen Chen, (202) 452-7134, Hchen@steel.org; doates@steel.org

Send comments (with copy to psa@ansi.org) to: Same

ASABE (American Society of Agricultural and Biological Engineers)**New National Adoption**

BSR/ASABE AD730-201x MONYEAR, Agricultural wheeled tractors - Rear-mounted three-point linkage - Categories 1N, 1, 2N, 2, 3N, 3, 4N and 4 (national adoption with modifications of ISO 730:2009)

Specifies the dimensions and requirements of the three-point linkage for the attachment of implements or equipment to the rear of agricultural wheeled tractors.

Single copy price: \$52.00

Obtain an electronic copy from: vangilder@asabe.org

Order from: Carla VanGilder, (269) 932-7015, vangilder@asabe.org

Send comments (with copy to psa@ansi.org) to: Same

ASTM (ASTM International)**New Standard**

BSR/ASTM WK611-201x, Guide for Signage for Sports Facilities (new standard)

http://www.astm.org/ANSI_SA

Single copy price: Free

Obtain an electronic copy from: kwilson@astm.org

Order from: Karen Wilson, (610) 832-9743, kwilson@astm.org; accreditation@astm.org

Send comments (with copy to psa@ansi.org) to: Same

ASTM (ASTM International)**New Standard**

BSR/ASTM WK23226-201x, Specification for Multilayer Polyethylene-Polyamide (PE-PA) Pipe for Pressure Piping Applications (new standard)

http://www.astm.org/ANSI_SA

Single copy price: Free

Obtain an electronic copy from: kwilson@astm.org

Order from: Karen Wilson, (610) 832-9743, kwilson@astm.org; accreditation@astm.org

Send comments (with copy to psa@ansi.org) to: Same

ASTM (ASTM International)

New Standard

BSR/ASTM WK27664-201x, Guide for Standard Guide for the Evaluation of New Fuels and New Fuel Additives for Use in Aviation Spark-Ignition Engines and Associated Aircraft Installations (new standard)

http://www.astm.org/ANSI_SA

Single copy price: Free

Obtain an electronic copy from: kwilson@astm.org

Order from: Karen Wilson, (610) 832-9743, kwilson@astm.org; accreditation@astm.org

Send comments (with copy to psa@ansi.org) to: Same

ASTM (ASTM International)

New Standard

BSR/ASTM WK31177-201x, Guide for Manufacturers for Labeling and Care Instructions for Wrestling Mats (new standard)

http://www.astm.org/ANSI_SA

Single copy price: Free

Obtain an electronic copy from: kwilson@astm.org

Order from: Karen Wilson, (610) 832-9743, kwilson@astm.org; accreditation@astm.org

Send comments (with copy to psa@ansi.org) to: Same

ASTM (ASTM International)

New Standard

BSR/ASTM WK31289-201x, Specification for Metric-Sized Black Crosslinked Polyethylene (PEX) Line Pipe, Fittings and Joining Methods (new standard)

http://www.astm.org/ANSI_SA

Single copy price: Free

Obtain an electronic copy from: kwilson@astm.org

Order from: Karen Wilson, (610) 832-9743, kwilson@astm.org; accreditation@astm.org

Send comments (with copy to psa@ansi.org) to: Same

ASTM (ASTM International)

New Standard

BSR/ASTM WK32201-201x, Specification for Crosslinked Polyethylene (PEX) Tubing of 0.070 Wall and Fittings for Radiant Heating Systems Up to 75 Psig (new standard)

http://www.astm.org/ANSI_SA

Single copy price: Free

Obtain an electronic copy from: kwilson@astm.org

Order from: Karen Wilson, (610) 832-9743, kwilson@astm.org; accreditation@astm.org

Send comments (with copy to psa@ansi.org) to: Same

ASTM (ASTM International)

New Standard

BSR/ASTM WK33083-201x, Specification for a Segmental Panel System for the Grout-In-Place-Liner (GIPL) Rehabilitation Method of Existing Man-Entry Size Sewers, Cul-Verts, and Conduits (new standard)

http://www.astm.org/ANSI_SA

Single copy price: Free

Obtain an electronic copy from: kwilson@astm.org

Order from: Karen Wilson, (610) 832-9743, kwilson@astm.org; accreditation@astm.org

Send comments (with copy to psa@ansi.org) to: Same

ASTM (ASTM International)

New Standard

BSR/ASTM WK33088-201x, Specification for Installation of a Polyvinyl Chloride (PVC) Segmental Panel Liner System in Man-Entry-Size Sewers and Conduits (new standard)

http://www.astm.org/ANSI_SA

Single copy price: Free

Obtain an electronic copy from: kwilson@astm.org

Order from: Karen Wilson, (610) 832-9743, kwilson@astm.org; accreditation@astm.org

Send comments (with copy to psa@ansi.org) to: Same

ASTM (ASTM International)

New Standard

BSR/ASTM WK33352-201x, Specification for Metric-Sized Black Crosslinked Polyethylene (PEX) Pipe, Fittings and Joints for Gas Applications (new standard)

http://www.astm.org/ANSI_SA

Single copy price: Free

Obtain an electronic copy from: kwilson@astm.org

Order from: Karen Wilson, (610) 832-9743, kwilson@astm.org; accreditation@astm.org

Send comments (with copy to psa@ansi.org) to: Same

ASTM (ASTM International)

New Standard

BSR/ASTM WK35033-201x, Specification for Standard Specification for Commercial Coffee Maker, Electric, Automatic (new standard)

http://www.astm.org/ANSI_SA

Single copy price: Free

Obtain an electronic copy from: kwilson@astm.org

Order from: Karen Wilson, (610) 832-9743, kwilson@astm.org; accreditation@astm.org

Send comments (with copy to psa@ansi.org) to: Same

ASTM (ASTM International)

New Standard

BSR/ASTM WK35693-201x, Specification for Corrugated Polyethylene Pipe and Fittings for Mine Leachate Applications (new standard)

http://www.astm.org/ANSI_SA

Single copy price: Free

Obtain an electronic copy from: kwilson@astm.org

Order from: Karen Wilson, (610) 832-9743, kwilson@astm.org; accreditation@astm.org

Send comments (with copy to psa@ansi.org) to: Same

ASTM (ASTM International)

New Standard

BSR/ASTM WK37233-201x, Specification for Corrugated Polyethylene Pipe and Fittings for Mine Heap Leach Aeration Applications (new standard)

http://www.astm.org/ANSI_SA

Single copy price: Free

Obtain an electronic copy from: kwilson@astm.org

Order from: Karen Wilson, (610) 832-9743, kwilson@astm.org; accreditation@astm.org

Send comments (with copy to psa@ansi.org) to: Same

ASTM (ASTM International)

Reaffirmation

BSR/ASTM D2464-2006 (R201x), Specification for Threaded Poly(Vinyl Chloride) (PVC) Plastic Pipe Fittings, Schedule 80 (reaffirmation of ANSI/ASTM D2464-2006)

http://www.astm.org/ANSI_SA

Single copy price: Free

Obtain an electronic copy from: kwilson@astm.org

Order from: Karen Wilson, (610) 832-9743, kwilson@astm.org; accreditation@astm.org

Send comments (with copy to psa@ansi.org) to: Same

ASTM (ASTM International)

Reaffirmation

BSR/ASTM E1725-2008 (R201x), Test Methods for Fire Tests of Fire-Resistive Barrier Systems for Electrical System Components (reaffirmation of ANSI/ASTM E1725-2008)

http://www.astm.org/ANSI_SA

Single copy price: \$46.00

Obtain an electronic copy from: kwilson@astm.org

Order from: Karen Wilson, (610) 832-9743, kwilson@astm.org; accreditation@astm.org

Send comments (with copy to psa@ansi.org) to: Same

ASTM (ASTM International)

Reaffirmation

BSR/ASTM F1543-2003 (R201x), Practice for Shock Attenuation Properties of Fencing Surfaces (reaffirmation of ANSI/ASTM F1543-2003 (R2007))

http://www.astm.org/ANSI_SA

Single copy price: \$35.00

Obtain an electronic copy from: kwilson@astm.org

Order from: Karen Wilson, (610) 832-9743, kwilson@astm.org; accreditation@astm.org

Send comments (with copy to psa@ansi.org) to: Same

ASTM (ASTM International)

Reaffirmation

BSR/ASTM F1625-2000 (R201x), Specification and Test Method for Rear-Mounted Bicycle Child Carriers (reaffirmation of ANSI/ASTM F1625-2000 (R2008))

http://www.astm.org/ANSI_SA

Single copy price: \$40.00

Obtain an electronic copy from: kwilson@astm.org

Order from: Karen Wilson, (610) 832-9743, kwilson@astm.org; accreditation@astm.org

Send comments (with copy to psa@ansi.org) to: Same

ASTM (ASTM International)

Reaffirmation

BSR/ASTM F1849-2007 (R201x), Specification for Helmets Used in Short Track Speed Ice Skating (not to include Hockey) (reaffirmation of ANSI/ASTM F1849-2007)

http://www.astm.org/ANSI_SA

Single copy price: \$35.00

Obtain an electronic copy from: kwilson@astm.org

Order from: Karen Wilson, (610) 832-9743, kwilson@astm.org; accreditation@astm.org

Send comments (with copy to psa@ansi.org) to: Same

ASTM (ASTM International)

Reaffirmation

BSR/ASTM F2711-2008 (R201x), Test Methods for Bicycle Frames (reaffirmation of ANSI/ASTM F2711-2008)

http://www.astm.org/ANSI_SA

Single copy price: \$40.00

Obtain an electronic copy from: kwilson@astm.org

Order from: Karen Wilson, (610) 832-9743, kwilson@astm.org; accreditation@astm.org

Send comments (with copy to psa@ansi.org) to: Same

ASTM (ASTM International)**Revision**

BSR/ASTM D1322-201x, Test Method for Smoke Point of Kerosine and Aviation Turbine Fuel (revision of ANSI/ASTM D1322-2008)

http://www.astm.org/ANSI_SA

Single copy price: Free

Obtain an electronic copy from: kwilson@astm.org

Order from: Karen Wilson, (610) 832-9743, kwilson@astm.org; accreditation@astm.org

Send comments (with copy to psa@ansi.org) to: Same

ASTM (ASTM International)**Revision**

BSR/ASTM D1655-201x, Specification for Aviation Turbine Fuels (revision of ANSI/ASTM D1655-2012)

http://www.astm.org/ANSI_SA

Single copy price: \$46.00

Obtain an electronic copy from: kwilson@astm.org

Order from: Karen Wilson, (610) 832-9743, kwilson@astm.org; accreditation@astm.org

Send comments (with copy to psa@ansi.org) to: Same

ASTM (ASTM International)**Revision**

BSR/ASTM D2239-201x, Specification for Polyethylene (PE) Plastic Pipe (SIDR-PR) Based on Controlled Inside Diameter (revision of ANSI/ASTM D2239-2012)

http://www.astm.org/ANSI_SA

Single copy price: Free

Obtain an electronic copy from: kwilson@astm.org

Order from: Karen Wilson, (610) 832-9743, kwilson@astm.org; accreditation@astm.org

Send comments (with copy to psa@ansi.org) to: Same

ASTM (ASTM International)**Revision**

BSR/ASTM D2737-201x, Specification for Polyethylene (PE) Plastic Tubing (revision of ANSI/ASTM D2737-2012)

http://www.astm.org/ANSI_SA

Single copy price: Free

Obtain an electronic copy from: kwilson@astm.org

Order from: Karen Wilson, (610) 832-9743, kwilson@astm.org; accreditation@astm.org

Send comments (with copy to psa@ansi.org) to: Same

ASTM (ASTM International)**Revision**

BSR/ASTM D3241-201x, Test Method for Thermal Oxidation Stability of Aviation Turbine Fuels (revision of ANSI/ASTM D3241-2011a)

http://www.astm.org/ANSI_SA

Single copy price: Free

Obtain an electronic copy from: kwilson@astm.org

Order from: Karen Wilson, (610) 832-9743, kwilson@astm.org; accreditation@astm.org

Send comments (with copy to psa@ansi.org) to: Same

ASTM (ASTM International)**Revision**

BSR/ASTM D3244-201x, Practice for Utilization of Test Data to Determine Conformance with Specifications (revision of ANSI/ASTM D3244-2007a)

http://www.astm.org/ANSI_SA

Single copy price: Free

Obtain an electronic copy from: kwilson@astm.org

Order from: Karen Wilson, (610) 832-9743, kwilson@astm.org; accreditation@astm.org

Send comments (with copy to psa@ansi.org) to: Same

ASTM (ASTM International)**Revision**

BSR/ASTM D7547-201x, Specification for Unleaded Aviation Gasoline (revision of ANSI/ASTM D7547-2011)

http://www.astm.org/ANSI_SA

Single copy price: \$40.00

Obtain an electronic copy from: kwilson@astm.org

Order from: Karen Wilson, (610) 832-9743, kwilson@astm.org; accreditation@astm.org

Send comments (with copy to psa@ansi.org) to: Same

ASTM (ASTM International)**Revision**

BSR/ASTM D7566-201x, Specification for Aviation Turbine Fuel Containing Synthesized Hydrocarbons (revision of ANSI/ASTM D7566-2011a)

http://www.astm.org/ANSI_SA

Single copy price: \$57.00

Obtain an electronic copy from: kwilson@astm.org

Order from: Karen Wilson, (610) 832-9743, kwilson@astm.org; accreditation@astm.org

Send comments (with copy to psa@ansi.org) to: Same

ASTM (ASTM International)**Revision**

BSR/ASTM E23-201x, Test Methods for Notched Bar Impact Testing of Metallic Materials (revision of ANSI/ASTM E23-2012B)

http://www.astm.org/ANSI_SA

Single copy price: \$57.00

Obtain an electronic copy from: kwilson@astm.org

Order from: Karen Wilson, (610) 832-9743, kwilson@astm.org; accreditation@astm.org

Send comments (with copy to psa@ansi.org) to: Same

ASTM (ASTM International)**Revision**

BSR/ASTM E84-201x, Test Method for Surface Burning Characteristics of Building Materials (revision of ANSI/ASTM E84-2012a)

http://www.astm.org/ANSI_SA

Single copy price: \$57.00

Obtain an electronic copy from: kwilson@astm.org

Order from: Karen Wilson, (610) 832-9743, kwilson@astm.org; accreditation@astm.org

Send comments (with copy to psa@ansi.org) to: Same

ASTM (ASTM International)**Revision**

BSR/ASTM E176-201x, Terminology of Fire Standards (revision of ANSI/ASTM E176-2010a)

http://www.astm.org/ANSI_SA

Single copy price: \$57.00

Obtain an electronic copy from: kwilson@astm.org

Order from: Karen Wilson, (610) 832-9743, kwilson@astm.org; accreditation@astm.org

Send comments (with copy to psa@ansi.org) to: Same

ASTM (ASTM International)**Revision**

BSR/ASTM E230-201x, Specification and Temperature-Electromotive Force (Emf) Tables for Standardized Thermocouples (revision of ANSI/ASTM E230-2011)

http://www.astm.org/ANSI_SA

Single copy price: Free

Obtain an electronic copy from: kwilson@astm.org

Order from: Karen Wilson, (610) 832-9743, kwilson@astm.org; accreditation@astm.org

Send comments (with copy to psa@ansi.org) to: Same

ASTM (ASTM International)**Revision**

BSR/ASTM E230-201x, Specification and Temperature-Electromotive Force (emf) Tables for Standardized Thermocouples (revision of ANSI/ASTM E230-2011)

http://www.astm.org/ANSI_SA

Single copy price: Free

Obtain an electronic copy from: kwilson@astm.org

Order from: Karen Wilson, (610) 832-9743, kwilson@astm.org; accreditation@astm.org

Send comments (with copy to psa@ansi.org) to: Same

ASTM (ASTM International)**Revision**

BSR/ASTM E603-201x, Guide for Room Fire Experiments (revision of ANSI/ASTM E603-2012b)

http://www.astm.org/ANSI_SA

Single copy price: \$46.00

Obtain an electronic copy from: kwilson@astm.org

Order from: Karen Wilson, (610) 832-9743, kwilson@astm.org; accreditation@astm.org

Send comments (with copy to psa@ansi.org) to: Same

ASTM (ASTM International)**Revision**

BSR/ASTM E1302-201x, Guide for Acute Animal Toxicity Testing of Water-Miscible Metalworking Fluids (revision of ANSI/ASTM E1302-2000 (R2007))

http://www.astm.org/ANSI_SA

Single copy price: Free

Obtain an electronic copy from: kwilson@astm.org

Order from: Karen Wilson, (610) 832-9743, kwilson@astm.org; accreditation@astm.org

Send comments (with copy to psa@ansi.org) to: Same

ASTM (ASTM International)**Revision**

BSR/ASTM E1776-201x, Guide for Development of Fire-Risk-Assessment Standards (revision of ANSI/ASTM E1776-2007)

http://www.astm.org/ANSI_SA

Single copy price: \$40.00

Obtain an electronic copy from: kwilson@astm.org

Order from: Karen Wilson, (610) 832-9743, kwilson@astm.org; accreditation@astm.org

Send comments (with copy to psa@ansi.org) to: Same

ASTM (ASTM International)**Revision**

BSR/ASTM E1822-201x, Test Method for Fire Testing of Stacked Chairs (revision of ANSI/ASTM E1822-2009)

http://www.astm.org/ANSI_SA

Single copy price: \$57.00

Obtain an electronic copy from: kwilson@astm.org

Order from: Karen Wilson, (610) 832-9743, kwilson@astm.org; accreditation@astm.org

Send comments (with copy to psa@ansi.org) to: Same

ASTM (ASTM International)**Revision**

BSR/ASTM E2067-201x, Practice for Full-Scale Oxygen Consumption Calorimetry Fire Tests (revision of ANSI/ASTM E2067-2008)

http://www.astm.org/ANSI_SA

Single copy price: \$57.00

Obtain an electronic copy from: kwilson@astm.org

Order from: Karen Wilson, (610) 832-9743, kwilson@astm.org; accreditation@astm.org

Send comments (with copy to psa@ansi.org) to: Same

ASTM (ASTM International)

Revision

BSR/ASTM E2169-201x, Practice for Selecting Antimicrobial Pesticides for Use in Water-Miscible Metalworking Fluids (revision of ANSI/ASTM E2169-2001 (R2007))

http://www.astm.org/ANSI_SA

Single copy price: Free

Obtain an electronic copy from: kwilson@astm.org

Order from: Karen Wilson, (610) 832-9743, kwilson@astm.org; accreditation@astm.org

Send comments (with copy to psa@ansi.org) to: Same

ASTM (ASTM International)

Revision

BSR/ASTM E2257-201x, Test Method for Room Fire Test of Wall and Ceiling Materials and Assemblies (revision of ANSI/ASTM E2257-2008)

http://www.astm.org/ANSI_SA

Single copy price: \$46.00

Obtain an electronic copy from: kwilson@astm.org

Order from: Karen Wilson, (610) 832-9743, kwilson@astm.org; accreditation@astm.org

Send comments (with copy to psa@ansi.org) to: Same

ASTM (ASTM International)

Revision

BSR/ASTM E2335-201x, Guide for Laboratory Monitors (revision of ANSI/ASTM E2335-2008)

http://www.astm.org/ANSI_SA

Single copy price: \$35.00

Obtain an electronic copy from: kwilson@astm.org

Order from: Karen Wilson, (610) 832-9743, kwilson@astm.org; accreditation@astm.org

Send comments (with copy to psa@ansi.org) to: Same

ASTM (ASTM International)

Revision

BSR/ASTM E2554-201x, Practice for Estimating and Monitoring the Uncertainty of Test Results of a Test Method in a Single Laboratory Using a Control Sample Program (revision of ANSI/ASTM E2554-2007)

http://www.astm.org/ANSI_SA

Single copy price: Free

Obtain an electronic copy from: kwilson@astm.org

Order from: Karen Wilson, (610) 832-9743, kwilson@astm.org; accreditation@astm.org

Send comments (with copy to psa@ansi.org) to: Same

ASTM (ASTM International)

Revision

BSR/ASTM E2709-201x, Practice For Demonstrating Capability to Comply with an Acceptance Procedure (revision of ANSI/ASTM E2709-2011)

http://www.astm.org/ANSI_SA

Single copy price: Free

Obtain an electronic copy from: kwilson@astm.org

Order from: Karen Wilson, (610) 832-9743, kwilson@astm.org; accreditation@astm.org

Send comments (with copy to psa@ansi.org) to: Same

ASTM (ASTM International)

Revision

BSR/ASTM E2748-201x, Guide for Fire-Resistance Experiments (revision of ANSI/ASTM E2748-2012)

http://www.astm.org/ANSI_SA

Single copy price: \$40.00

Obtain an electronic copy from: kwilson@astm.org

Order from: Karen Wilson, (610) 832-9743, kwilson@astm.org; accreditation@astm.org

Send comments (with copy to psa@ansi.org) to: Same

ASTM (ASTM International)

Revision

BSR/ASTM E2816-201x, Test Methods for Fire Resistive Metallic HVAC Duct Systems (revision of ANSI/ASTM E2816-2011)

http://www.astm.org/ANSI_SA

Single copy price: \$46.00

Obtain an electronic copy from: kwilson@astm.org

Order from: Karen Wilson, (610) 832-9743, kwilson@astm.org; accreditation@astm.org

Send comments (with copy to psa@ansi.org) to: Same

ASTM (ASTM International)

Revision

BSR/ASTM F381-201x, Safety Specification for Components, Assembly, Use, and Labeling of Consumer Trampolines (revision of ANSI/ASTM F381-2011)

http://www.astm.org/ANSI_SA

Single copy price: \$40.00

Obtain an electronic copy from: kwilson@astm.org

Order from: Karen Wilson, (610) 832-9743, kwilson@astm.org; accreditation@astm.org

Send comments (with copy to psa@ansi.org) to: Same

ASTM (ASTM International)**Revision**

BSR/ASTM F645-201x, Guide for Selection, Design, and Installation of Thermoplastic Water-Pressure Piping Systems (revision of ANSI/ASTM F645-2012)

http://www.astm.org/ANSI_SA

Single copy price: \$46.00

Obtain an electronic copy from: kwilson@astm.org

Order from: Karen Wilson, (610) 832-9743, kwilson@astm.org; accreditation@astm.org

Send comments (with copy to psa@ansi.org) to: Same

ASTM (ASTM International)**Revision**

BSR/ASTM F714-201x, Specification for Polyethylene (PE) Plastic Pipe (DR-PR) Based on Outside Diameter (revision of ANSI/ASTM F714-2012)

http://www.astm.org/ANSI_SA

Single copy price: Free

Obtain an electronic copy from: kwilson@astm.org

Order from: Karen Wilson, (610) 832-9743, kwilson@astm.org; accreditation@astm.org

Send comments (with copy to psa@ansi.org) to: Same

ASTM (ASTM International)**Revision**

BSR/ASTM F810-201x, Specification for Smoothwall Polyethylene (PE) Pipe for Use in Drainage and Waste Disposal Absorption Fields (revision of ANSI/ASTM F810-2006)

http://www.astm.org/ANSI_SA

Single copy price: Free

Obtain an electronic copy from: kwilson@astm.org

Order from: Karen Wilson, (610) 832-9743, kwilson@astm.org; accreditation@astm.org

Send comments (with copy to psa@ansi.org) to: Same

ASTM (ASTM International)**Revision**

BSR/ASTM F876-201x, Specification for Crosslinked Polyethylene (PEX) Tubing (revision of ANSI/ASTM F876-2010)

http://www.astm.org/ANSI_SA

Single copy price: Free

Obtain an electronic copy from: kwilson@astm.org

Order from: Karen Wilson, (610) 832-9743, kwilson@astm.org; accreditation@astm.org

Send comments (with copy to psa@ansi.org) to: Same

ASTM (ASTM International)**Revision**

BSR/ASTM F952-201x, Specification for Mixing Machines, Food, Electric (revision of ANSI/ASTM F952-2008)

http://www.astm.org/ANSI_SA

Single copy price: \$40.00

Obtain an electronic copy from: kwilson@astm.org

Order from: Karen Wilson, (610) 832-9743, kwilson@astm.org; accreditation@astm.org

Send comments (with copy to psa@ansi.org) to: Same

ASTM (ASTM International)**Revision**

BSR/ASTM F963-201x, Consumer Safety Specification for Toy Safety (revision of ANSI/ASTM F963-2011)

http://www.astm.org/ANSI_SA

Single copy price: \$69.00

Obtain an electronic copy from: kwilson@astm.org

Order from: Karen Wilson, (610) 832-9743, kwilson@astm.org; accreditation@astm.org

Send comments (with copy to psa@ansi.org) to: Same

ASTM (ASTM International)**Revision**

BSR/ASTM F1055-201x, Specification for Electrofusion Type Polyethylene Fittings for Outside Diameter Controlled Polyethylene and Crosslinked Polyethylene (PEX) Pipe and Tubing (revision of ANSI/ASTM F1055-2011)

http://www.astm.org/ANSI_SA

Single copy price: Free

Obtain an electronic copy from: kwilson@astm.org

Order from: Karen Wilson, (610) 832-9743, kwilson@astm.org; accreditation@astm.org

Send comments (with copy to psa@ansi.org) to: Same

ASTM (ASTM International)**Revision**

BSR/ASTM F1126-201x, Specification for Food Cutters (Electric) (revision of ANSI/ASTM F1126-2008)

http://www.astm.org/ANSI_SA

Single copy price: \$40.00

Obtain an electronic copy from: kwilson@astm.org

Order from: Karen Wilson, (610) 832-9743, kwilson@astm.org; accreditation@astm.org

Send comments (with copy to psa@ansi.org) to: Same

ASTM (ASTM International)

Revision

BSR/ASTM F1163-201x, Specification for Protective Headgear Used in Horse Sports and Horseback Riding (revision of ANSI/ASTM F1163-2011)

http://www.astm.org/ANSI_SA

Single copy price: \$35.00

Obtain an electronic copy from: kwilson@astm.org

Order from: Karen Wilson, (610) 832-9743, kwilson@astm.org; accreditation@astm.org

Send comments (with copy to psa@ansi.org) to: Same

ASTM (ASTM International)

Revision

BSR/ASTM F1446-201x, Test Methods for Equipment and Procedures Used in Evaluating the Performance Characteristics of Protective Headgear (revision of ANSI/ASTM F1446-2011)

http://www.astm.org/ANSI_SA

Single copy price: \$46.00

Obtain an electronic copy from: kwilson@astm.org

Order from: Karen Wilson, (610) 832-9743, kwilson@astm.org; accreditation@astm.org

Send comments (with copy to psa@ansi.org) to: Same

ASTM (ASTM International)

Revision

BSR/ASTM F1568-201x, Specification for Food Processors, Electric (revision of ANSI/ASTM F1568-2008)

http://www.astm.org/ANSI_SA

Single copy price: \$40.00

Obtain an electronic copy from: kwilson@astm.org

Order from: Karen Wilson, (610) 832-9743, kwilson@astm.org; accreditation@astm.org

Send comments (with copy to psa@ansi.org) to: Same

ASTM (ASTM International)

Revision

BSR/ASTM F1602-201x, Specification for Kettles, Steam-Jacketed, 20 to 200 Gal (75.7 to 757 L), Floor or Wall Mounted, Direct Steam, Gas and Electric Heated (revision of ANSI/ASTM F1602-2007)

http://www.astm.org/ANSI_SA

Single copy price: \$40.00

Obtain an electronic copy from: kwilson@astm.org

Order from: Karen Wilson, (610) 832-9743, kwilson@astm.org; accreditation@astm.org

Send comments (with copy to psa@ansi.org) to: Same

ASTM (ASTM International)

Revision

BSR/ASTM F1603-201x, Specification for Kettles, Steam-Jacketed, 32 Oz to 20 Gal (1 to 75.7 L), Tilting, Table Mounted, Direct Steam, Gas and Electric Heated (revision of ANSI/ASTM F1603-2007)

http://www.astm.org/ANSI_SA

Single copy price: \$40.00

Obtain an electronic copy from: kwilson@astm.org

Order from: Karen Wilson, (610) 832-9743, kwilson@astm.org; accreditation@astm.org

Send comments (with copy to psa@ansi.org) to: Same

ASTM (ASTM International)

Revision

BSR/ASTM F1703-201x, Guide for Ice Hockey Playing Facilities (revision of ANSI/ASTM F1703-2004)

http://www.astm.org/ANSI_SA

Single copy price: \$40.00

Obtain an electronic copy from: kwilson@astm.org

Order from: Karen Wilson, (610) 832-9743, kwilson@astm.org; accreditation@astm.org

Send comments (with copy to psa@ansi.org) to: Same

ASTM (ASTM International)

Revision

BSR/ASTM F1966-201x, Specification for Dough Divider and Rounding Machines (revision of ANSI/ASTM F1966-2008)

http://www.astm.org/ANSI_SA

Single copy price: \$40.00

Obtain an electronic copy from: kwilson@astm.org

Order from: Karen Wilson, (610) 832-9743, kwilson@astm.org; accreditation@astm.org

Send comments (with copy to psa@ansi.org) to: Same

ASTM (ASTM International)

Revision

BSR/ASTM F2080-201x, Specification for Cold-Expansion Fittings with Metal Compression-Sleeves for Cross-Linked Polyethylene (PEX) Pipe (revision of ANSI/ASTM F2080-2009)

http://www.astm.org/ANSI_SA

Single copy price: Free

Obtain an electronic copy from: kwilson@astm.org

Order from: Karen Wilson, (610) 832-9743, kwilson@astm.org; accreditation@astm.org

Send comments (with copy to psa@ansi.org) to: Same

ASTM (ASTM International)**Revision**

BSR/ASTM F2220-201x, Specification for Headforms (revision of ANSI/ASTM F2220-2011)

http://www.astm.org/ANSI_SA

Single copy price: \$46.00

Obtain an electronic copy from: kwilson@astm.org

Order from: Karen Wilson, (610) 832-9743, kwilson@astm.org; accreditation@astm.org

Send comments (with copy to psa@ansi.org) to: Same

ASTM (ASTM International)**Revision**

BSR/ASTM F2324-201x, Test Method for Prerinse Spray Valves (revision of ANSI/ASTM F2324-2003 (R2009))

http://www.astm.org/ANSI_SA

Single copy price: \$40.00

Obtain an electronic copy from: kwilson@astm.org

Order from: Karen Wilson, (610) 832-9743, kwilson@astm.org; accreditation@astm.org

Send comments (with copy to psa@ansi.org) to: Same

ASTM (ASTM International)**Revision**

BSR/ASTM F2389-201x, Specification for Pressure-Rated Polypropylene (PP) Piping Systems (revision of ANSI/ASTM F2389-2010)

http://www.astm.org/ANSI_SA

Single copy price: Free

Obtain an electronic copy from: kwilson@astm.org

Order from: Karen Wilson, (610) 832-9743, kwilson@astm.org; accreditation@astm.org

Send comments (with copy to psa@ansi.org) to: Same

ASTM (ASTM International)**Revision**

BSR/ASTM F2390-201x, Specification for Poly(Vinyl Chloride) (PVC) Plastic Drain, Waste, and Vent (DWV) Pipe and Fittings Having Post-Industrial Recycle Content (revision of ANSI/ASTM F2390-2006)

http://www.astm.org/ANSI_SA

Single copy price: Free

Obtain an electronic copy from: kwilson@astm.org

Order from: Karen Wilson, (610) 832-9743, kwilson@astm.org; accreditation@astm.org

Send comments (with copy to psa@ansi.org) to: Same

ASTM (ASTM International)**Revision**

BSR/ASTM F2917-201x, Specification for Bicycle Trailer Cycles Designed for Human Passengers (revision of ANSI/ASTM F2917-2011)

http://www.astm.org/ANSI_SA

Single copy price: \$40.00

Obtain an electronic copy from: kwilson@astm.org

Order from: Karen Wilson, (610) 832-9743, kwilson@astm.org; accreditation@astm.org

Send comments (with copy to psa@ansi.org) to: Same

AWS (American Welding Society)**Revision**

BSR/AWS F1.2-201x, Laboratory Method for Measuring Fume Generation Rates and Total Fume Emission of Welding and Allied Processes (revision of ANSI/AWS F1.2-2006)

This document outlines a laboratory method for the determination of fume generation rates and total fume emission. A test chamber is used to collect representative fume samples under carefully controlled conditions.

Single copy price: \$25.00

Obtain an electronic copy from: roneill@aws.org

Order from: Rosalinda O'Neill, (305) 443-9353, roneill@aws.org

Send comments (with copy to psa@ansi.org) to: Andrew Davis, (305) 443-9353, Ext. 466, adavis@aws.org; roneill@aws.org

AWWA (American Water Works Association)**Revision**

BSR/AWWA C950-201x, Fiberglass Pressure Pipe (revision of ANSI/AWWA C950-2007)

This standard describes the fabrication and the testing of nominal 1-in. through 156-in. (25-mm through 4,000-mm) fiberglass pipe and joining systems for use in both aboveground and belowground water systems. Service and distribution piping systems and transmission piping systems are included.

Single copy price: \$20.00

Obtain an electronic copy from: vdauid@awwa.org

Order from: Paul Olson, (303) 347-6178, polson@awwa.org

Send comments (with copy to psa@ansi.org) to: Same

BHMA (Builders Hardware Manufacturers Association)**Revision**

BSR/BHMA A156.24-201x, Delayed Egress Locking Systems (revision of ANSI/BHMA A156.24-2003)

This standard covers products used in connection with conventional exit devices or locks causing the doors to remain locked after releasing actuation for a predetermined length of time. Performance criteria are included for functional, cycle, operational, fail-safe, and overload requirements.

Single copy price: \$18.00 (BHMA members)/\$36.00 (non-members)

Order from: Dana O'Donnell, (212) 297-2127, dodonnell@kellencompany.com

Send comments (with copy to psa@ansi.org) to: Same

BPI (Building Performance Institute)**New Standard**

BSR/BPI 1100-T-201x, Home Energy Auditing Standard (new standard)

Defines the minimum criteria for conducting a building-science-based evaluation of existing detached single-family dwellings and townhouses. The evaluation will address energy usage and limited aspects of building durability and occupant health and safety. The evaluation will provide a comprehensive scope of work to improve the home and will include a cost-benefit analysis.

Single copy price: Free

Obtain an electronic copy from: standards@bpi.org

Order from: Susan Carson, 518-899-2727, standards@bpi.org

Send comments (with copy to psa@ansi.org) to: Same

CEA (Consumer Electronics Association)**Reaffirmation**

BSR/CEA 709.2-A-2000 (R201x), Control Network Power Line (PL) Channel Specification (reaffirmation of ANSI/CEA 709.2-A-2000 (R2006))

This document specifies the Control Network Power Line (PL) Channel and serves as a companion document to the CEA 709.1, Control Network Protocol Specification. Its purpose is to present the information necessary for the development of a PL physical network and nodes to communicate the share information over the network.

Single copy price: Free

Obtain an electronic copy from: standards@ce.org

Order from: standards@ce.org

Send comments (with copy to psa@ansi.org) to: Leslie King, (703) 907-4327, lking@CE.org; smcgeehan@CE.org

CSA (CSA Group)**New Standard**

BSR Z21.11.3-201x, Propane-Fired Portable Emergency Use Heater Systems, Volume III, Unvented Room Heaters (new standard)

This standard applies to newly produced, unvented, propane-fired, portable, emergency-use heater systems utilizing a self-contained propane supply in a listed composite cylinder. This appliance is not for use with line voltage. Propane-fired, portable, emergency-use heater systems shall have input ratings up to and including 15,000 Btu/hr (4 396 W).

Single copy price: \$175.00

Obtain an electronic copy from: Cathy Rake

Order from: Cathy Rake, (216) 524-4990, cathy.rake@csagroup.org

Send comments (with copy to psa@ansi.org) to: Same

HL7 (Health Level Seven)**Revision**

BSR/HL7 V3 CMET R3-201x, HL7 Version 3 Standard: Common Message Element Types, Release 3 (revision of ANSI/HL7 V3 CMET, R2-2009)

Since the time of the formal approval of CMETs release 2, HL7 has undertaken and completed formal balloting on internal, HL7 releases 3, 4, 5, 6, and 7 of CMETs under the oversight of Modeling and Methodology, and Release 9 under the oversight of PA and PHER.

Single copy price: Free (HL7 members)/\$705.00 (non-members)

Obtain an electronic copy from: Karenvan@HL7.org

Order from: Karen Van Hentenryck, (734) 677-7777 Ext 104, Karenvan@HL7.org

Send comments (with copy to psa@ansi.org) to: Same

NCPDP (National Council for Prescription Drug Programs)**Revision**

BSR/NCPDP Post Adj v4.1-201x, NCPDP Post Adjudication Standard v4.1-201x (revision and redesignation of ANSI/NCPDP Post Adj v4.0-201x)

The goal of this implementation guide is to support the development of a common format for post-adjudicated pharmacy claim data, which is used to meet the needs of the pharmacy industry to support the communication of patient pharmacy transaction data. The implementation of this standard will provide administrative efficiencies and allow for an industry standard to be used for all entities sharing historical health care data.

Single copy price: \$200.00 (non-members)

Obtain an electronic copy from: kkrempin@ncpdp.org

Order from: Kittye Krempin, (512) 291-1356, kkrempin@ncpdp.org

Send comments (with copy to psa@ansi.org) to: Same

SCTE (Society of Cable Telecommunications Engineers)**Revision**

BSR/SCTE 45-201x, Test Method for Group Delay (revision of ANSI/SCTE 45-2007)

The purpose of this test is to measure the group delay and group delay variation of a properly terminated device. This procedure is applicable to testing of 75-Ohm components.

Single copy price: \$50.00

Obtain an electronic copy from: standards@scte.org

Order from: Global Engineering Documents, (800) 854-7179, www.global.ihs.com

Send comments (with copy to psa@ansi.org) to: standards@scte.org

TIA (Telecommunications Industry Association)**New Standard**

BSR/TIA 4957.210-201x, Multi-Hop Delivery Specification of a Data Link Sub-Layer (new standard)

This project completes the necessary multi-hop protocol for mesh networks in Layer 2 of the TR-51 Smart Utility Network standard.

Single copy price: \$97.00

Obtain an electronic copy from: standards@tiaonline.org

Order from: Telecommunications Industry Association (TIA); standards@tiaonline.org

Send comments (with copy to psa@ansi.org) to: Same

TIA (Telecommunications Industry Association)**New Standard**

BSR/TIA 4957.300-201x, Layer 3 Specification for TR-51 (new standard)

TR-51 is focused on creating networking standards standards for Smart Utility Networks covering Layers 1-4. This is the next step in the process.

Single copy price: \$61.00

Obtain an electronic copy from: standards@tiaonline.org

Order from: Telecommunications Industry Association (TIA); standards@tiaonline.org

Send comments (with copy to psa@ansi.org) to: Same

TIA (Telecommunications Industry Association)**New Standard**

BSR/TIA 4957.400-201x, Layer 4 Specification for TR-51 (new standard)

TR-51 is focused on creating network standards for Smart Utility Networks covering Layers 1-4. This project is focused on a specification for Layer 4 as an added chapter to ANSI/TIA PN4957.

Single copy price: \$57.00

Obtain an electronic copy from: standards@tiaonline.org

Order from: Telecommunications Industry Association (TIA);
standards@tiaonline.org

Send comments (with copy to psa@ansi.org) to: Same

UL (Underwriters Laboratories, Inc.)**Revision**

BSR/UL 923-201x, Standard for Microwave Cooking Appliances (revision of ANSI/UL 923-2007)

- (1) Removal of Appendix A component reference list and relocation of the component requirements into the body of the standard;
- (2) Stationary and portable installation-type clarification; (3) Polymeric material flammability rating robustness;
- (4) Removal of Class 1 and 2 designations from UL 900;
- (5) Revision of the interlock malfunction test; and
- (6) Revision of the minimum glass thickness required in SB4.3.

Single copy price: Contact comm2000 for pricing and delivery options

Obtain an electronic copy from: <http://www.comm-2000.com>

Order from: comm2000

Send comments (with copy to psa@ansi.org) to: Amy Walker, (847) 664-2023, Amy.K.Walker@ul.com

Comment Deadline: December 4, 2012

Reaffirmations and withdrawals available electronically may be accessed at: webstore.ansi.org

ASSE (ASC A10) (American Society of Safety Engineers)**Revision**

BSR/ASSE A10.5-201X, Safety Requirements for Material Hoists (revision of ANSI/ASSE A10.5-2006)

This standard applies to material hoists used to raise or lower materials during construction, alteration or demolition. It is not applicable to the temporary use of permanently installed personnel elevators as material hoists. This standard shall not apply to:

- (1) Elevators constructed and operated in conformance with ANSI/ASME A17.1, Safety Code for Elevators and Escalators;
- (2) Personnel hoists constructed and operated in conformance with ANSI/ASSE A10.4, American National Standard Safety Requirements for Personnel Hoists and Employee Elevators for Construction and Demolition Operations; and
- (3) Manlifts constructed and operated in conformance with ANSI.

Single copy price: \$50.00

Obtain an electronic copy from: Tim Fisher

Order from: Timothy Fisher, (847) 768-3411, TFisher@ASSE.Org

Send comments (with copy to psa@ansi.org) to: Same

ASSE (ASC Z359) (American Society of Safety Engineers)**Revision**

BSR/ASSE Z359.4-201X, Safety Requirements for Assisted-Rescue and Self-Rescue Systems, Subsystems and Components (revision of ANSI/ASSE Z359.4-2007)

This standard establishes requirements for the performance, design, marking, qualification, instruction, training, use, maintenance, and removal from service of connectors, harnesses, lanyards, anchorage connectors, winches/hoists, descent control devices, rope tackle blocks, and self-retracting lanyards with integral rescue capability comprising rescue systems, utilized in pre-planned self-rescue and assisted-rescue applications for 1-2 persons.

Single copy price: \$80.00

Obtain an electronic copy from: Tim Fisher

Order from: Timothy Fisher, (847) 768-3411, TFisher@ASSE.Org

Send comments (with copy to psa@ansi.org) to: Same

UL (Underwriters Laboratories, Inc.)**Revision**

BSR/UL 294-201x, Standard for Safety for Access Control System Units (revision of ANSI/UL 294-2010)

Proposed new edition including:

- Revised scope;
- Updated general requirements;
- Updated glossary;
- New requirements for single-point lock;
- Defined tiered access control performance levels;
- Revised enclosure opening requirements;
- Addition of separation of circuit requirements;
- Revised field wiring and terminal requirements;
- Revised electrical spacing requirements;
- New secondary power section;
- New test-emulated system requirements;
- New Class-2 and -3 circuit tests;
- Revised component temperature test;
- Revised input/output circuit transient test;
- Revised destructive attack test;
- New line security requirements;
- Revised marking requirements; and
- Updated Appendix A.

Single copy price: Contact comm2000 for pricing and delivery options

Obtain an electronic copy from: <http://www.comm-2000.com>

Order from: comm2000

Send comments (with copy to psa@ansi.org) to: Megan Sepper, (847) 664-3411, Megan.M.Sepper@ul.com

Correction**Incorrect Designation**

The September 28, 2012 Standards Action mistakenly listed BSR/NSF 373 (i1r1)-201x (new standard) in the call for comment section. The proposed document number should actually be designated as BSR/NSC 373 (i1r1)-201x.

Call for Members (ANS Consensus Bodies)

Directly and materially affected parties who are interested in participating as a member of an ANS consensus body for the standards listed below are requested to contact the sponsoring standards developer directly and in a timely manner.

AAMI (Association for the Advancement of Medical Instrumentation)

Office: 4301 N. Fairfax Dr., Ste. 301
Suite 301
Arlington, VA 22203-1633

Contact: Susan Gillespie

Phone: (703) 253-8284

Fax: (703) 276-0793

E-mail: sgillespie@aami.org

BSR/AAMI ST58-201x, Chemical sterilization and high-level disinfection in health care facilities (revision of ANSI/AAMI ST58-2005 (R2010))

ASSE (ASC A10) (American Society of Safety Engineers)

Office: 1800 East Oakton Street
Des Plaines, IL 60018-2187

Contact: Timothy Fisher

Phone: (847) 768-3411

Fax: (847) 296-9221

E-mail: TFisher@ASSE.org

BSR/ASSE A10.5-201X, Safety Requirements for Material Hoists (revision of ANSI/ASSE A10.5-2006)

ASSE (ASC Z359) (American Society of Safety Engineers)

Office: 1800 East Oakton Street
Des Plaines, IL 60018-2187

Contact: Timothy Fisher

Phone: (847) 768-3411

Fax: (847) 296-9221

E-mail: TFisher@ASSE.org

BSR/ASSE Z359.4-201X, Safety Requirements for Assisted-Rescue and Self-Rescue Systems, Subsystems and Components (revision of ANSI/ASSE Z359.4-2007)

BHMA (Builders Hardware Manufacturers Association)

Office: 355 Lexington Avenue, 15th Floor
New York, NY 10017

Contact: Dana O'Donnell

Phone: (212) 297-2127

Fax: (212) 370-9047

E-mail: dodonnell@kellencompany.com

BSR/BHMA A156.14-201x, Sliding and Folding Door Hardware (revision of ANSI/BHMA A156.14-2007)

BSR/BHMA A156.24-201x, Delayed Egress Locking Systems (revision of ANSI/BHMA A156.24-2003)

ITI (INCITS) (InterNational Committee for Information Technology Standards)

Office: 1101 K Street NW, Suite 610
Washington, DC 20005

Contact: Barbara Bennett

Phone: (202) 626-5743

Fax: (202) 638-4922

E-mail: bbennett@itc.org

INCITS/ISO/IEC 21117:2012, Information technology - Office equipment - Copying machines and multi-function devices - Information to be included in specification sheets and related test methods (identical national adoption of ISO/IEC 21117:2012 and revision of INCITS/ISO/IEC 21117-2008)

INCITS/ISO/IEC 24735:2012, Information technology - Office equipment - Method for measuring digital copying productivity (identical national adoption of ISO/IEC 24735:2012 and revision of INCITS/ISO/IEC 24735-2009 and INCITS/ISO/IEC 24735:2009/COR1:2009 [2009])

INCITS/ISO/IEC 28360:2012, Information technology - Office equipment - Determination of chemical emission rates from electronic equipment (identical national adoption of ISO/IEC 28360:2012 and revision of INCITS/ISO/IEC 28360-2009)

MHI (Material Handling Industry)

Office: 8720 Red Oak Blvd., Suite 201
Charlotte, NC 28217-3992

Contact: *Michael Ogle*

Phone: (704) 676-1190

Fax: (704) 676-1199

E-mail: mogle@mhia.org; carmen@mhia.org

BSR MH30.1-201x, Performance and Testing Requirements for Dock
Leveling Devices (revision of ANSI MH30.1-2007)

**NAAMM (National Association of Architectural Metal
Manufacturers)**

Office: 800 Roosevelt Road, Building C, Suite 312
Glen Ellyn, IL 60137

Contact: *Vernon (Wes) Lewis*

Phone: (757) 489-0787

Fax: (757) 489-0788

E-mail: wlewis7@cox.net

BSR/NAAMM HMMA 841-201x, Tolerances and Clearances for
Commercial Hollow Metal Doors and Frames (revision of
ANSI/NAAMM HMMA 841-2007)

TAPPI (Technical Association of the Pulp and Paper Industry)

Office: 15 Technology Parkway South
Norcross, GA 30092

Contact: *Charles Bohanan*

Phone: (770) 209-7276

Fax: (770) 446-6947

E-mail: standards@tappi.org

BSR/TAPPI T 491 om-201x, Water immersion number of paperboard
(new standard)

TIA (Telecommunications Industry Association)

Office: 2500 Wilson Boulevard, Suite 300
Arlington, VA 22201

Contact: *Jeff Hannah*

E-mail: standards@tiaonline.org

BSR/TIA 4957.210-201x, Multi-Hop Delivery Specification of a Data Link
Sub-Layer (new standard)

BSR/TIA 4957.300-201x, Layer 3 Specification for TR-51 (new standard)

BSR/TIA 4957.400-201x, Layer 4 Specification for TR-51 (new standard)

Final actions on American National Standards

The standards actions listed below have been approved by the ANSI Board of Standards Review (BSR) or by an ANSI-Audited Designator, as applicable.

CEA (Consumer Electronics Association)

New Standard

- * ANSI/CEA 708.1-2012, Closed Captioning for 3D Video (new standard): 10/3/2012

EIA (ASC Z245) (Environmental Industry Associations)

Revision

ANSI Z245.1-2012, Equipment Technology and Operations for Wastes and Recyclable Materials - Mobile Wastes and Recyclable Materials Collection, Transportation, and Compaction Equipment - Safety Requirements (revision of ANSI Z245.1-2008): 9/28/2012

IEEE (Institute of Electrical and Electronics Engineers)

Addenda

ANSI/IEEE 802.1Qaz-2011, Standard for Local and Metropolitan Area Networks - Virtual Bridged Local Area Networks - Amendment: Enhanced Transmission Selection for Bandwidth Sharing Between Traffic Classes (addenda to ANSI/IEEE 802.1Q-2011): 9/27/2012

New Standard

ANSI/IEEE 802.15.7-2011, Standard for Short-Range Wireless Optical Communication using Visible Light (new standard): 9/27/2012

ISA (ASC Z133) (International Society of Arboriculture)

Revision

ANSI Z133-2012, Standard for Arboricultural Operations - Safety Requirements (revision of ANSI Z133.1-2006): 9/27/2012

MedBiq (MedBiquitous Consortium)

New Standard

- * ANSI/MEDBIQ CF.10.1-2012, Competency Framework (new standard): 10/3/2012

NSF (NSF International)

Revision

ANSI/NSF 50-2012 (i86), Equipment for swimming pools, spas, hot tubs, and other recreational water facilities (revision of ANSI/NSF 50-2011): 9/16/2012

- * ANSI/NSF 60-2012 (i51), Drinking Water Treatment Chemicals - Health Effects (revision of ANSI/NSF 60-2011): 4/8/2012

SLAS (Society for Laboratory Automation and Screening)

Reaffirmation

ANSI/SLAS 1-2004 (R2012), Microplates - Footprint Dimensions (formerly recognized as ANSI/SBS 1-2004) (reaffirmation and redesignation of ANSI/SBS 1-2004): 10/3/2012

ANSI/SLAS 2-2004 (R2012), Microplates - Height Dimensions, (formerly recognized as ANSI/SBS 2-2004) (reaffirmation and redesignation of ANSI/SBS 2-2004): 10/3/2012

ANSI/SLAS 3-2004 (R2012), Microplates - Bottom Outside Flange Dimensions (formerly recognized as ANSI/SBS 3-2004) (reaffirmation and redesignation of ANSI/SBS 3-2004): 10/3/2012

ANSI/SLAS 4-2004 (R2012), Microplates - Well Positions (formerly recognized as ANSI/SBS 4-2004) (reaffirmation and redesignation of ANSI/SBS 4-2004): 10/3/2012

UL (Underwriters Laboratories, Inc.)

New National Adoption

ANSI/UL 60335-2-8-2012, Safety for Household and Similar Electrical Appliances, Part 2: Particular Requirements (identical national adoption of IEC 60335-2-8 and revision of ANSI/UL 60335-2-8-2006): 9/26/2012

- * ANSI/UL 60335-2-8-2012a, Standard for Safety for Household and Similar Electrical Appliances, Part 2: Particular Requirements for Shavers, Hair Clippers, and Similar Appliances (national adoption of IEC 60335-2-8 with modifications and revision of ANSI/UL 60335-2-8-2006): 9/26/2012

Revision

ANSI/UL 48-2012, Electric Signs (revision of ANSI/UL 48-2011): 10/2/2012

- * ANSI/UL 858A-2012, Standard for Safety for Safety-Related Solid-State Controls for Household Electric Ranges (revision of ANSI/UL 858A-2007): 9/25/2012

ANSI/UL 1029-2012, Standard for Safety for High-Intensity-Discharge Lamp Ballasts (revision of ANSI/UL 1029-2011): 9/28/2012

ANSI/UL 1072-2012, Standard for Safety for Medium-Voltage Power Cables (revision of ANSI/UL 1072-2011a): 10/1/2012

- * ANSI/UL 1450-2012, Standard for Safety for Motor-Operated Air Compressors, Vacuum Pumps, and Painting Equipment (revision of ANSI/UL 1450-2011): 9/27/2012

ANSI/UL 1561-2012, Standard for Safety for Dry-Type General Purpose and Power Transformers (revision of ANSI/UL 1561-2011): 9/28/2012

ANSI/UL 2202-2012, Standard for Safety for Electric Vehicle (EV) Charging System Equipment (revision of ANSI/UL 2202-2011): 10/4/2012

ANSI/UL 2335-2012, Standard for Safety for Fire Tests of Storage Pallets (revision of ANSI/UL 2335-2010a): 9/26/2012

Project Initiation Notification System (PINS)

ANSI Procedures require notification of ANSI by ANSI-accredited standards developers (ASD) of the initiation and scope of activities expected to result in new or revised American National Standards (ANS). Early notification of activity intended to reaffirm or withdraw an ANS and in some instances a PINS related to a national adoption is optional. The mechanism by which such notification is given is referred to as the PINS process. For additional information, see clause 2.4 of the ANSI Essential Requirements: Due Process Requirements for American National Standards.

Following is a list of proposed actions and new ANS that have been received recently from ASDs. Please also review the section in Standards Action entitled "American National Standards Maintained Under Continuous Maintenance" for additional or comparable information with regard to standards maintained under the continuous maintenance option. To view information about additional standards for which a PINS has been submitted and to search approved ANS, please visit www.NSSN.org, which is a database of standards information. Note that this database is not exhaustive.

Directly and materially affected interests wishing to receive more information or to submit comments are requested to contact the standards developer directly within 30 days of the publication of this announcement.

ASME (American Society of Mechanical Engineers)

Office: 3 Park Avenue, 20th Floor (20N2)
New York, NY 10016

Contact: *Mayra Santiago*

Fax: (212) 591-8501

E-mail: ANSIBox@asme.org

BSR/ASME B18.2.2-201x, Square and Hex Nuts (Inch Series) (revision of ANSI/ASME B18.2.2-2010)

Stakeholders: Manufacturers, users, and distributors of nuts for general applications inch Series).

Project Need: This standard is being revised to reflect the current state of the art.

This Standard is intended to cover the complete general and dimensional data for the various types of inch series square and hex nuts, including machine screw nuts and coupling nuts, recognized as the American National Standard. Also included are appendices covering gaging of slots in slotted nuts, wrench openings for nuts, and formulas on which dimensional data are based. It should be understood, however, that where questions arise concerning acceptance of product, the dimensions in the tables shall govern over recalculation by formula. The inclusion of dimensional data in this Standard is not intended to imply that all of the products described herein are stock production sizes. Consumers are requested to consult with manufacturers concerning lists of stock production sizes.

BHMA (Builders Hardware Manufacturers Association)

Office: 355 Lexington Avenue, 15th Floor
New York, NY 10017

Contact: *Dana O'Donnell*

Fax: (212) 370-9047

E-mail: dodonnell@kellencompany.com

* BSR/BHMA A156.14-201x, Sliding and Folding Door Hardware (revision of ANSI/BHMA A156.14-2007)

Stakeholders: Consumers, door and hardware manufacturers, building and construction.

Project Need: Due for normal five-year revision cycle.

This Standard establishes requirements for sliding and folding door hardware. Cycle tests, abuse, durability static load, smoothness, static friction, kinetic friction, and finish tests are included. Hardware for light to very heavy doors is covered including both residential and industrial applications.

CSA (CSA Group)

Office: 8501 East Pleasant Valley Rd.
Cleveland, OH 44131

Contact: *Cathy Rake*

Fax: (216) 520-8979

E-mail: cathy.rake@csagroup.org

* BSR Z21.5.1b-201x, Gas Clothes Dryers, Volume I, Type 1 Clothes Dryers (same as CSA 7.1b) (revision of ANSI Z21.5.1-2006 (R2011), ANSI Z21.5.1a-2007)

Stakeholders: Manufacturers, utilities, consumers, testing agencies.

Project Need: Update and revise text.

Details test and examination criteria for Type 1 clothes dryers for use with natural, manufactured, or mixed gases; liquefied petroleum gases; or LP gas-air mixtures.

* BSR Z21.5.2-201x, Standard for Gas Clothes Dryers, Volume II, Type 2 Clothes Dryers (revision of ANSI Z21.5.2-2004 (R2010), ANSI Z21.5.2a-2006 (R2010))

Stakeholders: Manufacturers, utilities, consumers, testing agencies

Project Need: Update and revise text.

Details test and examination criteria for Type 2 clothes dryers for use with natural, manufactured, or mixed gases; liquefied petroleum gases; or LP gas-air mixtures.

* BSR Z21.91a-201x, Ventless Firebox Enclosures for Gas-Fired Unvented Decorative Room Heaters (revision of ANSI Z21.91-2007 (R2012))

Stakeholders: Manufacturers, utilities, consumers, testing agencies

Project Need: Update and revise text.

Details test and examination criteria for ventless firebox enclosures for unvented decorative room heaters. Fireboxes covered by this standard are intended for use with unvented decorative room heaters that comply with ANSI Z21.11.2 for installation in solid fuel-burning fireplaces.

FM (FM Approvals)

Office: 1151 Boston-Providence Turnpike
Norwood, MA 2062

Contact: *Josephine Mahnken*

Fax: (781) 762-9375

E-mail: josephine.mahnken@fmglobal.com

BSR/FM 5560-201x, Water Mist Systems (revision of ANSI FM 5560-2007)

Stakeholders: Water mist system manufacturers, standard authorities, fire-research testing laboratories, fire-protection installation contractors, industry risk managers and plant protection specialists, and fire-protection AHJs (authorities having jurisdiction).

Project Need: To provide component, system, and fire performance guidance, for water-mist systems for fire protection.

Provides comprehensive performance requirements for Water Mist Systems for use in fire protection applications. The standard addresses component, system, and fire test requirements for various applications and occupancies, including the addition of fume hoods applications.

ITI (INCITS) (InterNational Committee for Information Technology Standards)

Office: 1101 K Street NW, Suite 610
Washington, DC 20005

Contact: *Barbara Bennett*

Fax: (202) 638-4922

E-mail: bbennett@itic.org

INCITS/ISO/IEC 21117:2012, Information technology - Office equipment - Copying machines and multi-function devices - Information to be included in specification sheets and related test methods (identical national adoption of ISO/IEC 21117:2012 and revision of INCITS/ISO/IEC 21117-2008)

Stakeholders: ICT industry.

Project Need: Adoption of this International Standard will be beneficial to the ICT industry.

This International Standard specifies the information to be listed in specification sheets for electrophotographic digital copying machines and multi-function devices. The intention of this International Standard is to allow purchasers and users to compare the characteristics of different models of copying machines and multi-function devices so that they can more easily select copying machines and multi-function devices that meet their requirements.

INCITS/ISO/IEC 24735:2012, Information technology - Office equipment - Method for measuring digital copying productivity (identical national adoption of ISO/IEC 24735:2012 and revision of INCITS/ISO/IEC 24735-2009 and INCITS/ISO/IEC 24735:2009/COR1:2009 [2009])

Stakeholders: ICT industry.

Project Need: Adoption of this International Standard will be beneficial to the ICT industry.

This International Standard specifies a method for measuring the "productivity" of digital copying devices and multifunctional devices with various copying modes. It is applicable to digital copying devices and multifunctional devices equipped with automatic document feeder and collating function. This International Standard is intended to be used for black and white (B&W) as well as color digital copying devices and multifunctional devices of any underlying marking technology. It allows comparison of the throughput copying rates for a machine operated in various available operating modes (simplex, duplex, size of substrates, etc.

INCITS/ISO/IEC 28360:2012, Information technology - Office equipment - Determination of chemical emission rates from electronic equipment (identical national adoption of ISO/IEC 28360:2012 and revision of INCITS/ISO/IEC 28360-2009)

Stakeholders: ICT industry.

Project Need: Adoption of this International Standard will be beneficial to the ICT industry.

This International Standard specifies methods to determine chemical emission rates of analyte from information and communication technology (ICT) and consumer electronics (CE) equipment during intended operation in an Emission Test Chamber (ETC). The methods comprise preparation, sampling (or monitoring) in a controlled ETC, storage and analysis, calculation and reporting of emission rates. This International Standard includes specific methods for equipment using consumables, such as printers, and equipment not using consumables, such as monitors and PCs.

MHI (Material Handling Industry)

Office: 8720 Red Oak Blvd., Suite 201
Charlotte, NC 28217-3992

Contact: *Michael Ogle*

Fax: (704) 676-1199

E-mail: mogle@mhia.org; carmen@mhia.org

BSR MH30.1-201x, Performance and Testing Requirements for Dock Leveling Devices (revision of ANSI MH30.1-2007)

Stakeholders: Designers, manufacturers, sellers, installers, owners, users and governing bodies.

Project Need: Electrical considerations clause and proper wording of safety-related issues

A dock-leveling device spans and compensates for space and height differentials between a loading dock and a transport vehicle to facilitate freight transfers in an effective and efficient manner. This Standard serves as a guide for designers, manufacturers, sellers, installers, owners, users and governing bodies of dock levelers and to provide guidelines for the design and testing of dock levelers, promote the understanding of the responsibilities, and to provide a uniform means of comparison.

NAAMM (National Association of Architectural Metal Manufacturers)

Office: 800 Roosevelt Road, Building C, Suite 312
Glen Ellyn, IL 60137

Contact: *Vernon (Wes) Lewis*

Fax: (757) 489-0788

E-mail: wlewis7@cox.net

BSR/NAAMM HMMA 841-201x, Tolerances and Clearances for Commercial Hollow Metal Doors and Frames (revision of ANSI/NAAMM HMMA 841-2007)

Stakeholders: Engineers, architects, government agencies, building owners.

Project Need: This standard establishes the tolerances and clearances required for the proper installation of commercial hollow metal doors and frames.

This standard provides tolerances and clearances for the manufacture and installation of commercial hollow metal doors and frames. This information is essential to assure that installed doors operate properly.

TAPPI (Technical Association of the Pulp and Paper Industry)

Office: 15 Technology Parkway South
Norcross, GA 30092

Contact: Charles Bohanan

Fax: (770) 446-6947

E-mail: standards@tappi.org

BSR/TAPPI T 491 om-201x, Water immersion number of paperboard (new standard)

Stakeholders: Manufacturers of pulp, paper, packaging, or related products, consumers or converters of such products, and suppliers of equipment, supplies, or raw materials for the manufacture of such products..

Project Need: To conduct required five-year review of an existing TAPPI standard in order to revise if needed to address new technology or correct errors.

This test is applicable to paperboards that are medium-sized, with an immersion number between 4.5 and 6.0, to hard-sized, with an immersion number of 3.5 or less, throughout.

UL (Underwriters Laboratories, Inc.)

Office: 333 Pvingsten Road
Northbrook, IL 60062

Contact: Beth Northcott

Fax: (847) 664-3198

E-mail: Elizabeth.Northcott@ul.com

* BSR/UL 60745-2-23-201x, Standard for Safety for Hand-Held Motor-Operated Electrical Tools - Safety - Part 2-23: Particular Requirements for Die Grinders and Small Rotary Tools (national adoption with modifications of IEC 60745-2-23)

Stakeholders: Manufacturers of die grinders and small rotary tools, consumers.

Project Need: To obtain national recognition of a standard covering die grinders and small rotary tools.

This standard applies to die grinders and small rotary tools for mounted accessories not exceeding 55 mm in diameter and mounted sanding accessories not exceeding 80 mm in diameter such as:

- threaded cones or plugs that are threaded on a mandrel with an unrelieved shoulder flange;
- mandrel mounted wheels; and
- rotary files with a rated speed not exceeding a peripheral speed of the accessory of 80 m/s at rated capacity.

VITA (VMEbus International Trade Association (VITA))

Office: PO Box 19658
Fountain Hills, AZ 85269

Contact: John Rynearson

Fax: (480) 837-7486

E-mail: techdir@vita.com

BSR/VITA 46.0-201x, VPX Baseline Standard (revision of ANSI/VITA 46.0-2007)

Stakeholders: Manufacturers, suppliers, and users of modular embedded computers.

Project Need: Fills the need for a printed circuit module with high-performance connector for use with high-speed serial fabrics in embedded applications.

This standard describes VITA 46.0, VPX, for embedded systems, an evolutionary step forward for the provision of high-speed interconnects in modular embedded applications.

American National Standards Maintained Under Continuous Maintenance

The ANSI Essential Requirements: Due Process Requirements for American National Standards provide two options for the maintenance of American National Standards (ANS): periodic maintenance (see clause 4.7.1) and continuous maintenance (see clause 4.7.2). Continuous maintenance is defined as follows:

The standard shall be maintained by an accredited standards developer. A documented program for periodic publication of revisions shall be established by the standards developer. Processing of these revisions shall be in accordance with these procedures. The published standard shall include a clear statement of the intent to consider requests for change and information on the submittal of such requests. Procedures shall be established for timely, documented consensus action on each request for change and no portion of the standard shall be excluded from the revision process. In the event that no revisions are issued for a period of four years, action to reaffirm or withdraw the standard shall be taken in accordance with the procedures contained in the ANSI Essential Requirements.

The Executive Standards Council (ExSC) has determined that for standards maintained under the Continuous Maintenance option, separate PINS announcements are not required. The following ANSI Accredited Standards Developers have formally registered standards under the Continuous Maintenance option.

- AAMI (Association for the Advancement of Medical Instrumentation)
- AAMVA (American Association of Motor Vehicle Administrators)
- AGA (American Gas Association)
- AGRSS, Inc. (Automotive Glass Replacement Safety Standards Committee, Inc.)
- ASC X9 (Accredited Standards Committee X9, Incorporated)
- ASHRAE (American Society of Heating, Refrigerating and Air-Conditioning Engineers, Inc.)
- ASME (American Society of Mechanical Engineers)
- ASTM (ASTM International)
- GEIA (Greenguard Environmental Institute)
- HL7 (Health Level Seven)
- MHI (ASC MH10) (Material Handling Industry)
- NAHBRC (NAHB Research Center, Inc.)
- NBBPVI (National Board of Boiler and Pressure Vessel Inspectors)
- NCPDP (National Council for Prescription Drug Programs)
- NISO (National Information Standards Organization)
- NSF (NSF International)
- TIA (Telecommunications Industry Association)
- UL (Underwriters Laboratories, Inc.)

To obtain additional information with regard to these standards, such as contact information at the ANSI accredited standards developer, please visit ANSI Online at www.ansi.org, select Internet Resources, click on "Standards Information," and see "American National Standards Maintained Under Continuous Maintenance". This information is also available directly at www.ansi.org/publicreview.

Alternatively, you may contact the Procedures & Standards Administration Department (PSA) at psa@ansi.org or via fax at 212-840-2298. If you request that information be provided via E-mail, please include your E-mail address; if you request that information be provided via fax, please include your fax number. Thank you.

ANSI-Accredited Standards Developers Contact Information

The addresses listed in this section are to be used in conjunction with standards listed in PINS, Call for Comment and Final Actions. This section is a list of developers who have submitted standards for this issue of *Standards Action* – it is not intended to be a list of all ANSI-Accredited Standards Developers. Please send all address corrections to Standards Action Editor at standact@ansi.org.

AAMI

Association for the Advancement of
Medical Instrumentation
4301 N Fairfax Drive
Suite 301
Arlington, VA 22203-1633
Phone: (703) 253-8284
Fax: (703) 276-0793
Web: www.aami.org

AISI

American Iron and Steel Institute
25 Massachusetts Avenue, NW
Suite 800
Washington, DC 20001
Phone: (202) 452-7134
Fax: (202) 452-1039
Web: www.steel.org

ASABE

American Society of Agricultural and
Biological Engineers
2950 Niles Road
St Joseph, MI 49085
Phone: (269) 932-7015
Fax: (269) 429-3852
Web: www.asabe.org

ASME

American Society of Mechanical
Engineers
3 Park Avenue, 20th Floor (20N2)
New York, NY 10016
Phone: (212) 591-8521
Fax: (212) 591-8501
Web: www.asme.org

ASSE (Safety)

American Society of Safety Engineers
1800 East Oakton Street
Des Plaines, IL 60018-2187
Phone: (847) 768-3411
Fax: (847) 296-9221
Web: www.asse.org

ASTM

ASTM International
100 Barr Harbor Drive
West Conshohocken, PA 19428-2959
Phone: (610) 832-9743
Fax: (610) 834-3655
Web: www.astm.org

AWS

American Welding Society
550 N.W. LeJeune Road
Miami, FL 33126
Phone: (305) 443-9353
Fax: (305) 443-5951
Web: www.aws.org

AWWA

American Water Works Association
6666 W. Quincy Ave.
Denver, CO 80235
Phone: (303) 347-6178
Fax: (303) 795-6303
Web: www.awwa.org

BHMA

Builders Hardware Manufacturers
Association
355 Lexington Avenue, 15th Floor
New York, NY 10017
Phone: (212) 297-2127
Fax: (212) 370-9047
Web: www.buildershardware.com/

BPI

Building Performance Institute
107 Hermes Road, Suite 110
Malta, NY 12020
Phone: 518-899-2727
Fax: 518-899-1622
Web: www.bpi.org

CEA

Consumer Electronics Association
1919 S. Eads St.
Arlington, VA 22202
Phone: (703) 907-7697
Fax: (703) 907-4192
Web: www.ce.org

CSA

CSA Group
8501 East Pleasant Valley Rd.
Cleveland, OH 44131
Phone: (216) 524-4990
Fax: (216) 520-8979
Web: www.csa-america.org

EIA (ASC Z245)

Environmental Industry Associations
4301 Connecticut Ave NW, ste 300
Washington, DC 20008
Phone: (202) 364-3750
Fax: (202) 966-4824
Web: www.envasns.org

FM

FM Approvals
1151 Boston-Providence Turnpike
Norwood, MA 2062
Phone: (781) 255-4813
Fax: (781) 762-9375
Web: www.fmglobal.com

HL7

Health Level Seven
3300 Washtenaw Avenue
Suite 227
Ann Arbor, MI 48104
Phone: (734) 677-7777 Ext 104
Fax: (734) 677-6622
Web: www.hl7.org

IEEE

Institute of Electrical and Electronics
Engineers (IEEE)
445 Hoes Lane
Piscataway, NJ 08854
Phone: (732) 562-3854
Fax: (732) 796-6966
Web: www.ieee.org

ISA (ASC Z133)

International Society of Arboriculture
2101 West Park Court
PO Box 3129
Champaign, IL 61826-3129
Phone: (217) 531-2874
Fax: (217) 355 9516
Web: www.isa-arbor.com

ITI (INCITS)

InterNational Committee for
Information Technology Standards
1101 K Street NW, Suite 610
Washington, DC 20005
Phone: (202) 626-5743
Fax: (202) 638-4922
Web: www.incits.org

MedBiq

MedBiquitous Consortium
5801 Smith Avenue, Davis 3110C
Baltimore, MD 21202
Phone: (410) 735-6142
Fax: (410) 735-4660
Web: www.medbiq.org

MHI

Material Handling Industry
8720 Red Oak Blvd., Suite 201
Charlotte, NC 28217-3992
Phone: (704) 676-1190
Fax: (704) 676-1199
Web: www.mhia.org

NAAMM

National Association of Architectural
Metal Manufacturers
800 Roosevelt Road, Building C
Suite 312
Glen Ellyn, IL 60137
Phone: (757) 489-0787
Fax: (757) 489-0788
Web: www.naamm.org

NCPDP

National Council for Prescription Drug
Programs
9240 East Raintree Drive
Scottsdale, AZ 85260
Phone: (512) 291-1356
Fax: (480) 767-1042
Web: www.ncpdp.org

NSF

NSF International
789 N. Dixboro Road
Ann Arbor, MI 48105
Phone: (734) 827-5643
Fax: (734) 827-7880
Web: www.nsf.org

SCTE

Society of Cable Telecommunications
Engineers
140 Philips Rd.
Exton, PA 19341
Phone: (610) 594-7308
Fax: (610) 363-7133
Web: www.scte.org

SLAS

Society for Laboratory Automation
and Screening
100 Illinois Street
Suite 242
St. Charles, Illinois 60174
Phone: (630) 256-7527
Fax: (630) 741-7527
Web: www.slas.org

TAPPI

Technical Association of the Pulp and
Paper Industry
15 Technology Parkway South
Norcross, GA 30092
Phone: (770) 209-7276
Fax: (770) 446-6947
Web: www.tappi.org

TIA

Telecommunications Industry
Association
2500 Wilson Boulevard, Suite 300
Arlington, VA 22201
Web: www.tiaonline.org

UL

Underwriters Laboratories, Inc.
333 Pfingsten Road
Northbrook, IL 60062-2096
Phone: (847) 664-2023
Fax: (847) 664-2023
Web: www.ul.com/

VITA

VMEbus International Trade
Association (VITA)
PO Box 19658
Fountain Hills, AZ 85269
Phone: (480) 837-7486
Fax: (480) 837-7486
Web: www.vita.com/

Proposed Foreign Government Regulations

Call for Comment

U.S. manufacturers, exporters, regulatory agencies and standards developing organizations may be interested in proposed foreign technical regulations issued by Member countries of the World Trade Organization (WTO). In accordance with the WTO Agreement on Technical Barriers to Trade (TBT Agreement), Members are required to report proposed technical regulations that may significantly affect trade to the WTO Secretariat in Geneva, Switzerland. In turn, the Secretariat disseminates the information to all WTO Members. The purpose of this requirement is to provide global trading partners with an opportunity to review and comment on the regulations before they become final.

The National Center for Standards and Certification Information (NCSCI) at the National Institute of Standards and Technology

(NIST), distributes these proposed foreign technical regulations to U.S. stakeholders via an online service, Notify U.S. Notify U.S. is an e-mail and Web service that allows interested U.S. parties to register, obtain notifications, and read full texts of regulations from countries and for industry sectors of interest to them. To register for Notify U.S., please go to Internet URL: <http://www.nist.gov/notifyus/> and click on "Subscribe".

NCSCI is the WTO TBT Inquiry Point for the U.S. and receives all notifications and full texts of regulations to disseminate to U.S. Industry. For further information, please contact: NCSCI, NIST, 100 Bureau Drive, Gaithersburg, MD 20899-2160; Telephone: (301) 975-4040; Fax: (301) 926-1559; E-mail: ncsci@nist.gov or notifyus@nist.gov.

Information Concerning

American National Standards

INCITS Executive Board

ANSI Accredited SDO and US TAG to ISO/IEC JTC 1, Information Technology

The InterNational Committee for Information Technology Standards (INCITS), an ANSI accredited SDO, is the forum for information technology developers, producers and users for the creation and maintenance of formal de jure IT standards. INCITS' mission is to promote the effective use of Information and Communication Technology through standardization in a way that balances the interests of all stakeholders and increases the global competitiveness of the member organizations.

The INCITS Executive Board serves as the consensus body with its oversight of programs of its 40+ Technical Committees. Additionally, the INCITS Executive Board exercises international leadership in its role as the US Technical Advisory Group (TAG) to ISO/IEC JTC 1, Information Technology.

The INCITS Executive Board seeks to broaden its membership base and is recruiting new participants in the following membership categories:

- special interest (user, academic, consortia)
- non-business (government and major/minor SDOs)

Membership in the INCITS Executive Board is open to all directly and materially affected parties in accordance with INCITS membership rules. To find out more about participating on the INCITS Executive Board, please contact Jennifer Garner at 202-626-5737 or jgarner@itic.org. Visit www.INCITS.org for more information regarding INCITS activities.

Calls for Members

Society of Cable Telecommunications

ANSI Accredited Standards Developer

SCTE, an ANSI-accredited SDO, is the primary organization for the creation and maintenance of standards for the cable telecommunications industry. SCTE's standards mission is to develop standards that meet the needs of cable system operators, content providers, network and customer premises equipment manufacturers, and all others who have an interest in the industry through a fair, balanced and transparent process.

SCTE is currently seeking to broaden the membership base of its ANS consensus bodies and is interested in new members in all membership categories to participate in new work in fiber-optic networks, advanced advertising, 3D television, and other important topics. Of particular interest is membership from the content (program and advertising) provider and user communities.

Membership in the SCTE Standards Program is open to all directly and materially affected parties as defined in SCTE's membership rules and operating procedures. More information is available at www.scte.org or by e-mail from standards@scte.org.

PINS Correction

ISO/IEC 19775-2:2010

A PINS for the identical national adoption of ISO/IEC 19775-2:2010 was unnecessarily listed in the September 14, 2012 Standards Action. This adoption of the ISO/IEC document was already completed in 2011.

ANSI Accredited Standards Developers

Approval of Reaccreditation

North American Laminate Flooring Association (NALFA)

At the direction of ANSI's Executive Standards Council (ExSC), the reaccreditation of the North American Laminate Flooring Association (NALFA), an ANSI Organizational Member, has been approved under its recently revised operating procedures for documenting consensus on NALFA-sponsored American National Standards, effective September 28, 2012. For additional information, please contact: Mr. David Goch, General Counsel, North American Laminate Flooring Association, 1747 Pennsylvania Avenue, Suite 1000, Washington, DC 20006; phone: 202.785.9500; e-mail: dgoch@wc-b.com.

Reaccreditation

ASC C63 – Electromagnetic Compatibility

Comment Deadline: November 5, 2012

Accredited Standards Committee C63, Electromagnetic Compatibility, has submitted revisions to the interpretations policy contained in the ASC's currently accredited operating procedures for documenting consensus on ASC C63-sponsored American National Standards. As the revisions appear to be substantive in nature, the reaccreditation process is initiated.

To obtain a copy of ASC C63's revised procedures or to offer comments, please contact the Secretariat of ASC C63: Ms. Patricia Roder, IEEE, 445 Hoes Lane, PO Box 1331, Piscataway, NJ 08855-1331; phone: 732.275.7362; Email: p.roder@ieee.org. You may view/download a copy of the revisions during the public review period at the following URL:

<http://publicaa.ansi.org/sites/apdl/Documents/Forms/AllItems.aspx?RootFolder=%2fsites%2fapdl%2fDocuments%2fStandards%20Activities%2fPublic%20Review%20and%20Comment%2fANS%20Accreditation%20Actions&View=%7b21C60355%2dAB17%2d4CD7%2dA090%2dBABEEC5D7C60%7d>. Please submit any public comments on the revised procedures to IEEE by November 5, 2012, with a copy to the ExSC Recording Secretary in ANSI's New York Office (E-mail: jthompo@ANSI.org).

ANSI-ASQ National Accreditation Board (ANAB)

Public Comments Sought

ANAB Web Ballots 1052, 1053, and 1054

Public comments are sought on ANAB web ballots 1052, 1053, and 1054 as indicated below. Please submit your comments no later than November 4, 2012, and share this information with anyone you think may be interested in commenting. (Note: A username and password are required to access and comment on these web ballots. If you do not have a username and password for EQM, go to http://www.anab.org/UserRegistration/WebBallotUsers_Registration.aspx.)

Draft ANAB Accreditation Rule S, Accreditation Program for SN 9001 Quality Management Systems. Interested parties are invited to login to EQM at <http://anab.remoteauditor.com/> to download the document and comment on public ballot 1052.

Draft ANAB Accreditation Rule T, Application of IAF MD 2 for the Transfer of Accredited Certification of Management Systems for ANAB Accreditation Programs. Interested parties are invited to login to EQM at <http://anab.remoteauditor.com/> to download the document and comment on public ballot 1053.

Revised ANAB Accreditation Rule 31, Application of IAF MD 4 for Computer Assisted Auditing Techniques.

Interested parties are invited to login to EQM at <http://anab.remoteauditor.com/> to download the document and comment on public ballot 1054.

U.S. Technical Advisory Groups

Application for Accreditation

U.S. TAG to ISO/TC 270 – Plastic and Rubber Machines

Comment Deadline: November 5, 2012

SPI – The Plastics Industry Trade Association has submitted an Application for Accreditation for a proposed U.S. Technical Advisory Group (TAG) to ISO/TC 270, Plastic and Rubber Machines, and a request for formal approval as TAG Administrator. The TAG to ISO/TC 270 intends to operate using the Model Operating Procedures for U.S. Technical Advisory Groups to ANSI for ISO Activities as contained in Annex A of the ANSI International Procedures.

For additional information, or to offer comments, please contact: Mr. David Felinski, Standards Program Coordinator, SPI – The Plastics Industry Trade Association, P.O. Box 690905, Houston, TX 77269-0905; phone: 832.446.6999. Please submit any public comments to SPI by November 5, 2012 (please copy jthomps@ansi.org).

Information Concerning

ANSI Accreditation Program for Greenhouse Gas Verification/Validation Bodies

Notification of Suspension

Scope(s) Suspended

Stearns, Conrad and Schmidt, Consulting Engineers, Inc. (DBA SCS Engineers)

Comment Deadline: November 5, 2012

In accordance with the following ISO standards:

ISO 14065:2007, *Greenhouse gases - Requirements for greenhouse gas validation and verification bodies for use in accreditation or other forms of recognition*

On September 21, 2012, the ANSI Greenhouse Gas Validation/Verification Body Accreditation Committee voted to suspend the ANSI accreditation of the following ANSI-Accredited Verification Body for 60 days:

Stearns, Conrad and Schmidt, Consulting Engineers, Inc. (DBA SCS Engineers)
3900 Kilroy Airport Way, Suite 100
Long Beach, CA 90806
USA

SCOPE:

Verification of assertions related to GHG emission reductions & removals at the project level

- 05. Livestock
- 06. Waste Handling and Disposal

Verification of assertions related to GHG emission reductions & removals at the organizational level

- 01. General
- 02. Manufacturing
- 03. Power Generation
- 05. Mining and Mineral Production
- 08. Oil and Gas Extraction, Production and Refining, included Petrochemicals
- 09. Waste

Please send your comments by November 5, 2012 to Ann Bowles, Director, Environmental Accreditation Programs, American National Standards Institute, 1899 L Street, NW, 11th Floor, Washington, DC 20036, Fax: 202-293-9287 or e-mail: abowles@ansi.org.

Information Concerning

ANSI Accreditation Program for Greenhouse Gas Verification/Validation Bodies

Notification of Voluntary Withdrawal

Scope(s) Withdrawn

Stearns, Conrad and Schmidt, Consulting Engineers, Inc. (DBA SCS Engineers)

Comment Deadline: November 5, 2012

In accordance with the following ISO standards:

ISO 14065:2007, *Greenhouse gases - Requirements for greenhouse gas validation and verification bodies for use in accreditation or other forms of recognition*

On September 21, 2012, Stearns, Conrad and Schmidt, Consulting Engineers, Inc. (DBA SCS Engineers) voluntarily withdrew its accreditation, following the ANSI suspension decision on September 21, 2012.

Stearns, Conrad and Schmidt, Consulting Engineers, Inc. (DBA SCS Engineers)

3900 Kilroy Airport Way
Suite 100
Long Beach, CA 90806
USA

SCOPE:

Verification of assertions related to GHG emission reductions & removals at the project level

- 05. Livestock
- 06. Waste Handling and Disposal

Verification of assertions related to GHG emission reductions & removals at the organizational level

- 01. General
- 02. Manufacturing
- 03. Power Generation
- 05. Mining and Mineral Production
- 08. Oil and Gas Extraction, Production and Refining, included Petrochemicals
- 09. Waste

Please send your comments by November 5, 2012 to Ann Bowles, Director, Environmental Accreditation Programs, American National Standards Institute, 1899 L Street, NW, 11th Floor, Washington, DC 20036, Fax: 202-293-9287 or e-mail: abowles@ansi.org.

Information Concerning

International Organization for Standardization (ISO)

Call for International (ISO) Secretariat

ISO/TC 28/SC 2 – *Dynamic petroleum measurement* **ISO/TC 193/SC 3 – *Upstream area***

ANSI has delegated the responsibility for the administration of the secretariats for ISO/TC 28/SC 2 (Dynamic petroleum measurement) and ISO/TC 193/SC 3 – (Upstream area) to American Petroleum Institute (API). API has advised ANSI of its intent to relinquish its role as delegated secretariat for both of the aforementioned ISO committees.

ISO/TC 28/SC 2 operates under the following scope:

Standardization of terminology, classification, specifications, methods of sampling, measurement, analysis and testing for:

- Petroleum;
- Petroleum products;
- Petroleum based lubricants and hydraulic fluids;
- Non-petroleum based liquid fuels;
- Non-petroleum based lubricants and hydraulic fluids.

ISO/TC 193/SC 3 operates under the following scope:

Standardization of terminology, quality specifications, methods of measurement, sampling, analysis and test for natural gas and natural gas substitutes (gaseous fuel), in all its facets from production to delivery to all possible end users across national boundaries.

ANSI is seeking organizations in the U.S. that may be interested in assuming the delegated responsibility for the administration of the secretariats for ISO/TC 28/SC 2 and/or ISO/TC 193/SC 3.

Additionally, ANSI may be assigned the responsibility for administering an ISO secretariat. Any request that ANSI accept a secretariat shall demonstrate that the affected interests have made a financial commitment for not less than three years, covering all defined costs incurred by ANSI associated with holding the secretariat, and:

- 1) the affected interests have made a financial commitment for not less than three years covering all defined costs incurred by ANSI associated with holding the secretariat;
- 2) the affected technical sector, organizations or companies desiring that the U.S. hold the secretariat request that ANSI perform this function;
- 3) the relevant US TAG has been consulted with regard to ANSI's potential role as secretariat; and
- 4) ANSI is able to fulfill the requirements of a secretariat.

Organizations seeking information concerning the United States retaining the role of international secretariat may be obtained by contacting ANSI at isot@ansi.org. If there is no support for retaining the ISO/TC 28/SC 2 secretariat and/or the ISO/TC 193/SC 3 secretariat in the United States, then ANSI will so advise the ISO Central Secretariat.

Tracking number 14i47r1
© 2012 NSF

Revision to NSF/ANSI 14 – 2011
Issue 47 Revision 1 (September 2012)

Not for publication. This draft text is for circulation for approval by the Joint Committee on Plastics and RV Plumbing Components and has not been published or otherwise officially promulgated. All rights reserved. This document may be reproduced for informational purposes only.

[Note – the changes are seen below using strikethrough for removal of old text and gray highlights to show the suggested text. ONLY the highlighted text is within the scope of this ballot.]

NSF/ANSI Standard
for Plastics

Plastics piping system components and related materials

.
. .
.

Table 33 – PVC pressure pipe and fabricated fittings for water transmission and distribution

Test	Pipe	Pipe	Machined Coupling	Machined Coupling	Fabricated Fitting	Fabricated Fitting
dimension ¹	hourly	2 h	hourly	8 h	—	—
sustained pressure ²	6 month	—	—	—	—	—
burst pressure ¹	24 h	—	8 h	—	—	—
5 seconds burst – pipe and bell end ³	every length ³	every length ³	every coupling	every coupling	—	—
flattening ¹	8 h	—	—	—	—	—
lap shear	—	—	—	—	every 200 fittings	every 50 fittings or 45 days
pressure test – 2 hour	—	—	—	—	every 50 fittings	every 50 fittings or 45 days
standard	AWWA C900	AWWA C905	AWWA C900	AWWA C905	AWWA C900	AWWA C905

¹Beginning of production of each material and size and thereafter 1 specimen from each extrusion outlet.

² Beginning of production specimens of 4" or 6" and 8" and larger.

³ Requirement does not apply for pipes that are not hydrostatically tested per AWWA C900 and C905 section 5.1.14 and marked per section 6.1.2.e.

Reason: Revised per 2011 annual Plastics JC meeting (July 26, 2011) to reflect QC requirements per AWWA C900 and AWWA C905.

BSR/UL 217, Standard for Safety for Single and Multiple Station Smoke Alarms

53.7.3 A permanently-connected smoke alarm is to be subjected to a ~~minimum~~ surge of 6 20 kV +/- 10% at 10 kA +/- 10%. The surge shall be a combination 1.2/50 μ s, 8/20 μ s voltage/current surge waveform. The polarity of the impulses shall be one positive applied at a phase angle of 90 degrees (+0, -15) and one negative applied at a phase angle of 90 degrees (+0, -15).

UL copyrighted material. Not authorized for further reproduction without prior permission from UL.

BSR/UL 797, Standard for Electrical Metallic Tubing – Steel

Recirculation Proposal: Addition of Date Code Marking Requirements for Tubing

(NEW)

~~7.8 In the United States and Mexico, e~~ Each master bundle tag for tubing, see Annex F, or carton/package for elbows shall have a distinctive marking that indicates the date or other dating period of manufacture not exceeding any three consecutive months. For an elbow or bend, the date of manufacture shall be the date that:

- a) The tube is made and the bending occurs at the same location, or
- b) The elbow or bend was formed, when the tubing is made at a different location.

~~In Canada, this requirement does not apply.~~

(NEW)

~~7.9 In the United States and Mexico, t~~ The date of manufacture may be abbreviated in a nationally accepted conventional code or in a code affirmed by the manufacturer if the code does not:

- a) Repeat in less than 20 years, and
- b) Require reference to the production records of the manufacturer to determine when the product was manufactured.

~~In Canada, this requirement does not apply.~~

UL copyrighted material. Not authorized for further reproduction without prior permission from UL.

(NEW)**Annex F (informative)****F.1 Master Bundle Quantity**

(See Clauses 7.8 and 7.9)

~~This applies for the United States and Mexico only.~~~~In Canada, this does not apply.~~**Table F1****Master bundle quantity - 10-foot (3.05-m) lengths**

Trade size	(Metric designator)	Pieces	Feet	(Meters)	Nominal Wt/Lbs	(Wt/kg)
1/2	16	700	7000	2133.6	2100	948.0
3/4	21	500	5000	1524	2300	1037.8
1	27	300	3000	914.4	2010	916.3
1-1/4	35	200	2000	609.6	2020	911.7
1-1/2	41	150	1500	457.2	1740	789.2
2	53	120	1200	365.8	1776	807.4
2-1/2	63	61	610	185.9	1318	598.7
3	78	51	510	155.4	1341	607.8
3-1/2	91	37	370	112.8	1291	585.1
4	103	30	300	91.4	1179	535.2

UL copyrighted material. Not authorized for further reproduction without prior permission from UL.

BSR/UL 1180

SD7 Dynamic Strength Test

~~SD7.1 There shall be no evidence of mechanical damage, such as tears, rips, loose seams, or broken or distorted hardware, sufficient to affect its performance when a fully inflatable device is subjected to water drops in accordance with SD7.2 - SD7.4.~~

~~SD7.2 For this test, a disarmed, deflated sample of the device is to be secured to a test form (see UL 1180, Figure 28.1 and Table 28.1) in the packed condition by the primary means of closure provided on the device. A device having more than one primary means of closure is to be tested using each primary means of closure independently. For example, when a device employs single or multiple body straps and a zipper, the Dynamic Strength Test is to be conducted first with all body strap(s) closed and the zipper open, then with the body strap(s) open and the zipper closed. The fastening means may be adjusted between impacts. The same sample is to be used for all drops.~~

~~SD7.3 The sample is to be dropped parallel to, and from approximately 18 inches (457 mm) above the water surface at a speed of 50 mph (22 m/s). The device is to be dropped six times; once in each of the following orientations:~~

- ~~a) Face down, shoulder ahead position, followed by;~~
- ~~b) Face down, shoulder astern;~~
- ~~c) Back down, shoulder ahead;~~
- ~~d) Back down, shoulder astern;~~
- ~~e) Left side down, shoulder ahead; and~~
- ~~f) Right side down, shoulder astern.~~

~~*Exception: When it is determined that a particular orientation other than any of those specified is most likely to result in unacceptable performance, the device is to be dropped at least once in that orientation as a substitute for the specified orientation that most nearly approximates the most severe orientation.*~~

~~SD7.4 The test then is to be repeated using the same sample of the device, with a discharged cylinder and inflated to the maximum value of the design pressure range.~~

BSR/UL 1691, Standard for Safety for Single Pole Locking-Type Separable Connectors

1. Modification of Strain Relief Requirements

PROPOSAL

5.10 Assembly

5.10.1 A device shall be capable of being readily wired as intended.

5.10.2 Electrical contact shall be reliably maintained at any point at which a connection is made between current-carrying parts.

5.10.3 An outlet device shall have live parts protected against unintentional contact by persons when the outlet is assembled and installed as intended.

5.10.4 Means shall be provided for securely attaching the contact of a panel inlet or outlet to the mounting base. The contact shall be prevented from turning with respect to the mounting base.

5.10.5 Panel inlets and outlets shall be provided with at least two independent mechanical means of fixation to prevent rotation or movement, when assembled to a panel in the intended manner.

5.11 Cord entry and strain relief

~~5.11.1 A strain relief means shall be provided in a device intended for connection to flexible cord or cable so that a pull on the flexible cord or cable will not be transmitted directly to the terminal.~~

~~5.11.2~~ 5.10.6 A metal-covered device intended for connection to a flexible cord shall be provided with an insulating bushing.

~~5.11.3~~ 5.10.7 A bushing made of hard fiber is acceptable if the fiber is not less than 1.2 mm (3/64 inch) thick and it is so formed and secured in place that it will not be affected by ordinary conditions of moisture.

~~5.11.4~~ 5.10.8 If the metal covering of a device is not in proximity to the cord-entry hole, and the insulating material of which the connector is made serves as a smooth, well-rounded bushing for a flexible cord or cable, a separate bushing is not required.

~~5.11.5~~ 5.10.9 A metal cord grip may be provided on a cord-connected device. A metal cord grip shall be suitable for the flexible cord or cable as specified by the manufacturer. A metal-covered device with a metal cord grip is not required to have an insulating bushing.

~~5.11.6 5.10.10~~ The strain relief A cord or cable connected device shall comply with the Cord and Cable Secureness Test, 6.14.

~~5.11.7 5.10.11~~ The cord entry of a cord or cable connected device and strain relief of a connector shall accommodate the maximum and minimum diameters of the range of cord or cable sizes and types identified by the manufacturer. The range shall include a wire size with at least a current-carrying capacity equal to the marked electrical rating of the connector.

6.14.1 A cord or cable connected device shall not show any evidence of damage to the flexible cord or cable, the enclosure of live parts, ~~the strain relief means,~~ the termination of the conductor to the contact, or grounding path integrity, after the force specified in Table 5 is applied and removed. It shall be tested using both the maximum and minimum diameter flexible cord or cable that the ~~cable grip device~~ is designed to accommodate. After being subjected to each test described and with the force removed, there shall not be any axial displacement of the supply conductors, conductor insulation, or outer jacket of the flexible cord or cable from the assembled condition exceeding the maximum allowed displacement as specified in Table 5.

6.14.2 The device shall be assembled as intended, including termination of the conductor to the contact, onto a 305 mm (12 inch) or longer length of flexible cord or cable placed in the device with its conductors positioned as if the conductors were to be connected to the terminals. Screws, nuts, or other hardware shall be tightened according to the manufacturer's instructions. ~~The flexible cord or cable shall be cut at a right angle to its major axis (but not stripped).~~

6.14.3 ~~The cord or cable clamp device~~ shall be held firmly in place. The force shall be applied gradually and sustained for a period of 1 minute to the flexible cord or cable, at a point not less than 150 mm (6 inch) from the cord or cable entry or grip, in a direction perpendicular to the plane of the opening and in line with the flexible cord or cable.

6.14.4 Following the pull, a torque shall also be applied to the flexible cord or cable at a point 150 mm (6 inch) from the cord or cable entry or grip as specified in Table 5 for 1 minute in the direction least favorable to the ~~clamp device~~ construction.


2. Correction to Figure B1.2 Male Insulating Housing Dimension

PROPOSAL

The diameter of the insulating housing shown in UL 1691, Figure B1.2 (bottom right drawing), is incorrectly recorded in brackets as "1.815". The correct measurement should be "1.185". Figure B1.2 is shown below corrected.

Figure B1.2

Series 16 male and female contact and housing rated 400 A MAX., 600 V MAX.



su06805

UL

from UL