

Contents

American National Standards

Call for Comment on Standards Proposals	2
Call for Members (ANS Consensus Bodies)	10
Final Actions	12
Project Initiation Notification System (PINS)	13
ANS Maintained Under Continuous Maintenance	16
ANSI-Accredited Standards Developers Contact Information	17

International Standards

ISO and IEC Draft Standards	18
ISO and IEC Newly Published Standards	22
Registration of Organization Names in the U.S.	23
Proposed Foreign Government Regulations	23
Information Concerning	24
Standards Action Publishing Schedule for 2014	42

American National Standards

Call for comment on proposals listed

This section solicits public comments on proposed draft new American National Standards, including the national adoption of ISO and IEC standards as American National Standards, and on proposals to revise, reaffirm or withdraw approval of existing American National Standards. A draft standard is listed in this section under the ANSI-accredited standards developer (ASD) that sponsors it and from whom a copy may be obtained. Comments in connection with a draft American National Standard must be submitted in writing to the ASD no later than the last day of the comment period specified herein. Such comments shall be specific to the section(s) of the standard under review and include sufficient detail so as to enable the reader to understand the commenter's position, concerns and suggested alternative language, if appropriate. Please note that the ANSI Executive Standards Council (ExSC) has determined that an ASD has the right to require that interested parties submit public review comments electronically, in accordance with the developer's procedures.

Ordering Instructions for "Call-for-Comment" Listings

1. Order from the organization indicated for the specific proposal.
2. Use the full identification in your order, including the BSR prefix; for example, Electric Fuses BSR/SAE J554.
3. Include remittance with all orders.
4. BSR proposals will not be available after the deadline of call for comment.

Comments should be addressed to the organization indicated, with a copy to the Board of Standards Review, American National Standards Institute, 25 West 43rd Street, New York, NY 10036. Fax: 212-840-2298; e-mail: psa@ansi.org

* Standard for consumer products

Comment Deadline: December 1, 2013

ASME (American Society of Mechanical Engineers)

Revision

BSR/ASME A112.19.14-201x, Six-Liter Water Closets Equipped with a Dual Flushing Device (revision of ANSI/ASME A112.19.14-2006 (R2011))

This Standard establishes physical, material, testing, and marking requirements for 6 L water closets that incorporate a water-conserving, dual-flushing feature into the fixture. The tests specified in this Standard are for the removal of liquid wastes and toilet tissue or other comparable waste loads that are expected when actuating the reduced flush feature of the unit. The use of alternate materials or methods is permitted, provided that the proposed material and method comply with the performance requirements and the intent of this Standard.

[Click here to view these changes in full](#)

Send comments (with copy to psa@ansi.org) to: Angel Guzman, (212) 591-8018, guzman@asme.org

NSF (NSF International)

Revision

BSR/NSF 49-201x (i50r1), Biosafety Cabinetry: Design, Construction, Performance, and Field Certification (revision of ANSI/NSF 49-2012)

This Standard applies to Class II (laminar flow) biosafety cabinetry designed to minimize hazards inherent in work with agents assigned to biosafety levels 1, 2, 3, or 4. It also defines the tests that shall be passed by such cabinetry to meet this Standard. This Standard includes basic requirements for the design, construction, and performance of biosafety cabinets that are intended to provide personnel, product, and environmental protection; reliable operation; durability and structural stability; cleanability; limitations on noise level; illumination; vibration; and motor/blower performance.

[Click here to view these changes in full](#)

Send comments (with copy to psa@ansi.org) to: Allan Rose, (734) 827-3817, arose@nsf.org

NSF (NSF International)

Revision

BSR/NSF 170-201x (i15r1), Glossary of Food Equipment Terminology (revision of ANSI/NSF 170-2011)

Definitions covered by this Standard consist of terminology related to food equipment, including terms describing equipment, materials, design, construction, and performance testing. This Standard includes common definitions of terms used throughout NSF Food Equipment and Sanitation Standards.

[Click here to view these changes in full](#)

Send comments (with copy to psa@ansi.org) to: Allan Rose, (734) 827-3817, arose@nsf.org

SDI (ASC A250) (Steel Door Institute)

Revision

BSR A250.13-201x, Testing & Rating of Severe Windstorm Resistant Components for Swinging Door Assemblies for Protection of Building Envelopes (revision of ANSI A250.13-2008)

This standard provides procedure for testing and establishing load ratings for components of exterior swinging door assemblies for purposes of protection of openings in building envelopes during severe windstorm conditions, such as a hurricane that produces sustained wind speeds or gusts in a range of 110 to 15 mph as defined by ASCE 7.

[Click here to view these changes in full](#)

Send comments (with copy to psa@ansi.org) to: Linda Hamill, (440) 899-0010, leh@wherryassoc.com

UL (Underwriters Laboratories, Inc.)

New National Adoption

BSR/UL 60947-5-1-201x, Standard for Safety for Low-Voltage Switchgear and Controlgear - Part 5-1: Control Circuit Devices and Switching Elements - Electromechanical Control Circuit Devices (national adoption with modifications of IEC 60947-5-1)

This covers revisions to the previously proposed standard based on comments received.

[Click here to view these changes in full](#)

Send comments (with copy to psa@ansi.org) to: Megan Sepper, (847) 664-3411, Megan.M.Sepper@ul.com

UL (Underwriters Laboratories, Inc.)

Revision

BSR/UL 127-201x, Standard for Safety for Factory-Built Fireplaces (revision of ANSI/UL 127-2011)

UL proposes a labeling change to chimney to improve awareness of possible fire hazard.

[Click here to view these changes in full](#)

Send comments (with copy to psa@ansi.org) to: Nicolette Allen, (919) 549-0973, Nicolette.Allen@ul.com

UL (Underwriters Laboratories, Inc.)

Revision

BSR/UL 2061-201x, Standard for Safety for Adapters and Cylinder Connection Devices for Portable LP-Gas Cylinder Assemblies (revision of ANSI/UL 2061-2012)

This proposal adds a method for securing adapters or connection devices that utilize straight threads.

[Click here to view these changes in full](#)

Send comments (with copy to psa@ansi.org) to: Marcia Kawate, (408) 754-6743, Marcia.M.Kawate@ul.com

UL (Underwriters Laboratories, Inc.)

Revision

BSR/UL 2166-201X, Standard for Safety for Halocarbon Clean Agent Extinguishing System Units (revision of ANSI/UL 2166-2013)

UL proposes the following changes to UL 2166: Revisions to include disposable halocarbon clean agent extinguishing systems, and elastomeric parts tensile strength requirements.

[Click here to view these changes in full](#)

Send comments (with copy to psa@ansi.org) to: Nicolette Allen, (919) 549-0973, Nicolette.Allen@ul.com

UL (Underwriters Laboratories, Inc.)

Revision

BSR/UL 2200-201x, Standard for Safety for Stationary Engine Generator Assemblies (revision of ANSI/UL 2200-2013a)

(1) Proposed revision to the definition of a class 1 power limited circuit.

[Click here to view these changes in full](#)

Send comments (with copy to psa@ansi.org) to: Elizabeth Sheppard, (847) 664-3276, Elizabeth.H.Sheppard@ul.com

Comment Deadline: December 16, 2013

ABMA (ASC B3) (American Bearing Manufacturers Association)

New National Adoption

ANSI/ABMA/ISO 199-2005 (R201X), Rolling bearings - Thrust bearings - Tolerances (identical national adoption of ISO 1999-2005)

ISO 199:2005 specifies tolerances for boundary dimensions (except chamfer dimensions) and for the running accuracy of thrust rolling bearings with flat back faces as specified in ISO 104. It is not applicable to certain thrust bearings, e.g., thrust needle roller bearings, or for particular fields of application, e.g., thrust special precision bearings. Chamfer dimension limits are given in ISO 582.

Single copy price: \$80.00

Obtain an electronic copy from: info@americanbearings.org

Order from: info@americanbearings.org

Send comments (with copy to psa@ansi.org) to: James Converse, (919) 481-2852, jconverse@americanbearings.org; jconverse1@nc.rr.com

ABMA (ASC B3) (American Bearing Manufacturers Association)

Stabilized Maintenance

BSR/ABMA 4-1994 (S201x), Tolerance Definition and Gauging Practices for Ball and Roller Bearings (stabilized maintenance of ANSI/ABMA 4-1994 (R2008))

Includes terms and definitions of tolerances for the boundary dimensions, running accuracy and internal clearance of ball and roller bearings listed in other ABMA and ISO standards. Includes description of methods of measuring, commonly used by bearings users.

Single copy price: \$45.00

Obtain an electronic copy from: info@americanbearings.org

Order from: info@americanbearings.org

Send comments (with copy to psa@ansi.org) to: James Converse, (919) 481-2852, jconverse@americanbearings.org; jconverse1@nc.rr.com

ABMA (ASC B3) (American Bearing Manufacturers Association)

Stabilized Maintenance

BSR/ABMA 7-1995 (S201x), Shaft and Housing Fits for Metric Radial Ball and Roller Bearings (Except Tapered Roller Bearings) Conforming to Basic Boundary Plans (stabilized maintenance of ANSI/ABMA 7-1995 (R2008))

Covers the general selection of shaft and housing fits for metric radial ball and roller bearings of tolerance classes ABEC 1 - RBEC 1 as influenced by the type and extent of bearing loading and other design requirements.

Single copy price: \$45.00

Obtain an electronic copy from: info@americanbearings.org

Order from: info@americanbearings.org

Send comments (with copy to psa@ansi.org) to: James Converse, (919) 481-2852, jconverse@americanbearings.org; jconverse1@nc.rr.com

ABMA (ASC B3) (American Bearing Manufacturers Association)

Stabilized Maintenance

BSR/ABMA 9-1990 (S201x), Load Ratings and Fatigue Life for Ball Bearings (stabilized maintenance of ANSI/ABMA 9-1990 (R2008))

Specifies the method of calculating the basic dynamic load rating of rolling bearings within the size ranges shown in the relevant ANSI/ABMA standards, manufactured from contemporary, commonly used, good-quality hardened steel.

Single copy price: \$40.00

Obtain an electronic copy from: info@americanbearings.org

Order from: info@americanbearings.org

Send comments (with copy to psa@ansi.org) to: James Converse, (919) 481-2852, jconverse@americanbearings.org; jconverse1@nc.rr.com

ABMA (ASC B3) (American Bearing Manufacturers Association)

Stabilized Maintenance

BSR/ABMA 18.1-1982 (S201x), Radial Needle Roller Bearings, Metric Design (stabilized maintenance of ANSI/ABMA 18.1-1982 (R2009))

This standard for Metric Design Industrial Radial Needle Roller Bearings and components includes: identification code, boundary dimensions, bearing tolerances, and fitting and mounting practice.

Single copy price: \$40.00

Obtain an electronic copy from: info@americanbearings.org

Order from: info@americanbearings.org

Send comments (with copy to psa@ansi.org) to: James Converse, (919) 481-2852, jconverse@americanbearings.org; jconverse1@nc.rr.com

ABMA (ASC B3) (American Bearing Manufacturers Association)

Stabilized Maintenance

BSR/ABMA 18.2-1982 (S201x), Needle Roller Bearings - Radial, Inch Design (stabilized maintenance of ANSI/ABMA 18.2-1982 (R2008))

This standard for Inch Design Industrial Radial Needle Roller Bearings and components includes: identification code, boundary dimensions, bearing tolerances, and fitting and mounting practice.

Single copy price: \$40.00

Obtain an electronic copy from: info@americanbearings.org

Order from: info@americanbearings.org

Send comments (with copy to psa@ansi.org) to: James Converse, (919) 481-2852, jconverse@americanbearings.org; jconverse1@nc.rr.com

ABMA (ASC B3) (American Bearing Manufacturers Association)

Stabilized Maintenance

BSR/ABMA 26.2-1994 (S201x), Thin Section Ball Bearings - Inch design (stabilized maintenance of ANSI/ABMA 26.2-1994 (R2008))

Specifies the boundary dimensions and the tolerances for boundary dimensions, running accuracies and internal clearances for thin-section ball bearings of single-row radial contact, angular contact, and four-point angular contact types.

Single copy price: \$47.00

Obtain an electronic copy from: info@americanbearings.org

Order from: info@americanbearings.org

Send comments (with copy to psa@ansi.org) to: James Converse, (919) 481-2852, jconverse@americanbearings.org; jconverse1@nc.rr.com

ABMA (ASC B3) (American Bearing Manufacturers Association)**Stabilized Maintenance**

BSR/ABMA/ISO 3096-1998 (S201x), Rolling Bearings, Needle Rollers, Dimensions and Tolerances (stabilized maintenance of ANSI/ABMA/ISO 3096-1998 (R2008))

Specifies dimensions and tolerances for finished steel needle rollers used as rolling elements in rolling bearings. Replaces the first edition.

Single copy price: \$60.00

Obtain an electronic copy from: info@americanbearings.org

Order from: info@americanbearings.org

Send comments (with copy to psa@ansi.org) to: James Converse, (919) 481-2852, jconverse@americanbearings.org; jconverse1@nc.rr.com

ABMA (ASC B3) (American Bearing Manufacturers Association)**Stabilized Maintenance**

BSR/ABMA/ISO 5593-1997 (S201x), Rolling bearings - Vocabulary (Bilingual edition) (stabilized maintenance of ANSI/ABMA/ISO 5593-1997 (R2008))

This International Standard establishes a vocabulary of terms, with their definitions, applied in the field of rolling bearings and their technology.

Single copy price: \$65.00

Obtain an electronic copy from: info@americanbearings.org

Order from: info@americanbearings.org

Send comments (with copy to psa@ansi.org) to: James Converse, (919) 481-2852, jconverse@americanbearings.org; jconverse1@nc.rr.com

ACCA (Air Conditioning Contractors of America)**Revision**

BSR/ACCA 3 Manual S-201x, Residential Equipment Selection (revision and redesignation of ANSI/ACCA 3 Manual S-2004)

This is a comprehensive standard for properly selecting heating and cooling equipment. This revised standard establishes the procedures to be used to select and size residential cooling equipment, furnaces and heat pumps.

This standard includes the explanation of why "certification ratings" should not be used for selecting equipment.

Single copy price: Free, Online

Obtain an electronic copy from: www.acca.org/ansi

Order from: www.acca.org/ansi

Send comments (with copy to psa@ansi.org) to: standards-sec@acca.org

ASA (ASC S1) (Acoustical Society of America)**New National Adoption**

BSR/ASA S1.4-201x/Part 1 / IEC 61672-1:201x, Electroacoustics - Sound level meters - Part 1: Specifications (identical national adoption of IEC 61672-1:201x)

This part gives electroacoustical performance specifications for three kinds of sound measuring instruments: a time-weighting sound level meter that measures exponential-time-weighted, frequency-weighted sound levels; an integrating-averaging sound level meter that measures time-averaged, frequency-weighted sound levels; and an integrating sound level meter that measures frequency-weighted sound exposure levels.

Single copy price: \$275.00

Obtain an electronic copy from: asastds@aip.org

Order from: Susan Blaeser, (631) 390-0215, sblaeser@aip.org; asastds@aip.org

Send comments (with copy to psa@ansi.org) to: Same

ASA (ASC S1) (Acoustical Society of America)**New National Adoption**

BSR/ASA S1.4-201x/Part 2 / IEC 61672-2:201x, Electroacoustics - Sound level meters - Part 2: Pattern evaluation tests (identical national adoption of IEC 61672-2:201x)

This part provides details of the tests necessary to verify conformance to all mandatory specifications given in Part 1 for time-weighting, integrating-averaging, and integrating sound level meters. Pattern-evaluation tests apply for each channel of a multi-channel sound level meter as necessary. Tests and test methods are applicable to class 1 and 2 sound level meters. The aim is to ensure that all laboratories use consistent methods to perform pattern-evaluation tests.

Single copy price: \$231.00

Obtain an electronic copy from: asastds@aip.org

Order from: Susan Blaeser, (631) 390-0215, sblaeser@aip.org; asastds@aip.org

Send comments (with copy to psa@ansi.org) to: Same

ASA (ASC S1) (Acoustical Society of America)**New National Adoption**

BSR/ASA S1.4-201x/Part 3 / IEC 61672-3:201x, Electroacoustics - Sound level meters - Part 3: Periodic tests (identical national adoption of IEC 61672-3:201x)

This part describes procedures for periodic testing of time-weighting, integrating-averaging, and integrating sound level meters that were designed to conform to the class 1 or class 2 specifications of the second edition of IEC 61672-1. The aim of the standard is to ensure that periodic testing is performed in a consistent manner by all laboratories.

Single copy price: \$88.00

Obtain an electronic copy from: asastds@aip.org

Order from: Susan Blaeser, (631) 390-0215, sblaeser@aip.org; asastds@aip.org

Send comments (with copy to psa@ansi.org) to: Same

ASC X9 (Accredited Standards Committee X9, Incorporated)**Revision**

BSR X9.93-2-201x, Financial transaction messages - Electronic Benefits Transfer (EBT) - Part 2: Files (revision of ANSI X9.93-2-2008)

This standard provides all parties involved in Electronic Benefits Transfer (EBT) transactions with technical specifications for exchanging financial transaction files for the Women, Infants, and Children (WIC) program and the framework for adding other EBT files and detail records in the future. The document standardizes file formats and thereby maximizes EBT productivity for all stakeholders in the industry. This standard describes files and records between the acquirer and card issuer or their agents. It specifies file structure, format and content, data elements and values for data elements used in EBT. The method by which the settlement of funds takes place is not within the scope of this standard.

Single copy price: \$60.00

Obtain an electronic copy from: janet.busch@x9.org

Order from: Janet Busch, (410) 267-7707, janet.busch@x9.org

Send comments (with copy to psa@ansi.org) to: Same

ASHRAE (American Society of Heating, Refrigerating and Air-Conditioning Engineers, Inc.)***New Standard***

BSR/ASHRAE Standard 110P-201x, Method of Testing Performance of Laboratory Fume Hoods (new standard)

The purpose of this standard is to specify a quantitative and qualitative test method for evaluating fume containment of laboratory fume hoods.

Single copy price: \$35.00

Obtain an electronic copy from: <http://www.ashrae.org/standards-research--technology/public-review-drafts>

Order from: standards.section@ashrae.org

Send comments (with copy to psa@ansi.org) to: <http://www.ashrae.org/standards-research--technology/public-review-drafts>

ASHRAE (American Society of Heating, Refrigerating and Air-Conditioning Engineers, Inc.)***Revision***

BSR/ASHRAE Standard 41.3-201x, Standard Methods for Pressure Measurement (revision of ANSI/ASHRAE Standard 41.3-1989)

This revision of Standard 41.3-1989 updates the descriptions of pressure measurement instruments and provides tables of information to help users quickly identify the specific types of instruments that best suit their applications. New sections have been added regarding the test requirements, measurement uncertainty calculations, and test report. Additionally, this revision meets ASHRAE's mandatory language requirements.

Single copy price: \$35.00

Obtain an electronic copy from: <http://www.ashrae.org/standards-research--technology/public-review-drafts>

Order from: standards.section@ashrae.org

Send comments (with copy to psa@ansi.org) to: <http://www.ashrae.org/standards-research--technology/public-review-drafts>

ASME (American Society of Mechanical Engineers)***Revision***

BSR/ASME B30.27-2001x, Material Placement Systems (revision of ANSI/ASME B30.27-2009)

Volume B30.27, Material Placement Systems, includes provisions that apply to the construction, installation, operation, inspection, testing, and maintenance of trailer and truck-mounted material placement systems. Included in this are mechanical and hydraulic pea gravel systems, mobile telescoping boom conveyors, separate placing booms, and material placement accessories. Truck-mounted material placement systems can be either with or without an integral placing boom. This Volume does not apply to the conveyor parts of mobile telescoping boom conveyors, mortar conveying and spraying machines, or dry mix shotcreting machines. The conveyor section of these machines is covered by ASME B20.1.

Single copy price: Free

Obtain an electronic copy from: <http://cstools.asme.org/publicreview>

Order from: Mayra Santiago, ASME; ANSIBOX@asme.org

Send comments (with copy to psa@ansi.org) to: Kathryn Hyam, (212) 591-8521, hyamk@asme.org

ATIS (Alliance for Telecommunications Industry Solutions)***Reaffirmation***

BSR ATIS 0300213-2006 (R201x), Coded Identification of Equipment Entities of the North American Telecommunications System for Information Exchange (reaffirmation of ANSI ATIS 0300213-2006)

Standard provides a form of coded identification for equipment entities in the North American Telecommunications System for the purpose of efficient information exchange. Standard describes the data elements within the format structure. Standard also contains clauses that cover its purpose and scope, definitions, and references.

Single copy price: \$60.00

Obtain an electronic copy from: kconn@atis.org

Order from: Kerriane Conn, (202) 434-8841, kconn@atis.org; jpemard@atis.org

Send comments (with copy to psa@ansi.org) to: Same

ATIS (Alliance for Telecommunications Industry Solutions)***Reaffirmation***

BSR ATIS 0300260-1998 (R201x), Operations, Administration, Maintenance, and Provisioning (OAM&P) - Extension to Generic Network Information Model for Interfaces between a Service Provider Administrative System and Network Elements for Lawfully Authorized Electronic Surveillance (reaffirmation of ANSI ATIS 0300260-1998 (R2008))

This standard specifies information models and functional requirements for the interface between Network Elements (NEs) and a Service Provider Administrative System for Lawfully Authorized Electronic Surveillance (LAES).

Single copy price: \$175.00

Obtain an electronic copy from: kconn@atis.org

Order from: Kerriane Conn, (202) 434-8841, kconn@atis.org; jpemard@atis.org

Send comments (with copy to psa@ansi.org) to: Same

ATIS (Alliance for Telecommunications Industry Solutions)***Revision***

BSR ATIS 0600313-201x, Electrical Protection for Telecommunications Central Offices and Similar Type Facilities (revision of ANSI ATIS 0600313-2008)

Telecommunications central offices, data centers, electronic equipment enclosures (EEE), and similar type facilities are often subjected to disturbances from lightning and ac power link faults, either directly or indirectly, through the communications cables and ac power facilities that serve them. This standard provides the minimum electrical protection, grounding, and bonding criteria necessary to mitigate the disruptive and damaging effects of lightning and ac power faults. It is intended to serve as a guide for designers of such facilities in the application of electrical protection, grounding, and bonding as a function of the electrical environment.

Single copy price: \$145.00

Obtain an electronic copy from: kconn@atis.org

Order from: Kerriane Conn, (202) 434-8841, kconn@atis.org; jpemard@atis.org

Send comments (with copy to psa@ansi.org) to: Same

AWS (American Welding Society)**New Standard**

BSR/AWS D10.17M/D10.17-201x, Guide for Welding Tubular Steel Vehicle Structures (new standard)

This document presents a detailed discussion of the methods and suggested procedures for welding of steel tubing for vehicle structures but does not address design. A number of figures and tables illustrate suggested joint designs, filler metal selections, and procedures.

Single copy price: \$35.00

Obtain an electronic copy from: BMCGRATH@AWS.ORG

Order from: Brian McGrath, (305) 443-9353, BMCGRATH@AWS.ORG

Send comments (with copy to psa@ansi.org) to: Same

AWWA (American Water Works Association)**Revision**

BSR/AWWA C502-201x, Dry-Barrel Fire Hydrants (revision of ANSI/AWWA C502-2005)

This standard describes post-type, dry-barrel fire hydrants with compression shutoff (opening against or with the pressure) or gate shutoff for use in fire protection service in all climates, including those where freezing occurs.

Single copy price: \$20.00

Obtain an electronic copy from: v david@awwa.org

Order from: Paul Olson, (303) 347-6178, polson@awwa.org; v david@awwa.org

Send comments (with copy to psa@ansi.org) to: Same

AWWA (American Water Works Association)**Revision**

BSR/AWWA C503-201x, Wet-Barrel Fire Hydrants (revision of ANSI/AWWA C503-2005)

This standard pertains to the various types and classes of wet-barrel fire hydrants for use in fire protection service in areas where the climate is mild and freezing temperatures do not occur. A wet-barrel hydrant has one or more valve openings above the ground line and, under normal operating conditions, the entire interior of the hydrant is subjected to water pressure at all times. Each outlet nozzle has an independent, compression-type valve (i. e., working with or against the pressure) that controls discharge from that particular outlet.

Single copy price: \$20.00

Obtain an electronic copy from: v david@awwa.org

Order from: Paul Olson, (303) 347-6178, polson@awwa.org; v david@awwa.org

Send comments (with copy to psa@ansi.org) to: Same

CEA (Consumer Electronics Association)**Withdrawal**

ANSI/CEA 2013-A-2007, Digital STB Background Power Consumption (withdrawal of ANSI/CEA 2013-A-2007)

R4 has agreed to withdraw ANSI/CEA 2013-A, Digital STB Background Power Consumption. This standard defines maximum background (sleep) mode energy consumption for basic digital set-top boxes whose primary function is video reception and delivery. It is anticipated that ANSI/CEA 2043, Set-Top Box (STB) Power Measurement, will replace this standard once ANSI/CEA 2043 is complete.

Single copy price: \$67.00

Order from: Veronica Lancaster, (703) 907-7697, vlancaster@ce.org

Send comments (with copy to psa@ansi.org) to: Same

CEA (Consumer Electronics Association)**Withdrawal**

ANSI/CEA 2022-2007, Digital STB Active Power Consumption Measurement (withdrawal of ANSI/CEA 2022-2007)

R4 is withdrawing ANSI/CEA 2022, Digital STB Active Power Consumption. This standard defines a method for measuring power consumption of a digital set-top box (STB) whose primary function is video reception and delivery when operating in an active (on) state. ANSI/CEA 2043, Set-Top Box (STB) Power Measurement, will replace this standard.

Single copy price: \$63.00

Order from: Veronica Lancaster, (703) 907-7697, vlancaster@ce.org

Send comments (with copy to psa@ansi.org) to: Same

ECA (Electronic Components Association)**New National Adoption**

BSR/EIA 60384-23-201x, Fixed capacitors for use in electronic equipment - Part 23: Sectional specification - Fixed surface mount metallized polyethylene naphthalate film dielectric DC capacitors (identical national adoption of IEC 60384-23 ed. 1.0)

IEC 60384-23 is applicable to fixed surface mount capacitors for direct current, with metallized electrodes and polyethylene naphthalate dielectric for use in electronic equipment. These capacitors have metallized connecting pads or soldering strips and are intended to be mounted directly onto substrates for hybrid circuits or onto printed boards. These capacitors may have "self-healing properties" depending on conditions of use. They are primarily intended for applications where the AC component is small with respect to the rated voltage.

Single copy price: \$156.00

Obtain an electronic copy from: global.ihs.com (877) 413-5184

Order from: Global Engineering Documents, (800) 854-7179, www.global.ihs.com

Send comments (with copy to psa@ansi.org) to: Edward Mikoski, (571) 323-0253, emikoski@eciaonline.org; ldonohoe@eciaonline.org

NSF (NSF International)**Revision**

BSR/NSF 2-201x (i20r1), Food Equipment (revision of ANSI/NSF 2-2012)

Equipment covered by this Standard includes, but is not limited to, bakery, cafeteria, kitchen, and pantry units and other food handling and processing equipment such as tables and components, counters, hoods, shelves, and sinks.

Single copy price: Free

Obtain an electronic copy from: http://standards.nsf.org/apps/org/workgroup/fe_tc/ballot.php?id=2563

Order from: Allan Rose, (734) 827-3817, arose@nsf.org

Send comments (with copy to psa@ansi.org) to: Same

RESNA (Rehabilitation Engineering and Assistive Technology Society of North America)

Revision

BSR/RESNA ASE-1-201x, RESNA Standard for Adaptive Sports Equipment - Volume 1: Winter Sports Equipment (revision of ANSI/RESNA ASE-1-2007)

This standard includes requirements and test methods for adaptive winter sports equipment (sit-skis, mono-skis, and bi-skis). Additional sections pertaining to other types of winter adaptive sports equipment will be developed and incorporated with future revisions.

Single copy price: \$120.00

Obtain an electronic copy from: peter@beneficialdesigns.com

Order from: Peter Axelson, (775) 783-8822 ext. 121, peter@beneficialdesigns.com; seanna@beneficialdesigns.com

Send comments (with copy to psa@ansi.org) to: Same

UL (Underwriters Laboratories, Inc.)

Reaffirmation

BSR/UL 60745-2-2-2009 (R201x), Standard for Safety for Hand-Held Motor-Operated Electrical - Tools Safety - Part 2-2: Particular Requirements for Screwdrivers and Impact Wrenches (reaffirmation of ANSI/UL 60745-2-2-2009)

(1) Reaffirmation and continuance of the second edition of the Standard for Hand-Held Motor-Operated Electric Tools - Safety - Part 2-2: Particular Requirements for Screwdrivers and Impact Wrenches, UL 60745-2-2, as an American National Standard.

Single copy price: Contact comm2000 for pricing and delivery options

Obtain an electronic copy from: <http://www.comm-2000.com>

Order from: comm2000

Send comments (with copy to psa@ansi.org) to: Beth Northcott, (847) 664-3198, Elizabeth.Northcott@ul.com

UL (Underwriters Laboratories, Inc.)

Reaffirmation

BSR/UL 60745-2-12-2008 (R201x), Standard for Safety for Hand-Held Motor-Operated Electrical - Tools Safety - Part 2-12: Particular Requirements for Concrete Vibrators (reaffirmation of ANSI/UL 60745-2-12-2008)

(1) Reaffirmation and continuance of the second edition of the Standard for Hand-Held Motor-Operated Electric Tools - Safety - Part 2-12: Particular Requirements for Concrete Vibrators, UL 60745-2-12, as an American National Standard.

Single copy price: Contact comm2000 for pricing and delivery options

Obtain an electronic copy from: <http://www.comm-2000.com>

Order from: comm2000

Send comments (with copy to psa@ansi.org) to: Beth Northcott, (847) 664-3198, Elizabeth.Northcott@ul.com

UL (Underwriters Laboratories, Inc.)

Revision

BSR/UL 508C-201x, Standard for Safety for Power Conversion Equipment (revision of ANSI/UL 508C-2010)

Covers: (a) Slash and straight voltage ratings for drives with a 3-phase input; (b) Clarification of the test sample for the single phasing test as per Table 39.1; (c) Revision to the conductor temperature limit during the Temperature Test; (d) Revision to the temperature recording intervals during the Temperature Test; (e) Addition of a time limit for the Breakdown of Components Test; (f) Revision of 56.7 to align with requirements in NFPA 70; and (g) Revisions to Plenum Rated Drives.

Single copy price: Contact comm2000 for pricing and delivery options

Obtain an electronic copy from: <http://www.comm-2000.com>

Order from: comm2000

Send comments (with copy to psa@ansi.org) to: Megan Sepper, (847) 664-3411, Megan.M.Sepper@ul.com

UL (Underwriters Laboratories, Inc.)

Revision

BSR/UL 1088-201X, Standard for Safety for Temporary Lighting Strings (revision of ANSI/UL 1088-2008)

The following changes in requirements to the Standard for Temporary Lighting Strings, UL 1088, are being proposed: (1) Allow for the use of energy-efficient light sources in temporary lighting strings.

Single copy price: Contact comm2000 for pricing and delivery options

Obtain an electronic copy from: <http://www.comm-2000.com>

Order from: comm2000

Send comments (with copy to psa@ansi.org) to: Heather Sakellariou, (847) 664-2346, Heather.Sakellariou@ul.com

Comment Deadline: December 31, 2013

Reaffirmations and withdrawals available electronically may be accessed at: webstore.ansi.org

UL (Underwriters Laboratories, Inc.)

New Standard

BSR/UL 644-201X, Standard for Safety for Container Assemblies for LP Gas (Proposal Dated 11-1-13) (new standard)

These requirements cover aboveground, underground, and interchangeable (aboveground or underground) stationary container assemblies for liquefied petroleum gases which include any material having a vapor pressure not exceeding that allowed for commercial propane composed predominately of the following hydrocarbons, either by themselves or as mixtures: propane, propylene, butane (normal butane or isobutane), and butylenes. These container assemblies are provided with tanks constructed under the appropriate provisions of the current edition of the Boiler and Pressure Vessel Code of the American Society of Mechanical Engineers (ASME).

Single copy price: Contact comm2000 for pricing and delivery options

Obtain an electronic copy from: www.comm-2000.com

Order from: comm2000

Send comments (with copy to psa@ansi.org) to: Linda Phinney, (408) 754-6684, Linda.L.Phinney@ul.com

Projects Withdrawn from Consideration

An accredited standards developer may abandon the processing of a proposed new or revised American National Standard or portion thereof if it has followed its accredited procedures. The following projects have been withdrawn accordingly:

ASTM (ASTM International)

BSR/ASTM D351-201x, Classification for Natural Muscovite Block Mica and Thins Based on Visual Quality (revision of ANSI/ASTM D351-1997 (R2008))

ASTM (ASTM International)

BSR/ASTM D748-201x, Specification for Natural Block Mica and Mica Films Suitable for Use in Fixed Mica-Dielectric Capacitors (revision of ANSI/ASTM D748-2000 (R2011))

ASTM (ASTM International)

BSR/ASTM D1305-1999 (R201x), Specification for Electrical Insulating Paper and Paperboard - Sulfate (Kraft) Layer Type (reaffirmation of ANSI/ASTM D1305-1999 (R2004))

Inquiries may be directed to Karen Wilson, (610) 832-9744, accreditation@astm.org

ASTM (ASTM International)

BSR/ASTM D7148-201x, Test Method for Determining the Ionic Resistivity (ER) of Alkaline Battery Separator Using a Carbon Electrode in an Electrolyte Bath Measuring System (revision of ANSI/ASTM D7148-2006 (R2011))

Technical Reports Registered with ANSI

Technical Reports Registered with ANSI are not consensus documents. Rather, all material contained in Technical Reports Registered with ANSI is informational in nature. Technical reports may include, for example, reports of technical research, tutorials, factual data obtained from a survey carried out among standards developers and/or national bodies, or information on the "state of the art" in relation to standards of national or international bodies on a particular subject.

Immediately following the end of a 30-day announcement period in Standards Action, the Technical Report will be registered by ANSI. Please submit any comments regarding this registration to the organization indicated, with a copy to the PSA Center, American National Standards Institute, 25 West 43rd Street, New York, NY 10036 or E-Mail to psa@ansi.org.

HL7 (Health Level Seven)

HL7 V3 DEEDS R1-2013, HL7 Version 3 Specification: Data Elements for Emergency Department Systems (DEEDS), Release 1 - US Realm (TECHNICAL REPORT) (technical report)

The Data Elements for Emergency Department Systems (DEEDS) was originally developed and published by the Center for Disease Control in 1997 (<http://www.cdc.gov/ncipc/pub-res/deedspage.htm>). The HL7 Version 3 Specification: Data Elements for Emergency Department Systems is the first step in the process of bringing the original DEEDS specification into alignment with HL7 Version 3 standards as a basis for the Emergency Department Domain Analysis Model and Emergency Department Information System (EDIS) Functional Profile. The DEEDS specifications have been widely used for a variety of purposes, including healthcare claims attachment specifications mandated by the federal Health Insurance Portability and Accountability Act (HIPAA); emergency care terminology additions to the Logical Observations, Identifiers, Names, and Codes (LOINC) clinical vocabulary; and data definitions and terminology for public health surveillance initiatives, such the BioSense program at the Centers for Disease Control and Prevention (CDC), the emergency department component of the North Carolina Disease Event Tracking and Epidemiologic Collection Tool (NC DETECT) and the Frontlines in Medicine Project.

Single copy price: Free to members and non-members 90 days following publication

Order from: Karen Van Hentenryck, (734) 677-7777 Ext 104, Karenvan@HL7.org

Send comments (with copy to psa@ansi.org) to: Same

Notice of Withdrawn ANS by an ANSI-Accredited Standards Developer

In accordance with clause 4.2.1.3.2 Withdrawal by ANSI-Accredited Standards Developer of the ANSI Essential Requirements, the following American National Standards have been withdrawn as an ANS.

ANSI/ASTM D202-2008, Test Methods for Sampling and Testing Untreated Paper Used for Electrical Insulation

ANSI/ASTM D351-1997 (R2008), Classification for Natural Muscovite Block Mica and Thins Based on Visual Quality

ANSI/ASTM D352-1997 (R2008), Test Methods for Pasted Mica Used in Electrical Insulation

ANSI/ASTM D748-2000 (R2011), Specification for Natural Block Mica and Mica Films Suitable for Use in Fixed Mica-Dielectric Capacitors

ANSI/ASTM D982-2006 (R2009), Test Method for Organic Nitrogen in Paper and Paperboard

ANSI/ASTM D1305-1999 (R2009), Specification for Electrical Insulating Paper and Paperboard - Sulfate (Kraft) Layer Type

ANSI/ASTM D1677-2002 (R2011), Methods for Sampling and Testing Untreated Mica Paper Used for Electrical Insulation

ANSI/ASTM D3376-2000 (R2009), Test Methods of Sampling and Testing Pulps to be Used in the Manufacture of Electrical Insulation

ANSI/ASTM D3394-1994 (R2009), Test Methods for Sampling and Testing Electrical Insulating Board

ANSI/ASTM D4063-1999 (R2009), Specification for Pressboard for Electrical Insulating Purposes

ANSI/ASTM D5470-2012, Test Method for Thermal Transmission Properties of Thermally Conductive Electrical Insulation Materials

ANSI/ASTM D7129-2009, Test Method for Determination of Ammonia Trapping in a Grafted Battery Separator

ANSI/ASTM D7131-2009, Test Method for Determination of Ion Exchange Capacity (IEC) In Grafted Battery Separator

ANSI/ASTM D7148-2006 (R2011), Test Method for Determining the Ionic (Resistivity) (ER) of Alkaline Battery Separator Using a Carbon Electrode in an Electrolyte Bath Measuring System

Call for Members (ANS Consensus Bodies)

Directly and materially affected parties who are interested in participating as a member of an ANS consensus body for the standards listed below are requested to contact the sponsoring standards developer directly and in a timely manner.

ALI (Automotive Lift Institute)

Office: PO Box 85
80 Wheeler Avenue
Cortland, NY 13045

Contact: Bob O'Gorman

Phone: (607) 756-7775

Fax: (607) 756-0888

E-mail: info@autolift.org; bob@autolift.org

BSR/ALI ALIS-201X, Standard for Automotive Lifts - Safety Requirements for Installation and Service (revision of ANSI/ALI ALIS-2009)

NEMA (ASC C136) (National Electrical Manufacturers Association)

Office: 1300 North 17th Street
Suite 1752
Rosslyn, VA 22209

Contact: Megan Hayes

Phone: (703) 841-3285

Fax: (703) 841-3385

E-mail: megan.hayes@nema.org

BSR C136.14-201x, For Roadway and Area Lighting Equipment - Elliptically Shaped, Enclosed Side-mounted Luminaires for Horizontal-burning High-intensity Discharge Lamps (revision of ANSI C136.14-2004 (R2009))

BSR C136.21-201x, For Roadway and Area Lighting Equipment - Vertical Tenons Used with Post Top-mounted Luminaires (revision of ANSI C136.21-2004 (R2009))

BSR C136.48-201x, For Roadway and Area Lighting Equipment - Remote Monitoring and Controls (new standard)

BSR C136.49-201x, For Roadway and Area Lighting Equipment - Plasma Lighting (new standard)

BSR C136.50-201x, For Roadway and Area Lighting Equipment - Revenue Grade Energy Management (new standard)

RESNA (Rehabilitation Engineering and Assistive Technology Society of North America)

Office: 2240 Meridian Blvd Ste C
Beneficial Designs, Inc.
Minden, NV 89423

Contact: Peter Axelson

Phone: (775) 783-8822 ext. 121

Fax: (775) 783-8823

E-mail: peter@beneficialdesigns.com; seanna@beneficialdesigns.com

BSR/RESNA ASE-1-201x, RESNA Standard for Adaptive Sports Equipment Volume 1: Winter Sports Equipment (revision of ANSI/RESNA ASE-1-2007)

TIA (Telecommunications Industry Association)

Office: 1320 North Courthouse Road
Suite 200
Arlington, VA 22201

Contact: Teesha Jenkins

Phone: (703) 907-7706

Fax: (703) 907-7727

E-mail: standards@tiaonline.org

BSR/TIA 604-18-201x, FOCIS 18- Fiber Optic Connector Intermateability Standard Type 1x16 and 2 x 16 Multifiber Push-On/Multifiber Termination Push-On (new standard)

UL (Underwriters Laboratories, Inc.)

Office: 455 E. Trimble Rd.
San Jose, CA 95131-1230

Contact: Marcia Kawate

Phone: (408) 754-6743

Fax: (408) 754-6743

E-mail: Marcia.M.Kawate@ul.com

BSR/UL 2061-201x, Standard for Safety for Adapters and Cylinder Connection Devices for Portable LP-Gas Cylinder Assemblies (revision of ANSI/UL 2061-2012)

Call for Members (ANS Consensus Bodies)

AWWA (American Water Works Association)

Office: 6666 West Quincy Avenue
Denver, CO 80235-3098

Contact: Dawn Flancher

Phone: (303)-347-6195

Fax: (303)-795-1440

E-Mail: dflancher@awwa.org

AWWA is seeking experts to serve on Standards Committees. Members provide technical guidance, review, and vote on revisions to ANSI/AWWA standards. Members are needed to represent General Interest (GI), Producers (P), and Users (U). There are currently openings on the following technical committees:

- BSR/ANSI/AWWA 15.105 **Air-Release, Air/Vacuum, and Combination Air Valves** — U
- BSR/ANSI/AWWA 15.146 **Backflow Preventer Standards Committee** — P / U
- BSR/ANSI/AWWA 15.216 **Fiberglass Weirs, Troughs, and Baffles** — GI / P / U
- BSR/ANSI/AWWA 15.284 **Slide Gates** — GI / U
- BSR/ANSI/AWWA 15.353 **Thermosetting Fiberglass Reinforced Plastic Pipe** — P / U
- BSR/ANSI/AWWA 15.370 **Thermosetting Fiberglass Reinforced Plastic Tanks** — GI / P / U
- BSR/ANSI/AWWA 15.550 **Risk and Resilience** — P / U
- BSR/ANSI/AWWA 15.503 **Wastewater Pretreatment** — GI / P / U

Final Actions on American National Standards

The standards actions listed below have been approved by the ANSI Board of Standards Review (BSR) or by an ANSI-Audited Designator, as applicable.

NSF (NSF International)

Revision

- * ANSI/BIFMA e3 (i15r1)-2013, Furniture Sustainability (revision of ANSI/BIFMA e3-2012e): 10/28/2013
- * ANSI/BIFMA e3 (i19r1)-2013, Furniture Sustainability (revision of ANSI/BIFMA e3-2012e): 10/28/2013
- * ANSI/NSF 61-2013 (i105), Drinking Water System Components - Health Effects (revision of ANSI/NSF 61-2012): 10/22/2013
- ANSI/NSF 330-2013 (i5), NSF/ANSI 330: Glossary of Drinking Water Treatment Unit Terminology (revision of ANSI/NSF 330-2012): 10/9/2013

UL (Underwriters Laboratories, Inc.)

New National Adoption

ANSI/UL 60730-2-6-2013, Standard for Automatic Electrical Controls for Household and Similar Use - Part 2: Particular Requirements for Automatic Electrical Pressure Sensing Controls Including Mechanical Requirements (national adoption with modifications of IEC 60730-2-6): 10/18/2013

New Standard

ANSI/UL 753-2013, Standard for Safety for Alarm Accessories for Automatic Water-Supply Control Valves for Fire Protection Service (Proposal Dated 8/9/13) (new standard): 10/25/2013

Reaffirmation

- ANSI/UL 551-2009 (R2013), Standard for Safety for Transformer-Type Arc-Welding Machines (reaffirmation of ANSI/UL 551-2009): 10/29/2013
- ANSI/UL 580-2009 (R2013), Standard for Safety for Tests for Uplift Resistance of Roof Assemblies (reaffirmation of ANSI/UL 580-2009): 10/29/2013

Revision

- ANSI/UL 19-2013, Standard for Safety for Lined Fire Hose and Hose Assemblies (revision of ANSI/UL 19-2008): 10/24/2013
- ANSI/UL 219-2013, Standard for Safety for Lined Fire Hose for Interior Standpipes (revision of ANSI/UL 219-2008): 10/24/2013
- ANSI/UL 219-2013a, Standard for Safety for Lined Fire Hose for Interior Standpipes (revision of ANSI/UL 219-2008): 10/24/2013
- ANSI/UL 295-2013, Standard for Safety for Commercial-Industrial Gas Burners (revision of ANSI/UL 295-2011): 10/28/2013
- ANSI/UL 300-2013a, Standard for Safety for Fire Testing of Fire Extinguishing Systems for Protection of Commercial Cooking Equipment (revision of ANSI/UL 300-2005 (R2010)): 10/25/2013
- ANSI/UL 300-2013, Standard for Safety for Fire Testing of Fire Extinguishing Systems for Protection of Commercial Cooking Equipment (revision of ANSI/UL 300-2005 (R2010)): 10/25/2013
- * ANSI/UL 474-2013, Standard for Safety for Dehumidifiers (revision of ANSI/UL 474-2012): 10/24/2013
- * ANSI/UL 484-2013, Standard for Safety for Room Air Conditioners (revision of ANSI/UL 484-2012): 10/24/2013

ANSI/UL 1310-2013b, Standard for Safety for Class 2 Power Units (Proposal dated 9-20-13) (revision of ANSI/UL 1310-2013a): 10/28/2013

ANSI/UL 1703-2013, Standard for Flat-Plate Photovoltaic Modules and Panels (revision of ANSI/UL 1703-2012): 10/25/2013

ANSI/UL 1703-2013a, Standard for Flat-Plate Photovoltaic Modules and Panels (revision of ANSI/UL 1703-2012): 10/25/2013

ANSI/UL 4248-1-2013, Standard for Safety for Fuseholders - Part 1: General Requirements (revision of ANSI/UL 4248-1-2007): 10/24/2013

ANSI/UL 4248-8-2013, Standard for Safety for Fuseholders - Part 8: Class J (revision of ANSI/UL 4248-8-2007): 10/24/2013

WDMA (Window and Door Manufacturers Association)

Revision

ANSI/WDMA I.S. 1A-2013, Industry Standard for Interior Architectural Wood Flush Doors (revision of ANSI/WDMA I.S. 1A-2004): 10/30/2013

Project Initiation Notification System (PINS)

ANSI Procedures require notification of ANSI by ANSI-accredited standards developers (ASD) of the initiation and scope of activities expected to result in new or revised American National Standards (ANS). Early notification of activity intended to reaffirm or withdraw an ANS and in some instances a PINS related to a national adoption is optional. The mechanism by which such notification is given is referred to as the PINS process. For additional information, see clause 2.4 of the ANSI Essential Requirements: Due Process Requirements for American National Standards.

Following is a list of proposed actions and new ANS that have been received recently from ASDs. Please also review the section in Standards Action entitled "American National Standards Maintained Under Continuous Maintenance" for additional or comparable information with regard to standards maintained under the continuous maintenance option. To view information about additional standards for which a PINS has been submitted and to search approved ANS, please visit www.NSSN.org, which is a database of standards information. Note that this database is not exhaustive.

Directly and materially affected interests wishing to receive more information or to submit comments are requested to contact the standards developer directly within 30 days of the publication of this announcement.

ALI (Automotive Lift Institute)

Office: PO Box 85
80 Wheeler Avenue
Cortland, NY 13045

Contact: Bob O'Gorman

Fax: (607) 756-0888

E-mail: info@autolift.org; bob@autolift.org

- * BSR/ALI ALIS-201X, Standard for Automotive Lifts - Safety Requirements for Installation and Service (revision of ANSI/ALI ALIS-2009)

Stakeholders: All automotive lift installers and service technicians.

Project Need: Revision of an existing ANS as required by the five-year rule.

This standard provides guidance to the installer and service technician for the installation and service of automotive lifts, including required installation and service considerations and qualifications, training, reporting, and documentation for installers and service technicians.

ASABE (American Society of Agricultural and Biological Engineers)

Office: 2950 Niles Road
St Joseph, MI 49085

Contact: Carla VanGilder

Fax: (269) 429-3852

E-mail: vangilder@asabe.org

- BSR/ASABE/ISO 12140:2013 MONYEAR, Agricultural machinery - Agricultural trailers and trailed equipment - Drawbar jacks (identical national adoption of ISO 12140:2013)

Stakeholders: All AG equipment implement manufacturers, all implement jack manufacturers, and AG equipment users.

Project Need: Nationally adopt an ISO standard based on ASABE standard ASAE S485.

Specifies terms and definitions, establishes test procedures, and creates minimum performance requirements for telescopic mechanical screw-type jacks or hydraulic jacks mounted on agricultural implements as original equipment and/or replacement jacks.

ASC X9 (Accredited Standards Committee X9, Incorporated)

Office: 1212 West Street
Suite 200
Annapolis, MD 21401

Contact: Janet Busch

Fax: (410) 267-0961

E-mail: janet.busch@x9.org

- BSR X9.119-2-201x, Requirements for Protection of Sensitive Payment Card Data - Part 2: Using Tokenization Methods (new standard)

Stakeholders: Merchants, processors, acquirers, hardware & software providers to these Stakeholders, issuers & payment brands (because it protects their card data).

Project Need: Merchants are incurring extraordinary costs in trying to protect this data. A method that protected the data at the device might allow merchants, processors, and acquirers to realize dramatic cost savings with implementation of this standard. This work would provide an additional method for protecting this data.

Theft of sensitive card data during a retail payment transaction is increasingly becoming a major source of financial fraud. Besides an optional encrypted PIN, this data includes magnetic stripe track 2 data: PAN, expiration date, card verification value, and issuer private data. While thefts of this data at all segments of the transaction processing system have been reported, the most vulnerable segments are between the point of transaction device capturing the magnetic stripe data and the processing systems at the acquirer. This document would standardize the security requirements and implementation for a method for protecting this sensitive card data over these segments using tokenization and would be a companion standard to X9.119 part 1. Several implementations exist to address this situation. This document would provide guidance for evaluating these implementations.

ASTM (ASTM International)

Office: 100 Barr Harbor Drive
West Conshohocken, PA 19428-2959

Contact: Corice Leonard

Fax: (610) 834-3683

E-mail: accreditation@astm.org

- BSR/ASTM WK43641-201x, New Test Method for Pole Vaulting Poles (new standard)

Stakeholders: Pole Vault industry.

Project Need: The test method for pole vaulting poles describes the method used to assign a weight rating to a pole vault pole.

<http://www.astm.org/DATABASE.CART/WORKITEMS/WK43641.htm>

ATIS (Alliance for Telecommunications Industry Solutions)

Office: 1200 G Street, NW
Suite 500
Washington, DC 20005

Contact: Kerriane Conn

Fax: (202) 347-7125

E-mail: kconn@atis.org; jpemard@atis.org

BSR ATIS 0600329-201x, Network Equipment - Earthquake Resistance (revision of ANSI ATIS 0600329-2008)

Stakeholders: Communications industry.

Project Need: To update normative and informative references.

This standard, when used with established earthquake qualification practices, sets forth test methods, performance requirements, and acceptance criteria for determining the earthquake resistance of telecommunications equipment.

NEMA (ASC C136) (National Electrical Manufacturers Association)

Office: 1300 North 17th Street
Suite 1752
Rosslyn, VA 22209

Contact: Megan Hayes

Fax: (703) 841-3385

E-mail: megan.hayes@nema.org

BSR C136.14-201x, Roadway and Area Lighting Equipment - Elliptically Shaped, Enclosed Side-Mounted Luminaires for Horizontal-Burning High-Intensity Discharge Lamps (revision of ANSI C136.14-2004 (R2009))

Stakeholders: Manufacturers, users and specifiers of roadway and area lighting equipment.

Project Need: This standard is being revised to update the references, bring the language in line with other C136 standards and reflect current industry practices.

This standard covers dimensional, maintenance and light distribution features that permit the interchange of enclosed side-mounted luminaires for horizontal-burning high-intensity discharge lamps used in roadway and area lighting equipment. Luminaires of similar size, shape, and weight meeting the requirements of this standard may be used interchangeably within a system with assurance that they will fit the bracket arm, pole strength requirements will not change, light distribution will be similar and similar maintenance procedures can be used.

BSR C136.21-201x, Roadway and Area Lighting Equipment - Vertical Tenons Used with Post Top-Mounted Luminaires (revision of ANSI C136.21-2004 (R2009))

Stakeholders: Manufacturers, users and specifiers of roadway and area lighting equipment.

Project Need: This standard is being revised to update the references, bring the language in line with other C136 standards and reflect current industry practices.

This standard covers the attachment features of vertical tenons on pole tops or brackets used in roadway and area lighting that permit the interchangeability of post-top-mounted luminaires.

BSR C136.48-201x, Roadway and Area Lighting Equipment - Remote Monitoring and Controls (new standard)

Stakeholders: Municipalities, utilities, users and manufacturers of remote control and monitoring systems for roadway and area lighting equipment.

Project Need: Diverse technology and product offering are available with wide operation performance expectations for remote control and monitoring systems for roadway and area lighting. This standard will define the minimum requirements to ensure consistent and reliable performance of this equipment.

This standard defines the minimum requirements for remote control and monitoring systems for roadway and area lighting.

BSR C136.49-201x, Roadway and Area Lighting Equipment - Plasma Lighting (new standard)

Stakeholders: Manufacturers, users (municipalities, utilities, etc.), and specifiers of roadway and area lighting.

Project Need: Plasma lighting is an emerging technology, which provides some advantages over standard HID lamps and LEDs. Since these lamps do not have electrodes, they offer the potential for efficient operation and long life for operation as the electrical power required for roadway and area lighting.

This standard defines the electrical and mechanical requirements of plasma type light sources for use in roadway and area lighting luminaires

BSR C136.50-201x, Roadway and Area Lighting Equipment - Revenue Grade Energy Management (new standard)

Stakeholders: Manufacturers, users and specifiers of roadway and area lighting fixtures, lighting providers (utilities, municipalities, etc.), regulators, and manufacturers of lighting components (fixtures, photocells, etc.).

Project Need: The method of billing customers for lighting based on hours of darkness is incompatible with new technologies such as dimming, adaptive lighting, and remote control of lighting. In order to fully utilize these technologies, the actual energy used at each fixture must be measured and reported. This standard is meant to meet that need.

This standard describes methods and requirements for the measurement of energy consumption and the reporting of the consumption for outdoor lighting applications in a standard data format to meet revenue grade requirements using a solid state device in a two wire installation. This standard does not address the communication of the data captured from the point of measurement.

TIA (Telecommunications Industry Association)

Office: 1320 North Courthouse Road
Suite 200
Arlington, VA 22201

Contact: Teesha Jenkins

Fax: (703) 907-7727

E-mail: standards@tiaonline.org

BSR/TIA 604-18-201x, FOCIS 18 - Fiber Optic Connector Intermateability Standard Type 1x16 and 2 x 16 Multifiber Push-On/Multifiber Termination Push-On (new standard)

Stakeholders: Telecommunications industry, data centers, fiber optics cable manufacturers.

Project Need: Create new standard.

This document develops a Fiber Optic Connector Intermateability Standard that accommodates a 1x16 and 2x 16 Multifiber Push-On/Multifiber Termination Push-On connector assembly.

UL (Underwriters Laboratories, Inc.)

Office: 455 East Trimble Road
San Jose, CA 95131-1230

Contact: *Derrick Martin*

Fax: (408) 754-6656

E-mail: Derrick.L.Martin@ul.com

BSR/UL 2846-201x, Standard for Safety for Fire Test of Plastic Water Distribution Plumbing Pipe for Visible Flame and Smoke Characteristics (new standard)

Stakeholders: Manufacturers of plastic piping products and plastic piping systems, AHJs - particularly mechanical code inspectors, AHJs for certain classes of residential occupancies, commercial building owners, residential building owners, installers, consumers.

Project Need: To obtain national recognition of a standard covering plastic plumbing pipes for distribution of potable water.

These requirements consist of a test method for determining values of flame propagation distance and optical smoke density for individual pairs of plastic plumbing pipes for distribution of potable water that can be installed in ducts, plenums, and other spaces used for environmental air. These requirements addresses pipe sizes 4 inches and less in diameter.

UL (Underwriters Laboratories, Inc.)

Office: 333 Pflingsten Road
Northbrook, IL 60062

Contact: *Megan VanHeirseele*

Fax: (847) 664-2881

E-mail: Megan.M.VanHeirseele@ul.com

BSR/UL 1974-201x, Repurposed and Refurbished Batteries for Use in Stationary and Other Applications (new standard)

Stakeholders: Battery and cell manufacturers; PV and wind generator manufacturers; auto manufacturers; UPS manufacturers and groups that need uninterruptible power supplies such as hospitals, telecom, etc.; OEMs (i.e., electric bicycles, scooters, industrial truck manufacturers, golf carts); Government or regulatory agencies such as CPSC; utilities; railroads; municipalities; and recyclers.

Project Need: Create new standard.

Requirements for evaluation for safety and performance of used rechargeable batteries for reconfiguration and repurposing.

American National Standards Maintained Under Continuous Maintenance

The ANSI Essential Requirements: Due Process Requirements for American National Standards provides two options for the maintenance of American National Standards (ANS): periodic maintenance (see clause 4.7.1) and continuous maintenance (see clause 4.7.2). Continuous maintenance is defined as follows:

The standard shall be maintained by an accredited standards developer. A documented program for periodic publication of revisions shall be established by the standards developer. Processing of these revisions shall be in accordance with these procedures. The published standard shall include a clear statement of the intent to consider requests for change and information on the submittal of such requests. Procedures shall be established for timely, documented consensus action on each request for change and no portion of the standard shall be excluded from the revision process. In the event that no revisions are issued for a period of four years, action to reaffirm or withdraw the standard shall be taken in accordance with the procedures contained in the ANSI Essential Requirements.

The Executive Standards Council (ExSC) has determined that for standards maintained under the Continuous Maintenance option, separate PINS announcements are not required. The following ANSI Accredited Standards Developers have formally registered standards under the Continuous Maintenance option.

- AAMI (Association for the Advancement of Medical Instrumentation)
- AAMVA (American Association of Motor Vehicle Administrators)
- AGA (American Gas Association)
- AGSC (Auto Glass Safety Council)
- ASC X9 (Accredited Standards Committee X9, Incorporated)
- ASHRAE (American Society of Heating, Refrigerating and Air-Conditioning Engineers, Inc.)
- ASME (American Society of Mechanical Engineers)
- ASTM (ASTM International)
- GEIA (Greenguard Environmental Institute)
- HL7 (Health Level Seven)
- MHI (ASC MH10) (Material Handling Industry)
- NAHBRC (NAHB Research Center, Inc.)
- NBBPVI (National Board of Boiler and Pressure Vessel Inspectors)
- NCPDP (National Council for Prescription Drug Programs)
- NISO (National Information Standards Organization)
- NSF (NSF International)
- TIA (Telecommunications Industry Association)
- UL (Underwriters Laboratories, Inc.)

To obtain additional information with regard to these standards, including contact information at the ANSI Accredited Standards Developer, please visit *ANSI Online* at www.ansi.org/asd, select "Standards Activities," click on "Public Review and Comment" and "American National Standards Maintained Under Continuous Maintenance." This information is also available directly at www.ansi.org/publicreview.

Alternatively, you may contact the Procedures & Standards Administration department (PSA) at psa@ansi.org or via fax at 212-840-2298. If you request that information be provided via E-mail, please include your E-mail address; if you request that information be provided via fax, please include your fax number. Thank you.

ANSI-Accredited Standards Developers Contact Information

The addresses listed in this section are to be used in conjunction with standards listed in PINS, Call for Comment and Final Actions. This section is a list of developers who have submitted standards for this issue of *Standards Action* – it is not intended to be a list of all ANSI-Accredited Standards Developers. Please send all address corrections to Standards Action Editor at standact@ansi.org.

ABMA (ASC B3)

American Bearing Manufacturers Association

2025 M Street, NW
Suite 800
Washington, DC 20036-3309
Phone: (919) 481-2852
Fax: (919) 827-4587
Web: www.americanbearings.org

ACCA

Air Conditioning Contractors of America

2800 Shirlington Road
Suite 300
Arlington, VA 22206
Phone: (202) 251-3835
Fax: (703) 575-9147
Web: www.acca.org

ALI

Automotive Lift Institute

PO Box 85
80 Wheeler Avenue
Cortland, NY 13045
Phone: (607) 756-7775
Fax: (607) 756-0888
Web: www.autolift.org

ASA (ASC S12)

Acoustical Society of America

35 Pinelawn Road
Suite 114E
Melville, NY 11747
Phone: (631) 390-0215
Fax: (631) 390-0217
Web: acousticalsociety.org

ASABE

American Society of Agricultural and Biological Engineers

2950 Niles Road
St Joseph, MI 49085
Phone: (269) 932-7015
Fax: (269) 429-3852
Web: www.asabe.org

ASC X9

Accredited Standards Committee X9, Incorporated

1212 West Street
Suite 200
Annapolis, MD 21401
Phone: (410) 267-7707
Fax: (410) 267-0961
Web: www.x9.org

ASHRAE

American Society of Heating, Refrigerating and Air-Conditioning Engineers, Inc.

1791 Tullie Circle, NE
Atlanta, GA 30329
Phone: (404) 636-8400
Fax: (404) 321-5478
Web: www.ashrae.org

ASME

American Society of Mechanical Engineers

Two Park Avenue
New York, NY 10016
Phone: (212) 591-8521
Fax: (212) 591-8501
Web: www.asme.org

ASTM

ASTM International
100 Barr Harbor Drive
West Conshohocken, PA 19428-2959
Phone: (610) 832-9744
Fax: (610) 834-3683
Web: www.astm.org

ATIS

Alliance for Telecommunications Industry Solutions

1200 G Street, NW
Suite 500
Washington, DC 20005
Phone: (202) 434-8841
Fax: (202) 347-7125
Web: www.atis.org

AWS

American Welding Society

8669 NW 36 Street
#130
Miami, FL 33166
Phone: (305) 443-9353 x311
Web: www.aws.org

AWWA

American Water Works Association

6666 W. Quincy Ave.
Denver, CO 80235
Phone: (303) 347-6178
Fax: (303) 795-7603
Web: www.awwa.org

CEA

Consumer Electronics Association

1919 South Eads Street
Arlington, VA 22202
Phone: (703) 907-7697
Fax: (703) 907-4197
Web: www.ce.org

ECA

Electronic Components Association

2214 Rock Hill Road
Suite 170
Herndon, VA 20170-4212
Phone: (571) 323-0294
Fax: (571) 323-0245
Web: www.eciaonline.org

HL7

Health Level Seven
3300 Washtenaw Avenue
Suite 227
Ann Arbor, MI 48104
Phone: (734) 677-7777 Ext 104
Fax: (734) 677-6622
Web: www.hl7.org

NEMA (Canvass)

National Electrical Manufacturers Association

1300 North 17th Street
Suite 1752
Rosslyn, VA 22209
Phone: (703) 841-3285
Fax: (703) 841-3385
Web: www.nema.org

NSF

NSF International

789 N. Dixboro Road
Ann Arbor, MI 48105
Phone: (734) 827-5643
Fax: (734) 827-7880
Web: www.nsf.org

RESNA

Rehabilitation Engineering and Assistive Technology Society of North America

2240 Meridian Blvd Ste C
Beneficial Designs, Inc.
Minden, NV 89423
Phone: (775) 783-8822 ext. 121
Fax: (775) 783-8823
Web: www.resna.org

SDI (ASC A250)

Steel Door Institute
30200 Detroit Road
Cleveland, Ohio 44135
Phone: (440) 899-0010
Fax: (440) 892-1404
Web: www.wherryassocsteeldoor.org

TIA

Telecommunications Industry Association

1320 North Courthouse Road
Suite 200
Arlington, VA 22201
Phone: (703) 907-7706
Fax: (703) 907-7727
Web: www.tiaonline.org

UL

Underwriters Laboratories, Inc.

12 Laboratory Drive
Research Triangle Park, NC 27709-3995
Phone: (919) 549-0921
Fax: (919) 549-0921
Web: www.ul.com

WDMA

Window and Door Manufacturers Association

330 N. Wabash
Suite 2000
Chicago, IL 60611
Phone: (312) 673-5891
Web: www.nwwda.org



ISO & IEC Draft International Standards

This section lists proposed standards that the International Organization for Standardization (ISO) and the International Electrotechnical Commission (IEC) are considering for approval. The proposals have received substantial support within the technical committees or subcommittees that developed them and are now being circulated to ISO and IEC members for comment and vote. Standards Action readers interested in reviewing and commenting on these documents should order copies from ANSI.

Comments

Comments regarding ISO documents should be sent to Karen Hughes at ANSI's New York offices, those regarding IEC documents to Charles T. Zegers, also at ANSI New York offices. The final date for offering comments is listed after each draft.

Ordering Instructions

ISO and IEC Drafts can be made available by contacting ANSI's Customer Service department. Please e-mail your request for an ISO or IEC Draft to Customer Service at sales@ansi.org. When making your request, please provide the date of the Standards Action issue in which the draft document you are requesting appears.

ISO Standards

GAS CYLINDERS (TC 58)

ISO/DIS 16964, Gas cylinders - Flexible hoses for use with industrial and medical gases - 2/8/2014

INTERNAL COMBUSTION ENGINES (TC 70)

ISO/DIS 8178-5, Reciprocating internal combustion engines - Exhaust emission measurement - Part 5: Test fuels - 2/8/2014

LABORATORY GLASSWARE AND RELATED APPARATUS (TC 48)

ISO/DIS 384, Laboratory glass and plastics ware - Principles of design and construction of volumetric instruments - 1/30/2014, \$62.00

ISO/DIS 3819, Laboratory glassware - Beakers - 1/30/2014, \$40.00

ISO/DIS 16496, Laboratory glassware - Vacuum-jacketed vessels for heat insulation - 1/30/2014, \$62.00

ISO/DIS 4796-1, Laboratory glassware - Bottles - Part 1: Screw-neck bottles - 1/30/2014, \$33.00

MECHANICAL VIBRATION AND SHOCK (TC 108)

ISO/DIS 13379-2, Condition monitoring and diagnostics of machines - Data interpretation and diagnostics techniques - Part 2: Data-driven applications - 2/8/2014

NUCLEAR ENERGY (TC 85)

ISO/DIS 20785-3, Dosimetry for exposures to cosmic radiation in civilian aircraft - Part 3: Measurements at aviation altitudes - 1/17/2014, \$67.00

OPTICS AND OPTICAL INSTRUMENTS (TC 172)

ISO/DIS 16971, Ophthalmic instruments - Optical coherence tomograph for the posterior segment of the human eye - 1/26/2014, \$46.00

PERSONAL SAFETY - PROTECTIVE CLOTHING AND EQUIPMENT (TC 94)

ISO/DIS 12312-2, Eye and face protection - Sunglasses and related eyewear - Part 2: Filters for direct observation of the sun - 1/30/2014, \$53.00

PLASTICS (TC 61)

ISO/DIS 16616, Test methods for Natural Fiber-reinforced Plastic Composite (NFC) Deck Boards - 1/23/2014, \$58.00

PLASTICS PIPES, FITTINGS AND VALVES FOR THE TRANSPORT OF FLUIDS (TC 138)

ISO 4427-1/DAmD1, Plastics piping systems - Polyethylene (PE) pipes and fittings for water supply - Part 1: General - Amendment 1: Melt mass-flow rate (MFR) for PE 80 and PE 100 - 1/16/2014, \$33.00

ROAD VEHICLES (TC 22)

ISO/DIS 14229-7, Road vehicles - Unified diagnostic services (UDS) - Part 7: Unified diagnostic services on Local Interconnect Network implementation (UDSonLIN) - 1/26/2014, \$67.00

SMALL CRAFT (TC 188)

ISO 10240/DAmD1, Small craft - Owner's manual - Amendment 1 - 1/23/2014, \$29.00

TRANSPORT INFORMATION AND CONTROL SYSTEMS (TC 204)

ISO/DIS 14813-1, Intelligent transport systems - Reference model architecture(s) for the ITS sector - Part 1: ITS service domains, service groups and services - 1/26/2014, \$155.00

TYRES, RIMS AND VALVES (TC 31)

ISO/DIS 18805, Tyre classification - 1/15/2014, \$33.00

ISO/DIS 18807, Tyres and rims for logging and forestry service - 1/15/2014, \$67.00

ISO/IEC JTC 1, Information Technology

ISO/IEC 10373-6/DAmD7, Frame with error correction - 1/26/2014

ISO/IEC DIS 29157, Information technology - Telecommunications and information exchange between systems - PHY/MAC specifications for short-range wireless low-rate applications in the ISM band - 1/26/2014

ISO/IEC DIS 38500, Information Technology - governance of IT - For the Organization - 2/8/2014

ISO/IEC DIS 18000-4, Information technology - Radio frequency identification for item management - Part 4: Parameters for air interface communications at 2,45 GHz - 2/8/2014

ISO/IEC CD 9995-11, Information processing - Keyboard layouts for text and office systems - Part 11: Alphanumeric zone of the alphanumeric section - 2/8/2014

IEC Standards

1/2239/CDV, IEC 60050-614: International Electrotechnical Vocabulary - Part 614 - Generation, transmission and distribution of electricity - Operation, 01/31/2014

3D/220/NP, Standardized product ontology register and register by spreadsheets - Part 5: Interface for activity description, 01/31/2014

9/1862/Q, MT 60050, International Electrotechnical Vocabulary (IEV), Part 811: Electric traction, Part 821: Signalling and security apparatus for railways - Nomination of a new Convenor, 12/13/2013

9/1866/FDIS, IEC 62280: Railway applications - Communication, signalling and processing systems - Safety related communication in transmission systems, 01/10/2014

17B/1838/CD, IEC 62683 Ed.2: Low-voltage switchgear and controlgear - Product data and properties for information exchange, 01/03/2014

29/830/CD, IEC 61260-2: Electroacoustics - Octave-band and fractional-octave-band filters - Part 2: Pattern evaluation tests, 01/31/2014

31/1084/CDV, IEC 60079-32-2/Ed1: Explosive atmospheres - Part 32 -2: Electrostatic hazards - Tests, 01/31/2014

34/191/CDV, IEC 62493 Ed.2: Assessment of lighting equipment related to human exposure to electromagnetic fields, 01/31/2014

34B/1707/CDV, IEC 60061 Ed.3: Lamp caps and holders together with gauges for the control of interchangeability and safety - Part 1: Lamp caps - Amendment 52; Part 2: Lampholders - Amendment 49; Part 3: Gauges - Amendment 50, 01/31/2014

34B/1710A/FDIS, IEC 60061-1 Ed.3: Amendment 50 - Lamp caps and holders together with gauges for the control of interchangeability and safety - Part 1: Lamp caps, 01/03/2014

34B/1711A/FDIS, IEC 60061-2 Ed.3: Amendment 47 - Lamp caps and holders together with gauges for the control of interchangeability and safety - Part 2: Lampholders, 01/03/2014

34B/1712A/FDIS, IEC 60061-3 Ed.3: Amendment 48 - Lamp caps and holders together with gauges for the control of interchangeability and safety - Part 3: Gauges, 01/03/2014

34D/1103/CDV, IEC 60598-2-20 Ed.4: Luminaires - Part 2-20: Particular requirements - Lighting chains, 01/31/2014

34D/1104/CDV, IEC 60598-2-21 Ed.1: Luminaires - Part 2-21: Particular requirements - Sealed lighting chains, 01/31/2014

38/469/DTR, IEC/TR 61869-100: Guide for Application of Current Transformers in Power System Protection, 01/10/2014

40/2249/CDV, IEC 60286-2 Ed. 4: Packaging of components for automatic handling - Part 2: Tape packaging of components with unidirectional leads on continuous tapes, 01/31/2014

46/487/CD, IEC 60966-2-4 Ed4: Detail specification for cable assemblies for radio and TV receivers - Frequency range 0 MHz to 3 000 MHz, IEC 61169-2 connectors, 01/31/2014

46/488/CD, IEC 60966-2-5 Ed4: Detail specification for cable assemblies for radio and TV receivers - Frequency range 0 MHz to 3 000 MHz, IEC 61169-2 connectors, 01/31/2014

46/489/CD, IEC 60966-2-6 Ed4: Detail specification for cable assemblies for radio and TV receivers - Frequency range 0 MHz to 3 000 MHz, IEC 61169-24 connectors, 01/31/2014

47F/166/CDV, IEC 62047-17 Ed.1: Semiconductor devices - Micro-electromechanical devices - Part 17: Bulge test method for measuring mechanical properties of thin films, 01/31/2014

64/1901/CD, IEC 60364-8-2: Low voltage electrical installations - Part 8-2: Smart Low-Voltage Electrical Installations, 01/31/2014

73/168/DTR, IEC/TR 60865-2 Ed. 2.0 Short-circuit currents - Calculation of effects Part 2: Examples of calculation, 01/10/2014

77/450/CDV, IEC 61000-6-7: Part 6-7: Generic standards - Immunity requirements for equipment intended to perform functions in a safety-related system (functional safety) in industrial locations, 01/31/2014

86A/1557/CD, IEC 60794-3-70/Ed1: Optical fibre cables: Part 3.70:- Family specification for outdoor optical fibre cables for rapid/multiple deployment, 01/31/2014

86A/1559/CD, IEC 60794-3-40/Ed2: Optical fibre cables - Part 3-40: Outdoor cables -Family specification for sewer cables and conduits for installation by blowing and/or pulling in non-man accessible storm and sanitary sewers, 01/31/2014

86B/3673/CDV, IEC 61300-3-53/Ed1: Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 3-53: Examinations and Measurements - Encircled angular flux (EAF) measurement method based on two-dimensional far field data from step index multimode waveguide (including fibre), 01/31/2014

95/319/FDIS, IEC 60255-121: Measuring relays and protection equipment - Part 121: Functional requirements for distance protection, 01/03/2014

99/129/FDIS, Amendment 1 - IEC 61936-1 Ed.2: - Power installations exceeding 1 kV a.c. - Part 1: Common rules, 01/03/2014

CIS//447/CDV, CISPR 32 (f4) Ed.2.0: Electromagnetic compatibility of multimedia equipment - Emission requirements, 01/31/2014

CIS//448/CDV, CISPR 32 (f5) Ed.2.0: Other Test Methods for Radiated Emissions (RVC/GTEM), 01/31/2014

CIS//449/CDV, CISPR 32 (f1) Ed.2.0: Electromagnetic compatibility of multimedia equipment - Emission requirements, 01/31/2014

CIS//450/CDV, CISPR 32 (f2) Ed.2.0: Test channels for broadcast receivers, 01/31/2014

CIS//451/CDV, CISPR 32 (f3) Ed.2.0: Measurement Uncertainty, 01/31/2014

3C/1891/CD, IEC 60417-6237 Pr: Electric energy, save, 01/03/2014

18/1344/CDV, IEC 60092-507: Electrical installations in ships - Part 507 - Small vessels, 01/24/2014

21A/529/CD, IEC 62619: Secondary cells and batteries containing alkaline or other non-acid electrolytes. - Safety requirements for secondary lithium cells and batteries, for use in industrial applications, 01/24/2014

21A/530/CD, IEC 61960: Secondary cells and batteries containing alkaline or other non-acid electrolytes - Secondary lithium cells and batteries for portable applications, 01/24/2014

22H/170/NP, Future IEC 62040-5-3: Uninterruptible power systems (UPS) - Part 5-3: Test and performance for d.c UPS, 01/24/2014

26/519/FDIS, IEC 60974-10 Ed.3: Arc welding equipment - Part 10: Electromagnetic compatibility (EMC) requirements, 01/03/2014

32B/621/DTR, IEC 60269-5/TR/Ed2: Low-voltage fuses - Part 5: Guidance for the application of low-voltage fuses, 12/20/2013

- 34B/1710/FDIS, IEC 60061-1 Ed.3: Amendment 50 - Lamp caps and holders together with gauges for the control of interchangeability and safety - Part 1: Lamp caps, 01/03/2014
- 34B/1711/FDIS, IEC 60061-2 Ed.3: Amendment 47 - Lamp caps and holders together with gauges for the control of interchangeability and safety - Part 2: Lampholders, 01/03/2014
- 34B/1712/FDIS, IEC 60061-3 Ed.3: Amendment 48 - Lamp caps and holders together with gauges for the control of interchangeability and safety - Part 3: Gauges, 01/03/2014
- 36C/190/CDV, IEC 62231-1: Composite station post insulators for substations with AC voltages greater than 1 000 v up to 245 kv - Part 1: dimensional, mechanical and electrical characteristics, 01/24/2014
- 45A/937/CDV, IEC 62705 Ed.1: Nuclear power plants - Instrumentation and control important to safety - Radiation Monitoring System (RMS) - Characteristics and lifecycle, 01/24/2014
- 80/716/FDIS, IEC 602065 Ed.2: Maritime navigation and radiocommunication equipment and systems - Track control systems - Operational and performance requirements, methods of testing and required test results, 01/03/2014
- 86A/1552/CD, IEC 60794-4-10/Ed2: Optical fibre cables - Part 4-10: Family Specification - OPGW (Optical Ground Wires) along electrical power lines, 01/24/2014
- 86A/1553/CD, IEC 62690/TR/Ed1: Guide to hydrogen effects in optical fibre cables, 01/24/2014
- 86A/1556/CD, IEC 60793-2-10/Ed5: Optical fibres - Part 2-10: Product specifications - Sectional specification for category A1 multimode fibre, 01/24/2014
- 86B/3699/FDIS, IEC 61300-2-42/Ed3: Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 2-42: Tests - Static side load for strain relief, 01/03/2014
- 86B/3700/FDIS, IEC 62074-1/Ed2: Fibre optic interconnecting devices and passive components - Fibre optic WDM devices - Part 1: Generic specification, 01/03/2014
- 88/461/CDV, IEC 61400-25-2 Ed.2: Wind turbines - Part 25-2: Communications for monitoring and control of wind power plants - Information models, 01/24/2014
- 90/329A/CD, IEC 61788-21: Superconducting wires - Test Methods for Practical Superconducting Wires General Characteristics and Guidance, 01/17/2014
- 100/2192/NP, IEC 62889 Ed.1: Digital video interface - Gigabit video interface (GVIF) for multimedia systems (TA 4), 01/24/2014
- 100/2193/CDV, IEC 62889 Ed.1: Digital video interface - Gigabit video interface (GVIF) for multimedia systems (TA 4), 01/24/2014
- 101/418/Q, Withdrawal of IEC 61340-3-1 Ed.2, 12/13/2013
- 112/278/CD, IEC 62631-3-1 Ed.1: Guidelines for the determination of dielectric and resistive properties of solid insulating materials - Part 3-1: Determination of resistive properties (DC Methods) - Volume resistance and volume resistivity, general method, 01/03/2014
- 112/279/CD, IEC 62631-3-2 Ed.1: Guidelines for the determination of dielectric and resistive properties of solid insulating materials - Part 3-2: Determination of resistive properties (DC Methods) - Surface Resistance and Surface Resistivity, 01/03/2014
- 112/281/CD, IEC 62631-3-3 Ed.1: Guidelines for the determination of dielectric and resistive properties of solid insulating materials - Part 3-3: Determination of Resistive Properties (DC Methods) - Insulation Resistance, 01/03/2014
- CIS/A/1049/FDIS, Amendment 1 to CISPR 16-4-2: Specification for radio disturbance and immunity measuring apparatus and methods - Part 4-2: Uncertainties, statistics and limit modelling - Measurement instrumentation uncertain, 01/03/2014
- 17B/1834/CD, IEC 60947-3 am2 Ed.3: Low-voltage switchgear and controlgear - Part 3: Switches, disconnectors, switch-disconnectors and fuse-combination units, 12/13/2013
- 17C/589/CDV, IEC 62271-3 Ed.2: High-voltage switchgear and controlgear - Part 3: Digital interfaces based on IEC 61850, 01/17/2014
- 18A/357/CDV, IEC 60092-354: Electrical installations in ships - Part 354: Single- and three-core power cables with extruded solid insulation for rated voltages 6 kV ($U_m = 7,2$ kV) up to 30 kV ($U_m = 36$ kV), 01/17/2014
- 20/1463/CD, IEC 60287-2-3: Electric cables - Calculation of the current rating - Part 2-3: cables installed in ventilated tunnels, 01/17/2014
- 20/1465/CD, IEC 60287-3-1: Electric cables - Calculation of the current rating - Part 3-1: section on operating conditions - reference operating conditions, 01/17/2014
- 20/1468/CD, IEC 60230: Impulse tests on cables and their accessories, 01/17/2014
- 21A/528/CD, IEC 60623: Secondary cells and batteries containing alkaline or other non-acid electrolytes - Vented nickel-cadmium prismatic rechargeable single cells, 01/17/2014
- 23B/1122A/CD, IEC 61995-2 A1 Ed.1: Amendment 1 - Devices for the connection of luminaires for household and similar purposes - Part 2: Standard sheets for DCL, 12/13/2013
- 34A/1722/CD, IEC 62663-2 Ed.1: Non-ballasted LED lamps for general lighting - Part 2: Performance requirements, 01/17/2014
- 45A/940/CD, IEC/IEEE 60780-323 Ed.1: Nuclear facilities - Electrical equipment important to safety - Qualification, 01/17/2014
- 48B/2358/CDV, IEC 60512-1-101/Ed1: Connectors for electronic equipment - Tests and measurements - Part 1-101: Blank detail specification, 01/17/2014
- 49/1088/CD, IEC 60679-1 Ed.4: Piezoelectric, dielectric and electrostatic oscillators of assessed quality - Part 1: Generic specification, 01/17/2014
- 51/1047/CD, IEC 60424-8 Ed.1: Ferrite cores - Guidelines on the limits of surface irregularities - Part 8: PQ-cores, 01/17/2014
- 55/1446/NP, Future IEC 60317-0-11/Ed1: Specifications for particular type of winding wires - Part 0-11: General requirements - Insulated single or multi-layer tape wrapped or extruded round winding wires for use without interleaved insulation, 01/17/2014
- 55/1447/NP, Future IEC 60317-63/Ed1: Specifications for particular type of winding wires - Part 63: Insulated single or multi-layer extruded round winding wire for use without interleaved insulation, 01/17/2014
- 55/1448/NP, Future IEC 60317-64/Ed1: Specifications for particular type of winding wires - Part 64: Insulated single or multi-layer tape wrapped round winding wire for use without interleaved insulation, 01/17/2014
- 55/1449/NP, Future IEC 60317-65/Ed1: Specifications for particular type of winding wires - Part 65: Insulated single or multi-layer extruded round winding wire for use without interleaved insulation, with a bonding layer, 01/17/2014
- 55/1450/NP, Future IEC 60317-66/Ed1: Specifications for particular type of winding wires - Part 66: Insulated single or multi-layer tape wrapped round winding wire for use without interleaved insulation, with a bonding layer, 01/17/2014
- 62C/577/CD, IEC 61675-2: Radionuclide imaging devices - Characteristics and test conditions - Part 2: gamma cameras for planar imaging and spect imaging, 01/17/2014
- 64/1899/DC, Possible modification of the main title common to all Parts 4 of the IEC 60364 (IEC 60364-4-), 12/06/2013

- 86B/3701/NP, Future IEC 61753-121-x: Fibre optic interconnecting devices and passive components - Performance standards - Part 121-X: Simplex and duplex cords with single-mode fibre and cylindrical ferrule connector for Category I - Industrial environment, 01/17/2014
- 89/1197/FDIS, IEC 60695-2-11/Ed2: Fire hazard testing - Part 2-11: Glowing/hot-wire based test methods - Glow-wire flammability test method for end-products (GWEPT), 12/13/2013
- 89/1198/FDIS, IEC 60695-2-12/Ed2: Fire hazard testing - Part 2-12: Glowing/hot-wire based test methods - Glow-wire flammability index (GWFI) test method for materials, 12/13/2013
- 89/1199/FDIS, IEC 60695-2-13-A1/Ed2: Fire hazard testing - Part 2-13: Glowing/hot-wire based test methods -Low-wire ignition temperature (GWIT) test method for materials, 12/13/2013
- 90/329/CD, IEC 61788-21: Superconducting wires - Test Methods for Practical Superconducting Wires General Characteristics and Guidance, 01/17/2014
- 91/1127/CDV, IEC 61760-4 Ed.1: Surface mounting technology - Part 4: Standard method for classification, packaging, labelling and handling of moisture sensitive devices, 01/17/2014
- 112/276/CD, IEC/TS 60216-7-1 Ed.1: Electrical insulation materials - Thermal endurance properties - Part 7-1: Accelerated determination of thermal endurance index (TI) and relative thermal endurance (RTE) using analytical test methods - Calculating procedures for TI and RTE based on activation energy, 01/17/2014



Newly Published ISO & IEC Standards

Listed here are new and revised standards recently approved and promulgated by ISO - the International Organization for Standardization – and IEC – the International Electrotechnical Commission. Most are available at the ANSI Electronic Standards Store (ESS) at www.ansi.org. All paper copies are available from Standards resellers (<http://webstore.ansi.org/faq.aspx#resellers>).

ISO Standards

AGRICULTURAL FOOD PRODUCTS (TC 34)

[ISO 11816-1:2013](#), Milk and milk products - Determination of alkaline phosphatase activity - Part 1: Fluorimetric method for milk and milk-based drinks, \$98.00

AIRCRAFT AND SPACE VEHICLES (TC 20)

[ISO 16404:2013](#), Space systems - Programme management - Requirements management, \$104.00

CERAMIC TILE (TC 189)

[ISO 13007-2:2013](#), Ceramic tiles - Grouts and adhesives - Part 2: Test methods for adhesives, \$135.00

FLUID POWER SYSTEMS (TC 131)

[ISO 1179-1:2013](#), Connections for general use and fluid power - Ports and stud ends with ISO 228-1 threads with elastomeric or metal-to-metal sealing - Part 1: Threaded ports, \$60.00

[ISO 1179-2:2013](#), Connections for general use and fluid power - Ports and stud ends with ISO 228-1 threads with elastomeric or metal-to-metal sealing - Part 2: Heavy-duty (S series) and light-duty (L series) stud ends with elastomeric sealing (type E), \$80.00

NUCLEAR ENERGY (TC 85)

[ISO 21483:2013](#), Determination of solubility in nitric acid of plutonium in unirradiated mixed oxide fuel pellets (U, Pu) O₂, \$60.00

OPTICS AND OPTICAL INSTRUMENTS (TC 172)

[ISO 8038:2013](#), Microscopes - Screw threads for objectives and related nosepieces, \$60.00

OTHER

[ISO 17489:2013](#), Leather - Chemical tests - Determination of tan content in synthetic tanning agents, \$60.00

ROAD VEHICLES (TC 22)

[ISO 13052:2013](#), Road vehicles - Trailers up to 3,5 t - Requirements for jockey wheels and drawbar supports, \$60.00

[ISO 11898-6:2013](#), Road vehicles - Controller area network (CAN) - Part 6: High-speed medium access unit with selective wake-up functionality, \$98.00

SCREW THREADS (TC 1)

[ISO 16239:2013](#), Metric series wires for measuring screw threads, \$60.00

WELDING AND ALLIED PROCESSES (TC 44)

[ISO 10225:2013](#), Gas welding equipment - Marking for equipment used for gas welding, cutting and allied processes, \$46.00

ISO/IEC JTC 1, Information Technology

[ISO/IEC 29121:2013](#), Information technology - Digitally recorded media for information interchange and storage - Data migration method for DVD-R, DVD-RW, DVD-RAM, +R, and +RW disks, \$126.00

[ISO/IEC 30111:2013](#), Information technology - Security techniques - Vulnerability handling processes, \$90.00

IEC Standards

AUDIO, VIDEO AND MULTIMEDIA SYSTEMS AND EQUIPMENT (TC 100)

[IEC 62481-1 Ed. 2.0 en:2013](#), Digital living network alliance (DLNA) home networked device interoperability guidelines - Part 1: Architecture and protocols, \$374.00

[IEC 62481-3 Ed. 2.0 en:2013](#), Digital living network alliance (DLNA) home networked device interoperability guidelines - Part 3: Link protection, \$319.00

[IEC 62481-5 Ed. 1.0 en:2013](#), Digital living network alliance (DLNA) home networked device interoperability guidelines - Part 5: DLNA Device Profile guidelines, \$44.00

CABLES, WIRES, WAVEGUIDES, R.F. CONNECTORS, AND ACCESSORIES FOR COMMUNICATION AND SIGNALLING (TC 46)

[IEC 62153-4-3 Ed. 2.0 en:2013](#), Metallic communication cable test methods - Part 4-3: Electromagnetic compatibility (EMC) - Surface transfer impedance - Triaxial method, \$253.00

ELECTRICAL INSTALLATIONS OF SHIPS AND OF MOBILE AND FIXED OFFSHORE UNITS (TC 18)

[IEC 60092-501 Ed. 5.0 en:2013](#), Electrical installations in ships - Part 501: Special features - Electric propulsion plant, \$253.00

ELECTROMAGNETIC COMPATIBILITY (TC 77)

[IEC 61000-4-6 Ed. 4.0 b:2013](#), Electromagnetic compatibility (EMC) - Part 4-6: Testing and measurement techniques - Immunity to conducted disturbances, induced by radio-frequency fields, \$319.00

Registration of Organization Names in the United States

The Procedures for Registration of Organization Names in the United States of America (document ISSB 989) require that alphanumeric organization names be subject to a 90-day Public Review period prior to registration. For further information, please contact the Registration Coordinator at (212) 642-4946.

The following is a list of alphanumeric organization names that have been submitted to ANSI for registration. Alphanumeric names appearing for the first time are printed in bold type. Names with confidential contact information, as requested by the organization, list only public review dates.

PUBLIC REVIEW

NFC Forum

Public Review: August 23 to November 21, 2013

Topcon Medical Systems

Public Review: August 23 to November 21, 2013

NOTE: Challenged alphanumeric names are underlined. The Procedures for Registration provide for a challenge process, which follows in brief. For complete details, see Section 6.4 of the Procedures.

A challenge is initiated when a letter from an interested entity is received by the Registration Coordinator. The letter shall identify the alphanumeric organization name being challenged and state the rationale supporting the challenge. A challenge fee shall accompany the letter. After receipt of the challenge, the alphanumeric organization name shall be marked as challenged in the Public Review list. The Registration Coordinator shall take no further action to register the challenged name until the challenge is resolved among the disputing parties.

Proposed Foreign Government Regulations

Call for Comment

U.S. manufacturers, exporters, regulatory agencies and standards developing organizations may be interested in proposed foreign technical regulations issued by Member countries of the World Trade Organization (WTO). In accordance with the WTO Agreement on Technical Barriers to Trade (TBT Agreement), Members are required to report proposed technical regulations that may significantly affect trade to the WTO Secretariat in Geneva, Switzerland. In turn, the Secretariat disseminates the information to all WTO Members. The purpose of this requirement is to provide global trading partners with an opportunity to review and comment on the regulations before they become final.

The National Center for Standards and Certification Information (NCSCI) at the National Institute of Standards and Technology

(NIST), distributes these proposed foreign technical regulations to U.S. stakeholders via an online service, Notify U.S. Notify U.S. is an e-mail and Web service that allows interested U.S. parties to register, obtain notifications, and read full texts of regulations from countries and for industry sectors of interest to them. To register for Notify U.S., please go to Internet URL: <http://www.nist.gov/notifyus/> and click on "Subscribe".

NCSCI is the WTO TBT Inquiry Point for the U.S. and receives all notifications and full texts of regulations to disseminate to U.S. Industry. For further information, please contact: NCSCI, NIST, 100 Bureau Drive, Gaithersburg, MD 20899-2160; Telephone: (301) 975-4040; Fax: (301) 926-1559; E-mail: ncsci@nist.gov or notifyus@nist.gov.

Information Concerning

American National Standards

INCITS Executive Board

ANSI Accredited SDO and US TAG to ISO/IEC JTC 1, Information Technology

The InterNational Committee for Information Technology Standards (INCITS), an ANSI accredited SDO, is the forum for information technology developers, producers and users for the creation and maintenance of formal de jure IT standards. INCITS' mission is to promote the effective use of Information and Communication Technology through standardization in a way that balances the interests of all stakeholders and increases the global competitiveness of the member organizations.

The INCITS Executive Board serves as the consensus body with its oversight of programs of its 40+ Technical Committees. Additionally, the INCITS Executive Board exercises international leadership in its role as the US Technical Advisory Group (TAG) to ISO/IEC JTC 1, Information Technology.

The INCITS Executive Board seeks to broaden its membership base and is recruiting new participants in the following membership categories:

- special interest (user, academic, consortia)
- non-business (government and major/minor SDOs)

Membership in the INCITS Executive Board is open to all directly and materially affected parties in accordance with INCITS membership rules. To find out more about participating on the INCITS Executive Board, please contact Jennifer Garner at 202-626-5737 or jgarner@itic.org. Visit www.INCITS.org for more information regarding INCITS activities.

Calls for Members

Society of Cable Telecommunications

ANSI Accredited Standards Developer

SCTE, an ANSI-accredited SDO, is the primary organization for the creation and maintenance of standards for the cable telecommunications industry. SCTE's standards mission is to develop standards that meet the needs of cable system operators, content providers, network and customer premises equipment manufacturers, and all others who have an interest in the industry through a fair, balanced and transparent process.

SCTE is currently seeking to broaden the membership base of its ANS consensus bodies and is interested in new members in all membership categories to participate in new work in fiber-optic networks, advanced advertising, 3D television, and other important topics. Of particular interest is membership from the content (program and advertising) provider and user communities.

Membership in the SCTE Standards Program is open to all directly and materially affected parties as defined in SCTE's membership rules and operating procedures. More information is available at www.scte.org or by e-mail from standards@scte.org.

ANSI Accredited Standards Developers

Approval of Accreditation

FamilyFarms

ANSI's Executive Standards Council has approved FamilyFarms, an ANSI Organizational Member, as an ANSI Accredited Standards Developer (ASD) under its proposed operating procedures for documenting consensus on FamilyFarms-sponsored American National Standards, effective October 25, 2013. For additional information, please contact: Ms. Marj Ocheltree, Director of Consulting, FamilyFarms/Validus, 31832 Delhi Road, Brighton, IL 62012; phone: 515.278.8002; e-mail: ocheltrm@validusservices.com.

Approval of Reaccreditation

AMCA International – The Air Movement and Control Association

ANSI's Executive Standards Council has approved the reaccreditation of AMCA International – The Air Movement and Control Association, an ANSI Organizational Member, under its recently revised AMCA Blue Book – Procedures for the Development of AMCA Standards and Publications for documenting consensus on AMCA-sponsored American National Standards, effective October 28, 2013. For additional information, please contact: Ms. Amanda Muledy, Technical Editor, AMCA International, 30 West University Drive, Arlington Heights, IL 60004-1893; phone: 847.704.6295; e-mail: amuledy@amca.org.

Reaccreditations

Health Level Seven International (HL7)

Comment Deadline: December 2, 2013

Health Level Seven International (HL7), an ANSI Organizational Member, has submitted revisions to its currently accredited procedures for documenting consensus on HL7-sponsored American National Standards, under which it was last reaccredited in 2009. As the revisions appear to be substantive in nature, the reaccreditation process is initiated.

To obtain a copy of the revised procedures or to offer comments, please contact: Ms. Karen VanHentenryck, Associate Executive Director, Health Level Seven International, 3300 Washtenaw Avenue, Suite 227, Ann Arbor, MI 48104; phone: 734.677.7777 ext. 104; e-mail: karenvan@hl7.org. You may view/download a copy of the revisions during the public review period at the following URL:

<http://publicaa.ansi.org/sites/apdl/Documents/Forms/AllItems.aspx?RootFolder=%2fsites%2fapdl%2fDocuments%2fStandards%20Activities%2fPublic%20Review%20and%20Comments%2fANS%20Accreditation%20Actions&View=%7b21C60355%2dAB17%2d4CD7%2dA090%2dBABEEC5D7C60%7d>. Please submit any public comments on the revised procedures to HL7 by December 2, 2013, with a copy to the ExSC Recording Secretary in ANSI's New York Office (e-mail: jthomps@ANSI.org).

Rehabilitation Engineering and Assistive Technology Society of North America (RESNA)

Comment Deadline: December 2, 2013

The Rehabilitation Engineering and Assistive Technology Society of North America (RESNA), an ANSI Organizational Member, has submitted revisions to its currently accredited procedures for documenting consensus on RESNA-sponsored American National Standards, under which it was last reaccredited in 2012. As the revisions appear to be substantive in nature, the reaccreditation process is initiated.

To obtain a copy of the revised procedures or to offer comments, please contact: Ms. Harmony Hilderbrand, Secretary, RESNA Assistive Technology Standards Board, Office Manager, Beneficial Designs, P.O. Box 69, 2240 Meridian Boulevard, Suite C, Minden, NV 89423; phone: 775.783.8822, ext. 272; e-mail: Harmony@beneficialdesigns.com. You may view/download a copy of the revisions during the public review period at the following URL:

<http://publicaa.ansi.org/sites/apdl/Documents/Forms/AllItems.aspx?RootFolder=%2fsites%2fapdl%2fDocuments%2fStandards%20Activities%2fPublic%20Review%20and%20Comment%2fANS%20Accreditation%20Actions&View=%7b21C60355%2dAB17%2d4CD7%2dA090%2dBABEEC5D7C60%7d>. Please submit any public comments on the revised procedures to RESNA by December 2, 2013, with a copy to the ExSC Recording Secretary in ANSI's New York Office (e-mail: jthompson@ANSI.org).

ANSI Accreditation Program for Third Party Product Certification Agencies

Scope Extension

Advanced Compliance Solutions, Inc. (ACS)

Comment Deadline: December 2, 2013

Mr. Jeff Woods
Advanced Compliance Solutions, Inc. (ACS)
5015 B.U. Bowman Drive
Buford, GA 30518
Phone: 770-831-8048
Fax: 770-831-8598
E-mail: jwoods@acstestlab.com
Web: www.acstestlab.com

On October 25, 2013, Advanced Compliance Solutions, Inc. (ACS) extended its ANSI-accredited scopes to include the following:

EPA ENERGY STAR®

Heating Cooling and Water Heating

Commercial Water Heaters

Please send your comments by December 2, 2013 to Reinaldo Balbino Figueiredo, Senior Program Director, Product Certifier Accreditation, American National Standards Institute, 1899 L Street, NW, 11th Floor, Washington, DC 20036, Fax: 202-293-9287 or e-mail: rfigueir@ansi.org, or Nikki Jackson, Sr. Program Manager, Product Certifier Accreditation, American National Standards Institute, 1899 L Street, NW, 11th Floor, Washington, DC 20036, Fax: 202-293-9287 or e-mail: njackson@ansi.org.

ANSI-ASQ National Accreditation Board

BS OHSAS 18001 Occupational Health and Safety Management Systems

Notice of Accreditation

Certification Body

World Certification Services Ltd.

The ANSI-ASQ National Accreditation Board is pleased to announce the following certification body has earned ANAB accreditation for BS OHSAS 18001 Occupational Health and Safety Management Systems:

Bill Slocombe
World Certification Services Ltd.
Custom House, 52A Mersey View
Brighton-Le-Sands
Liverpool L22 6QB
United Kingdom
Web: www.world-cert.co.uk
Phone: +44 151-924-7474
E-mail: bill@world-cert.co.uk

International Electrotechnical Commission (IEC)

SAE International Assigned as USNC TAG Administrator for IEC/TC 107

The USNC Technical Management Committee has assigned SAE International as the TAG Administrator for the following USNC Technical Advisory Group:

USNC TAG for IEC/TC 107 – Process Management for Avionics

Scope: To develop process management standards on systems and equipment used in the field of avionics. Avionics includes electronics used in commercial, civil and military aerospace applications.

Anyone interested in this activity and particularly in joining this USNC TAG are invited to contact the TAG Secretary, Mr Chris Denham, SAE International (Phone: 717 359 8807, E-Mail: cdenham@sae.org).

U.S. Technical Advisory Groups

U.S. TAG Ballot

ISO CD2 14001, Environmental management systems – Requirements with guidance for use

Comment Deadline: December 6, 2013

The U.S. TAG Chair of ISO TC 207/SC 1 would like to request for a vote of approval/disapproval with comments (if any) for ballot - ISO CD2 14001, Environmental management systems - Requirements with guidance for use. Please direct any related questions and comments to Ms. Jennifer Admussen - standards@asq.org by Friday, December 6, 2013.

Information Concerning

International Organization for Standardization (ISO)

Call for US/TAG Administrator

ISO TC 154 – Processes, Data Elements and Documents in Commerce, Industry and Administration

ANSI has been informed that, Data Interchange Standards Association (DISA), the ANSI accredited US/TAG administrator for ISO/TC 154, wishes to relinquish the role as US/TAG administrator.

ISO/TC 154 operates under the following scope:

International standardization and registration of business, and administration processes and supporting data used for information interchange between and within individual organizations and support for standardization activities in the field of industrial data. Development and maintenance of application specific meta standards for:

- *process specification (in the absence of development by other technical committees);*
- *data specification with content;*
- *forms-layout (paper / electronic).*

Development and maintenance of standards for:

- *process identification (in the absence of development by other technical committees);*
- *data identification.*

Maintenance of the EDIFACT-Syntax.

Organizations interested in serving as the US/TAG administrator should contact ISOT@ansi.org.

Information Concerning

International Organization for Standardization (ISO)

ISO Proposal for a New Field of ISO Activity

Online Reputation

Comment Deadline: December 6, 2013

AFNOR (France) has submitted to ISO the attached proposal for a new field of ISO technical activity on the subject of Online Reputation with the following scope statement:

Standardization of methods, tools and best practices related to the online reputation of organizations, companies, services, products and/or persons through social media (social space on internet dedicated to interactions among individuals or communities of individuals). This includes standardization of efficient processes, practices and measures based upon data that can be captured through a search on social media including web pages and email (pushing).

Excluded:

- Privacy and data protection frameworks or security information standardization already covered by ISO/IEC/JTC 1/SC 27
- Management system standards already covered by ISO/TC 176/SC 3
- Fraud countermeasures and controls already covered by ISO/TC 247
- Brand evaluation already covered by ISO/TSP 240

Anyone wishing to review the new work item proposal can request a copy of the proposal by contacting ANSI's ISO Team via email: isot@ansi.org with submission of comments to Steve Cornish (scornish@ansi.org) by close of business on Friday, December 6th, 2013.

ASME A112.19.14 Draft_Rev 2013-09

[Revision of ASME A112.19.14-2006 (R2011)]

A112.19.14
Six-Liter Water Closets Equipped With a Dual Flushing
Device

TENTATIVE
SUBJECT TO REVISION OR WITHDRAWAL
Specific Authorization Required for Reproduction or Quotation
ASME Codes and Standards

A112.19.14

Six-Liter Water Closets Equipment with a Dual Flushing Device

3.2.4.1 Test Media. The paper removal test in the reduced flush cycle shall be conducted as follows:

(a) the test load shall be composed of four balls of six sheets of untreated single-ply toilet paper

(b) each crumpled into a loose ball measuring 2 in. to 3 in. (51 mm to 76 mm) in diameter.

The standard size test sheet shall be 4.5 in. x 4.5 in. (114 mm x 114 mm), or of equivalent surface area.

The single-ply toilet paper shall first meet both the absorption and wet tensile strength requirements given in paras. 3.2.4.1.1 and 3.2.4.1.2, respectively.

Not for publication. This document is part of the NSF International standard development process. This draft text is for circulation for review and/or approval by a NSF Standards Committee and has not been published or otherwise officially adopted. All rights reserved. This document may be reproduced for informational purposes only.

NSF/ANSI International Standard for Biosafety Cabinetry —

Biosafety Cabinetry: Design, Construction, Performance, and Field Certification

-
-
-

H.7 Fans

Fan(s) should be direct connected, ~~centrifugal fans conforming~~ and should conform to Air Movement and Control Association (AMCA)¹ standards. The performance curve for the specific fan furnished should be provided with each cabinet. Curves should display ft³/min (m³/s) vs. static pressure and voltage (and/or frequency) vs. ft³/min (m³/s).

-
-
-

Reason: There are no restrictions on the basic fan designs used in biosafety cabinets. I.e. centrifugal, axial, diagonal, and special types may be used, provided that they conform to the relevant standards.

¹ Air Movement and Control Association (AMCA), 30 West University Dr., Arlington Heights, IL 60004
<www.amca.org>.

Not for publication. This document is part of the NSF International standard development process. This draft text is for circulation for review and/or approval by a NSF Standards Committee and has not been published or otherwise officially adopted. All rights reserved. This document may be reproduced for informational purposes only.

NSF International Standard

NSF/ANSI 170 – Glossary of Food Equipment Terminology

3 Definitions

.

.

.

~~**3.79.2 carving station food shield:** A barrier separating a customer from unpackaged meats that are carved on demand, plated and delivered to a customer.~~

~~**3.79.3 cooking station food shield:** A barrier separating a customer from a cooking station. Food may be plated and delivered to a customer at this location.~~

3.79.x vertical food shield: A non-self-serve vertical, or near vertical barrier separating a customer from unpackaged food.

Rationale: Proposed changes to NSF/ANSI 2, Section 5.35, Food shields changes the terms carving station food shield and cooking station food shield to the more generic term, vertical food shield.

3.79.xx free standing food shields for use with counter top equipment: A counter top, free-standing barrier intended protect unpackaged food where a customer has access to the food.

Rationale: Proposed changes to NSF/ANSI 2, Section 5.35, Food shields adds requirements for self-service food shields mounted to portable and counter top equipment.

3.79.xxx self-service food shields attached to counter top equipment: A barrier attached to counter top equipment that is holding or displaying unpackaged food where a customer has access to the food.

Rationale: Proposed changes to NSF/ANSI 2, Section 5.35, Food shields adds requirements for self-service food shields mounted to portable and counter top equipment.

ANSI A250.13-2013
Compendium of Changes for Revision of ANSI A250.13-2008
October 12, 2013

The document title was revised to clarify that this standard is not applicable to FEMA 320/361 or ICC 500 shelters.

- 1.1 Clarify that the standard is applicable to openings in building envelopes.
Change maximum wind speed from 170 to 150 miles per hour.
Clarify that this standard is not applicable to FEMA 320/361 or ICC 500 shelters.
- 2 Reorder definitions in alphabetical order

Change maximum wind speed from 170 to 150 miles per hour in definition of Severe Windstorm.

Delete requirement that stiffness class is intended for doors with exit hardware only.

Clarify that Impact Energy is equivalent to Kinetic Energy

Add definition for Building Envelope
- 3.2 Change date of standards to the latest version available
- 4.3.1 Delete requirement that stiffness class is intended for doors with exit hardware only
- Fig 4 Change graphic from exit hardware to single point latching as this is only a frame impact test
- 8.3.3 Change lite to light. Clarify that reinforcement requirements are specified by the vision light kit manufacturer.
- 8.4.2 Combine first two sentences and change design pressure to impact

Add test method ASTM E1996.
- 8.5.1 Delete “for selection of rim and mortise exit devices” under Stiffness Classification
- 9 Change “lite” to either “vision light” or “light”
- 10.1 Delete “with the impact applied only to the glazed portion of the assembly” to eliminate contradiction with ASTM E1886

ANSI A250.13-2013
Compendium of Changes for Revision of ANSI A250.13-2008
October 12, 2013

- 11.1.2.1 Clarify the application of the pressure load
- 11.2.5.1 Delete “If a single latch point is used, the threshold will be considered acceptable if two impacts are conducted at the same location” as this is overly conservative
- App. B, Example 1 Change “Qualifies for Impact Energy....” To “Tested for Impact Energy”
- App. B, Example 2 Change “350 lbf, 350 ft-lbf rating” to “300 lbf, 350 ft-lbf rating” so that load in example isn’t the same as the load rating
- App. B, Example 2 Change 350 lbf to 300 lbf in table to clarify calculation
- New Appendix “Door Component Impact Energy Research Project (30 May 2007)” added as Appendix C to substantiate that the use of 125 ft-lbf as the impact energy for a component test is equivalent to 350 ft-lbf for an assembly test.

BSR/UL 60947-5-1, Standard for Safety for Low-Voltage Switchgear and Controlgear - Part 5-1: Control Circuit Devices and Switching Elements - Electromechanical Control Circuit Devices

1. Revisions to the Proposed Third Edition of the Standard for Low-Voltage Switchgear and Controlgear - Part 5-1: Control Circuit Devices and Switching Elements - Electromechanical Control Circuit Devices

1DV.2 In Canada, the requirements of reference items 2 and 10 of Table 104.DVD.3.1 in Annex 104.DVD are applicable. In the United States, this does not apply.

4.2.5 Interrupting medium

Air, oil, gas, vacuum, etc.

8.3.3.4DV D2 Modification by replacing 8.3.3.4 with the following:

Clause 8.3.3.4 of reference item 1 of Table 104.DVD.3.1 in Annex 104.DVD applies.

8.3.3.5.5DV D2 Modification of 8.3.3.5.5 by replacing item (b) with the following:

b) After the test of 8.3.3.5.2 and ~~8.3.3.5.3~~, the device shall withstand the dielectric properties test as specified in 8.3.3.4.

H.8.7.2.8 Voltage dips and interruptions

The test shall be performed according to IEC 61000-4-11 and Table H.1.

Applicable only to a.c. switching elements.

These limits are given for switching elements exclusively intended for use in industrial environment A. When they can be used in domestic environment B, the following notice shall be included in the instructions for use:

NOTICE

This is a Class A product. In a domestic environment this product may cause radio interference in which case the user may be required to take adequate measures.

H.8.7.3 Emission

The test shall be performed under worst case conditions according to CISPR 11 Group 1, Class A, and 7.3.3.2 of IEC 60947-1.

These limits are given for switching elements exclusively intended for use in industrial environment A. When they can be used in domestic environment B, the following notice shall be included in the instructions for use:

NOTICE

This is a Class A product. In a domestic environment this product may cause radio interference in which case the user may be required to take adequate measures.

101.DVA DC Addition of Annex 101.DVA to test components standards:

For undated references to Standards, such reference shall be considered to refer to the latest edition and all revisions to that edition up to the time when this Standard was approved.

UL 62
Flexible Cord and Fixture Wire

UL 1581
Reference Standard for Electrical Wires, Cables, and Flexible Cords

UL 60947-1
Low-Voltage Switchgear and Controlgear - Part 1: General Rules

UL 60947-4-1A
Low-Voltage Switchgear and Controlgear - Part 4-1: Contactors and Motor-starters - Electromechanical Contactors and Motor-Starters

CSA C22.2 No. 49,
Flexible Cords and Cables

CSA C22.2 No. 182.3,
Special Use Attachment Plugs, Receptacles, and Connectors

CSA C22.2 No. 60947-1,
Low-Voltage Switchgear and Controlgear - Part 1: General Rules

CSA C22.2 No. 60947-4-1,
Low-Voltage Switchgear and Controlgear - Part 4-1: Contactors and Motor-starters - Electromechanical Contactors and Motor-Starters

Table 102.DVB.2.1 - Horsepower-rated switches used in control circuits

Switch rating, single-phase, kW <u>horsepower</u>	Maximum rating of coil, Va<u>A</u>	Equivalent control circuit contact rating code
0.75 <u>1</u>	720	A150, A300, A600
0.37 <u>1/2</u>	360	B150, B300, B600
0.09 <u>1/8</u>	180	C150, C300
0.7 <u>1/10</u>	72	D150, D300

UL copyrighted material. Not authorized for further reproduction without prior permission from UL.

BSR/UL 127, Standard for Safety for Factory-Built Fireplaces


1. Labeling change to chimney to improve awareness of possible fire hazard

PROPOSAL

59.19.1 A label with permanent marking is to be provided with each section of chimney pipe and is to be applied at the time of installation to the exterior surface of chimney pipe as recommended by the manufacturer's installation instructions. The label shall be long enough to wrap around the pipe circumference with the following "WARNING" (the WARNING's are repeated for the entire length of the label):

UL copyrighted material. Not authorized for further reproduction without prior permission from UL.

om UL



Note: The symbol and word, "**WARNING**," shall be boldfaced type having a minimum uppercase letter height of 0.498 in (12.65 mm).

The words, as shown above, in the boxed statement shall be boldfaced type having a minimum uppercase letter height of 0.120 in (3.05 mm). The minimum vertical spacing between lines of type shall be 0.046 in (1.17 mm).

The wording shall be in black letters on an orange background.

BSR/UL 2061, Standard for Safety for Adapters and Cylinder Connection Devices for Portable LP-Gas Cylinder Assemblies

1. Add method for securing adapters or connection devices that utilize straight threads

5.3.1 For adapters or connection devices that utilize straight threads, the connection body or member shall be mechanically secured to the thread connection by application of LP gas resistant anaerobic adhesive sealant, staking, pinning or peening. Three samples of each thread size shall be subjected to the Deformation Test, 9.3 and 9.4. There shall be no leakage, or evidence of loosening of joints, body distortion or other damage, when subjected to the Positive Seal and External Leakage Test, Section 11. Adhesive sealants shall meet the propane applications in the Outline of Investigation for Pipe Joint Sealing Compounds, UL 1356.

UL copyrighted material. Not authorized for further reproduction without prior permission from UL.

BSR/UL 2166, Standard for Safety for Halocarbon Clean Agent Extinguishing System Units

1. Revisions to include disposable halocarbon clean agent extinguishing systems

PROPOSAL

3.8.1 DISPOSABLE (NONRECHARGEABLE) FIRE EXTINGUISHING SYSTEM - A fire extinguishing system that is not capable of nor intended to undergo complete maintenance, including internal inspection of cylinder, replacement of parts and seals, and hydrostatic testing.

7.8 A disposable extinguishing system shall not be rechargeable.

13.1.1 An extinguishing system having a disposable, nonrefillable, sealed chamber is not required to be equipped with a pressure gauge when a pressure indicator is used to verify that the extinguishing system is charged with the correct expellant gas pressure.

2. Elastomeric Parts Tensile Strength Requirements

PROPOSAL

51.1 An elastomeric part used to provide a seal shall have the following properties when tested as specified in the Standard for Gaskets and Seals, UL 157:

- a) ~~For silicone rubber (having poly-organo-siloxane as its constituent characteristic), a minimum tensile strength of 500 psi (3.4 MPa) and a minimum ultimate elongation of 100 percent.~~
- b) ~~For fluoroelastomers, a minimum tensile strength of 1000 psi (6.9 MPa) and a minimum ultimate elongation of 150 percent.~~
- c) ~~For natural rubber and synthetic rubber other than silicone rubber or fluoroelastomers, a minimum tensile strength of 1200 psi (8.3 MPa) and minimum ultimate elongation of 150 percent.~~

BSR/UL 2200, Standard for Safety for Stationary Engine Generator Assemblies

1. Proposed revision to the definition of a class 1 power limited circuit

2.9 CLASS 1 POWER LIMITED CIRCUIT - A circuit which is supplied from a source having a rated output of not more than 30 volts and 1000 amperes volt-amperes.

UL copyrighted material. Not authorized for further reproduction without prior permission from UL.



Standards Action Publishing Schedule for 2014, Volume No. 45

*The "Submit End" deadline applies to forms received by Monday, 5:00 PM ET.

Issue	Dates for Submitting Data to PSA		Standards Action Dates & Public Review Comment Deadline			
No.	Submit Start	*Submit End 5PM	SA Published	30-Day PR ends	45-Day PR Ends	60-day PR Ends
1	12/17/2013	12/23/2013	Jan-3	2/2/2014	2/17/2014	3/4/2014
2	12/24/2013	12/30/2013	Jan-10	2/9/2014	2/24/2014	3/11/2014
3	12/31/2013	1/6/2014	Jan-17	2/16/2014	3/3/2014	3/18/2014
4	1/7/2014	1/13/2014	Jan-24	2/23/2014	3/10/2014	3/25/2014
5	1/14/2014	1/20/2014	Jan-31	3/2/2014	3/17/2014	4/1/2014
6	1/21/2014	1/27/2014	Feb-7	3/9/2014	3/24/2014	4/8/2014
7	1/28/2014	2/3/2014	Feb-14	3/16/2014	3/31/2014	4/15/2014
8	2/4/2014	2/10/2014	Feb-21	3/23/2014	4/7/2014	4/22/2014
9	2/11/2014	2/17/2014	Feb-28	3/30/2014	4/14/2014	4/29/2014
10	2/18/2014	2/24/2014	Mar-7	4/6/2014	4/21/2014	5/6/2014
11	2/25/2014	3/3/2014	Mar-14	4/13/2014	4/28/2014	5/13/2014
12	3/4/2014	3/10/2014	Mar-21	4/20/2014	5/5/2014	5/20/2014
13	3/11/2014	3/17/2014	Mar-28	4/27/2014	5/12/2014	5/27/2014
14	3/18/2014	3/24/2014	Apr-4	5/4/2014	5/19/2014	6/3/2014
15	3/25/2014	3/31/2014	Apr-11	5/11/2014	5/26/2014	6/10/2014
16	4/1/2014	4/7/2014	Apr-18	5/18/2014	6/2/2014	6/17/2014
17	4/8/2014	4/14/2014	Apr-25	5/25/2014	6/9/2014	6/24/2014
18	4/15/2014	4/21/2014	May-2	6/1/2014	6/16/2014	7/1/2014
19	4/22/2014	4/28/2014	May-9	6/8/2014	6/23/2014	7/8/2014
20	4/29/2014	5/5/2014	May-16	6/15/2014	6/30/2014	7/15/2014
21	5/6/2014	5/12/2014	May-23	6/22/2014	7/7/2014	7/22/2014
22	5/13/2014	5/19/2014	May-30	6/29/2014	7/14/2014	7/29/2014
23	5/20/2014	5/26/2014	Jun-6	7/6/2014	7/21/2014	8/5/2014
24	5/27/2014	6/2/2014	Jun-13	7/13/2014	7/28/2014	8/12/2014
25	6/3/2014	6/9/2014	Jun-20	7/20/2014	8/4/2014	8/19/2014
26	6/10/2014	6/16/2014	Jun-27	7/27/2014	8/11/2014	8/26/2014
27	6/17/2014	6/23/2014	Jul-4	8/3/2014	8/18/2014	9/2/2014



Standards Action Publishing Schedule for 2014, Volume No. 45

*The "Submit End" deadline applies to forms received by Monday, 5:00 PM ET.

Issue	Dates for Submitting Data to PSA		Standards Action Dates & Public Review Comment Deadline			
No.	Submit Start	*Submit End 5PM	SA Published	30-Day PR ends	45-Day PR Ends	60-day PR Ends
28	6/24/2014	6/30/2014	Jul-11	8/10/2014	8/25/2014	9/9/2014
29	7/1/2014	7/7/2014	Jul-18	8/17/2014	9/1/2014	9/16/2014
30	7/8/2014	7/14/2014	Jul-25	8/24/2014	9/8/2014	9/23/2014
31	7/15/2014	7/21/2014	Aug-1	8/31/2014	9/15/2014	9/30/2014
32	7/22/2014	7/28/2014	Aug-8	9/7/2014	9/22/2014	10/7/2014
33	7/29/2014	8/4/2014	Aug-15	9/14/2014	9/29/2014	10/14/2014
34	8/5/2014	8/11/2014	Aug-22	9/21/2014	10/6/2014	10/21/2014
35	8/12/2014	8/18/2014	Aug-29	9/28/2014	10/13/2014	10/28/2014
36	8/19/2014	8/25/2014	Sep-5	10/5/2014	10/20/2014	11/4/2014
37	8/26/2014	9/1/2014	Sep-12	10/12/2014	10/27/2014	11/11/2014
38	9/2/2014	9/8/2014	Sep-19	10/19/2014	11/3/2014	11/18/2014
39	9/9/2014	9/15/2014	Sep-26	10/26/2014	11/10/2014	11/25/2014
40	9/16/2014	9/22/2014	Oct-3	11/2/2014	11/17/2014	12/2/2014
41	9/23/2014	9/29/2014	Oct-10	11/9/2014	11/24/2014	12/9/2014
42	9/30/2014	10/6/2014	Oct-17	11/16/2014	12/1/2014	12/16/2014
43	10/7/2014	10/13/2014	Oct-24	11/23/2014	12/8/2014	12/23/2014
44	10/14/2014	10/20/2014	Oct-31	11/30/2014	12/15/2014	12/30/2014
45	10/21/2014	10/27/2014	Nov-7	12/7/2014	12/22/2014	1/6/2015
46	10/28/2014	11/3/2014	Nov-14	12/14/2014	12/29/2014	1/13/2015
47	11/4/2014	11/10/2014	Nov-21	12/21/2014	1/5/2015	1/20/2015
48	11/11/2014	11/17/2014	Nov-28	12/28/2014	1/12/2015	1/27/2015
49	11/18/2014	11/24/2014	Dec-5	1/4/2015	1/19/2015	2/3/2015
50	11/25/2014	12/1/2014	Dec-12	1/11/2015	1/26/2015	2/10/2015
51	12/2/2014	12/8/2014	Dec-19	1/18/2015	2/2/2015	2/17/2015
52	12/9/2014	12/15/2014	Dec-26	1/25/2015	2/9/2015	2/24/2015

2015 Standards Action Schedule - Volume No. 46

1	12/16/2014	12/22/2014	Jan-2	2/1/2015	2/16/2015	3/3/2015
---	------------	------------	-------	----------	-----------	----------