

STANDARDS ACTION

PUBLISHED WEEKLY BY THE AMERICAN NATIONAL STANDARDS INSTITUTE 25 West 43rd Street, NY, NY 10036

VOL. 34, #1

January 3, 2003

Contents

American National Standards

Call for Comment on Standards Proposals	2
Call for Comment Contact Information	4
Initiation of Canvasses	6
Final Actions	7
Project Initiation Notification System (PINS)	8

International Standards

IEC Draft Standards	10
Registration of Organization Names in the U.S.	11
Proposed Foreign Government Regulations	11
Information Concerning	12
STANDARDS ACTION WEEKLY PUBLISHING SCHEDULE – 2003	13

**Standards Action is now
available via the World Wide Web**

For your convenience *Standards Action* can now be
downloaded from the following web address:
http://www.ansi.org/rooms/room_14/

American National Standards

Call for comment on proposals listed

This section solicits your comments on proposed draft new American National Standards, including the national adoption of ISO and IEC standards, and on proposals to revise, reaffirm or withdraw approval of existing American National Standards. A draft standard is listed in this section under the ANSI-accredited standards developer (ASD) that sponsors it and from whom a copy may be obtained. Comments in connection with a draft American National Standard must be submitted in writing to the ASD no later than the last day of the comment period specified herein. Such comments should be specific to the section(s) of the standard under review and include sufficient detail so as to enable the reader to understand the commenter's position, concerns and suggested alternative language, if appropriate.

★ Standard for consumer products

Ordering Instructions for "Call-for-Comment" Listings

1. **Order from the organization indicated for the specific proposal.**
2. **Use the full identification in your order, including the BSR prefix; for example, Electric Fuses BSR/SAE J554.**
3. **Include remittance with all orders.**
4. **BSR proposals will not be available after the deadline of call for comment.**

Comments should be addressed to the organization indicated, with a copy to the Board of Standards Review, American National Standards Institute, 25 West 43rd Street, New York, NY 10036. Fax: 212-840-2298; e-mail: psa@ansi.org

Comment Deadline: February 2, 2003

UL (Underwriters Laboratories, Inc.)

Revisions

BSR/UL 325-200x, Standard for Safety for Door, Drapery, Gate, Louver, and Window Operators and Systems (Bulletin dated 01/7/03) (revision of ANSI/UL 325-2002)

Revisions to address the risk of injury to persons crawling under a stopped, partially open garage door.

[Click here to see these changes in full, or look at the end of "Standards Action."](#)

Single copy price: Contact comm2000 for pricing and delivery options

Send comments (with copy to BSR) to: Mitchell Gold, UL-IL;
Mitchell.Gold@us.ul.com

Comment Deadline: February 17, 2003

ASAE (American Society of Agricultural Engineers)

Revisions

BSR/ASAE EP406.4-200x, Heating, Ventilating, and Cooling of Greenhouses (revision and redesignation of ANSI/ASAE EP406.3-MAR98)

This Engineering Practice presents design information for heating, ventilating and cooling greenhouses. Generally accepted methods of heating, ventilating and cooling are presented and the important design features of typical systems are indicated.

Single copy price: \$30.00

Order from: Scott Cedarquist, ASAE; cedarq@asae.org
Send comments (with copy to BSR) to: Same

UL (Underwriters Laboratories, Inc.)

New National Adoptions

- ★ BSR/UL 60745-1-200x, Standard for Safety for Hand Held Motor-Operated Electric Tools (Bulletin dated July 31, 2002) (identical national adoption and revision of ANSI/UL 745-1-1996)

This International Standard deals with the safety of hand-held motor-operated or magnetically driven electric tools, the rated voltage of the tools being not more than 250 V for single-phase a.c. or d.c. tools, and 440 V for three-phase a.c.

Single copy price: Contact comm2000 for pricing and delivery options

Order from: comm2000

Send comments (with copy to BSR) to: Neil Dalmas, UL-NC;
Neil.S.Dalmas@us.ul.com

- ★ BSR/UL 60745-2-1-200x, Standard for Safety for Hand-Held Motor-Operated Electric Tools - Safety - Part 2: Particular Requirements for Drills and Impact Drills (identical national adoption and revision of ANSI/UL 745 Series-1996)

This International Standard deals with the safety of hand-held motor-operated or magnetically driven electric tools, the rated voltage of the tools being not more than 250 V for single-phase a.c. or d.c. tools, and 440 V for three-phase a.c. tools. This standard applies to drills and impact drills.

Single copy price: Contact comm2000 for pricing and delivery options

Order from: comm2000

Send comments (with copy to BSR) to: Neil Dalmas, UL-NC;
Neil.S.Dalmas@us.ul.com

- ★ BSR/UL 60745-2-2-200x, Standard for Safety for Hand-Held Motor-Operated Electric Tools - Safety - Part 2: Particular Requirements for Screwdrivers and Impact Wrenches (identical national adoption and revision of ANSI/UL 745 Series-1996)

This International Standard deals with the safety of hand-held motor-operated or magnetically driven electric tools, the rated voltage of the tools being not more than 250 V for single-phase a.c. or d.c. tools, and 440 V for three-phase a.c. tools. This standard applies to hand-held electric motor-operated screwdrivers and impact wrenches.

Single copy price: Contact comm2000 for pricing and delivery options

Order from: comm2000

Send comments (with copy to BSR) to: Neil Dalmas, UL-NC;
Neil.S.Dalmas@us.ul.com

- ★ BSR/UL 60745-2-4-200x, Standard for Safety for Hand-Held Motor-Operated Electric Tools - Safety - Part 2: Particular Requirements for Sanders and Random Orbit Sanders (identical national adoption and revision of ANSI/UL 745 Series-1996)

This International Standard deals with the safety of hand-held motor-operated or magnetically driven electric tools, the rated voltage of the tools being not more than 250 V for single-phase a.c. or d.c. tools, and 440 V for three-phase a.c. tools. This standard applies to hand-held electric motor-operated sanders. Sanders with water supply, random orbit sanders, and random orbit polishers are within the scope of this standard.

Single copy price: Contact comm2000 for pricing and delivery options

Order from: comm2000

Send comments (with copy to BSR) to: Neil Dalmas, UL-NC;
Neil.S.Dalmas@us.ul.com

- ★ BSR/UL 60745-2-5-200x, Standard for Safety for Hand-Held Motor-Operated Electric Tools - Safety - Part 2: Particular Requirements for Circular Saws (identical national adoption and revision of ANSI/UL 745 Series-1996)

This International Standard deals with the safety of hand-held motor-operated or magnetically driven electric tools, the rated voltage of the tools being not more than 250 V for single-phase a.c. or d.c. tools, and 440 V for three-phase a.c. tools. This standard applies to hand-held electric motor-operated circular saws and circular knives.

Single copy price: Contact comm2000 for pricing and delivery options

Order from: comm2000

Send comments (with copy to BSR) to: Neil Dalmas, UL-NC;
Neil.S.Dalmas@us.ul.com

- ★ BSR/UL 60745-2-6-200x, Standard for Safety for Hand-Held Motor-Operated Electric Tools - Safety - Part 2: Particular Requirements for Hammers (identical national adoption and revision of ANSI/UL 745 Series-1996)

This International Standard deals with the safety of hand-held motor-operated or magnetically driven electric tools, the rated voltage of the tools being not more than 250 V for single-phase a.c. or d.c. tools, and 440 V for three-phase a.c. tools. This standard applies to hammers.

Single copy price: Contact comm2000 for pricing and delivery options

Order from: comm2000

Send comments (with copy to BSR) to: Neil Dalmas, UL-NC;
Neil.S.Dalmas@us.ul.com

- ★ BSR/UL 60745-2-8-200x, Standard for Safety for Hand-Held Motor-Operated Electric Tools - Safety - Part 2: Particular Requirements for Shears and Nibblers (identical national adoption and revision of ANSI/UL 745 Series-1996)

This International Standard deals with the safety of hand-held motor-operated or magnetically driven electric tools, the rated voltage of the tools being not more than 250 V for single-phase a.c. or d.c. tools, and 440 V for three-phase a.c. tools. This standard applies to shears and nibblers.

Single copy price: Contact comm2000 for pricing and delivery options

Order from: comm2000

Send comments (with copy to BSR) to: Neil Dalmas, UL-NC;
Neil.S.Dalmas@us.ul.com

- ★ BSR/UL 60745-2-9-200x, Standard for Safety for Hand-Held Motor-Operated Electric Tools - Safety - Part 2: Particular Requirements for Tappers (identical national adoption and revision of ANSI/UL 745 Series-1996)

Recirculation of comments - Bulletin dated 1/3/03

Single copy price: Contact comm2000 for pricing and delivery options

Order from: comm2000

Send comments (with copy to BSR) to: Neil Dalmás, UL-NC;
Neil.S.Dalmás@us.ul.com

- ★ BSR/UL 60745-2-11-200x, Standard for Safety for Hand-Held Motor-Operated Electric Tools - Safety - Part 2: Particular Requirements for Reciprocating Saws (identical national adoption and revision of ANSI/UL 745 Series-1996)

This International Standard deals with the safety of hand-held motor-operated or magnetically driven electric tools, the rated voltage of the tools being not more than 250 V for single-phase a.c. or d.c. tools, and 440 V for three-phase a.c. tools. This standard applies to reciprocating saws (jig and sabre saws).

Single copy price: Contact comm2000 for pricing and delivery options

Order from: comm2000

Send comments (with copy to BSR) to: Neil Dalmás, UL-NC;
Neil.S.Dalmás@us.ul.com

- ★ BSR/UL 60745-2-14-200x, Standard for Safety for Hand-Held Motor-Operated Electric Tools - Safety - Part 2: Particular Requirements for Planers (identical national adoption and revision of ANSI/UL 745 Series-1996)

This International Standard deals with the safety of hand-held motor-operated or magnetically driven electric tools, the rated voltage of the tools being not more than 250 V for single-phase a.c. or d.c. tools, and 440 V for three-phase a.c. tools. This standard applies to planers.

Single copy price: Contact comm2000 for pricing and delivery options

Order from: comm2000

Send comments (with copy to BSR) to: Neil Dalmás, UL-NC;
Neil.S.Dalmás@us.ul.com

- ★ BSR/UL 60745-2-17-200x, Standard for Safety for Hand-Held Motor-Operated Electric Tools - Safety - Part 2: Particular Requirements for Routers and Trimmers (identical national adoption and revision of ANSI/UL 745 Series-1996)

This International Standard deals with the safety of hand-held motor-operated or magnetically driven electric tools, the rated voltage of the tools being not more than 250 V for single-phase a.c. or d.c. tools, and 440 V for three-phase a.c. tools. This standard applies to routers and trimmers.

Single copy price: Contact comm2000 for pricing and delivery options

Order from: comm2000

Send comments (with copy to BSR) to: Neil Dalmás, UL-NC;
Neil.S.Dalmás@us.ul.com

SMACNA (Sheet Metal and Air-Conditioning Contractors' National Association)

New Standards

BSR/SMACNA 005-200x, Round Industrial Duct Construction Standards (new standard)

SMACNA's Round Industrial Duct Construction Standards offers a standardized, engineered basis for design and construction of industrial ducts of Classes 1 to 5. Covers design pressures from negative 30 inches w.g. to positive 50 inches w.g. Includes duct selection tables for carbon, galvanized and stainless steel, and aluminum. Tables were expanded to include duct sizes up to 96 inches in diameter. Includes a spiral lockseam pipe chapter for Classes 1 & 2.

Single copy price: \$189.00

Order from: Carolyn Williams, SMACNA; cwilliams@smacna.org
Send comments (with copy to BSR) to: Eli Howard, SMACNA;
ehoward@smacna.org

Comment Deadline: March 4, 2003

Reaffirmations and withdrawals available electronically may be accessed at: webstore.ansi.org

ASME (American Society of Mechanical Engineers)

Revisions

BSR/ASME Y14.3M-200x, Multiview and Sectional View Drawings (revision of ANSI/ASME Y14.3M-1994 (R1999))

This Standard establishes the requirements for creating orthographic views for item description. The topics covered include the multiview system of drawing, selection, and arrangement of orthographic views, auxiliary views, sectional views, details, and conventional drawing practices. Space geometry and space analysis and applications are included in the appendices for informational purposes.

Single copy price: \$20.00

Order from: Silvana Rodriguez-Bhatti, ASME; rodriguez@asme.org
Send comments (with copy to BSR) to: Calvin Gomez, ASME;
gomez@asme.org

Call for Comment Contact Information

The addresses listed in this section are to be used in conjunction with standards listed in Call for Comment. This section is a list of developers who have submitted standards for public review in this issue of *Standards Action* – it is not intended to be a list of all ANSI developers. Please send all address corrections to: Standards Action Editor, American National Standards Institute, 25 West 43rd Street, New York, NY 10036 or standact@ansi.org.

Order from:

ASAE

American Society of Agricultural
Engineers
2950 Niles Road
St. Joseph, MI 49085-9659
Phone: (616) 428-6331

Fax: (616) 429-3852
Web: www.asae.org

ASME

American Society of Mechanical
Engineers
3 Park Avenue, 20th Floor
New York, NY 10016
Phone: (212) 591-8460
Fax: (212) 591-8501
Web: www.asme.org

comm2000

1414 Brook Drive
Downers Grove, IL 60515
Web: www.comm-2000.com

SMACNA

Sheet Metal and Air-Conditioning
Contractors' National
Association
4201 Lafayette Center Drive

Chantilly, VA 20151-1209
Phone: (703) 803-2980
Fax: (703) 803-3732

Web: www.smacna.org

Send comments to:

ASAE

American Society of Agricultural
Engineers
2950 Niles Road

St. Joseph, MI 49085-9659
Phone: (616) 428-6331
Fax: (616) 429-3852
Web: www.asae.org

ASME

American Society of Mechanical
Engineers (ASME)
3 Park Avenue, 20th Floor
New York, NY 10016
Phone: (212) 591-7021
Fax: (212) 591-8501
Web: www.asme.org

SMACNA

Sheet Metal and Air-Conditioning
Contractors' National
Association
4201 Lafayette Center Drive
Chantilly, VA 20151-1209
Phone: (703) 803-2980
Fax: (703) 803-3732
Web: www.smacna.org

UL-IL

Underwriters Laboratories, Inc.
333 Pfingsten Road
Northbrook, IL 60062-2096
Phone: (847) 664-2850
Fax: (847) 313-2850

UL-NC

Underwriters Laboratories, Inc.
12 Laboratory Drive
Research Triangle Park, NC
27709
Phone: (919) 549-1400 x11768
Fax: (919) 547-6018

Initiation of Canvasses

The following ANSI-accredited standards developers have announced their intent to conduct a canvass on the proposed American National Standard(s) listed herein in order to develop evidence of consensus for submittal to ANSI for approval as an American National Standard. Directly and materially affected interests wishing to participate as a member of a canvass list, i.e., consensus body, should contact the sponsor of the standard within 30 days of the publication date of this issue of Standards Action. Please also review the section entitled "American National Standards Maintained Under Continuous Maintenance" contained in Standards Action for information with regard to canvass standards maintained under the continuous maintenance option.

SMACNA (Sheet Metal and Air-Conditioning Contractors' National Association)

Office: 4201 Lafayette Center Drive
Chantilly, VA 20151-1209

Contact: Eli Howard

Phone: (703) 803-2980

Fax: (703) (703) 803-3732

E-mail: ehoward@smacna.org

BSR/SMACNA 005-200x, Round Industrial Duct Construction Standards
(new standard)

Final actions on American National Standards

The standards actions listed below have been approved by the ANSI Board of Standards Review (BSR) or by an ANSI-Audited Designator, as applicable.

ASTM (ASTM International)

New Standards

ANSI/ASTM E2171-2002, Practice for Rating-Scale Measures Relevant to the Electronic Health Record (new standard): 12/10/2002

BHMA (Builders Hardware Manufacturers Association)

New Standards

ANSI/BHMA A156.30-2002, Mortise Locks (new standard): 12/23/2002

ITI (INCITS) (INCITS)

New National Adoptions

INCITS/ISO/IEC 10646-1:2000/AM1-2002, Information technology - Universal Multiple-Octet Coded Character Set(UCS) - Part 1: Architecture and Basic Multilingual Plane - AMENDMENT 1: Mathematical symbols and other characters (national adoption): 12/24/2002

INCITS/ISO/IEC 20970:2002, Information technology - Programming languages, their environments and system software interfaces - JEFF file format (national adoption): 12/24/2002

Reaffirmations

ANSI INCITS 17-1981 (R2002), Character Set for Optical Character Recognition (OCR-A) (reaffirmation of ANSI INCITS 17-1981 (R2000)): 12/24/2002

ANSI INCITS 45-1982 (R2002), Information Systems - Character Set for Handprinting (reaffirmation of ANSI INCITS 45-1982 (R2000)): 12/24/2002

ANSI INCITS 49-1975 (R2002), Character Set for Optical Character Recognition (OCR-B) (reaffirmation of ANSI INCITS 49-1975 (R2000)): 12/24/2002

ANSI INCITS 62-1987 (R2002), Information Systems - Optical Character Recognition (OCR) - Paper Used in OCR Systems (reaffirmation of ANSI INCITS 62-1987 (R1998)): 12/24/2002

ANSI INCITS 62-1987/AM1-1999 (R2002), Information Systems - Optical Character Recognition (OCR) - Paper Used in OCR Systems - Amendment 1 (reaffirmation of ANSI INCITS 62-1987/AM1-1999): 12/24/2002

ANSI INCITS 86-1980 (R2002), Inks, Optical Character Recognition (OCR) (reaffirmation of ANSI INCITS 86-1980 (R1998)): 12/24/2002

ANSI INCITS 93M-1981 (R2002), Optical Character Recognition Positioning (reaffirmation of ANSI INCITS 93M-1981 (R2000)): 12/24/2002

ANSI INCITS 182-1990 (R2002), Guideline for Bar Code Print Quality (reaffirmation of ANSI INCITS 182-1990 (R2000)): 12/24/2002

TIA (Telecommunications Industry Association)

Supplements

ANSI/TIA/EIA 785-1-2002, 100 Mb/s Layer Medium Dependent Sublayer and 10 Mbs and 100 Mbs Auto-Negotiation on 850 mm Fiber Optics - Addendum 1 (supplement to ANSI/TIA/EIA 785-2001): 12/23/2002

UL (Underwriters Laboratories, Inc.)

Revisions

ANSI/UL 817-2002, Cord Sets and Power Supply Cords (Bulletin dated 06/02) (revision of ANSI/UL 817-1995): 12/19/2002

Project Initiation Notification System (PINS)

ANSI Procedures require notification of ANSI by ANSI-accredited standards developers of the initiation and scope of activities expected to result in new or revised American National Standards. This information is a key element in planning and coordinating American National Standards. For additional information, see clause 1.2.8 of the ANSI Procedures for the Development and Coordination of American National Standards (2001 edition.)

Following is a list of proposed new American National Standards or revisions to existing American National Standards that have been received from ANSI-accredited standards developers that utilize the periodic maintenance option in connection with their standards. Please also review the section entitled "American National Standards Maintained Under Continuous Maintenance" contained in Standards Action for comparable information with regard to standards maintained under the continuous maintenance option. Directly and materially affected interests wishing to receive more information should contact the standards developer directly.

ASA (ASC S12) (Acoustical Society of America)

Office: 35 Pinelawn Road Suite 114E
Melville, NY 11747

Contact: Susan Blaeser

Fax: (631) (631) 390-0217

E-mail: sblaeser@aip.org; asastds@aip.org

BSR S12-66-200x, Model Community Noise Control Ordinance (new standard)

ASME (American Society of Mechanical Engineers)

Office: 3 Park Avenue, 20th Floor
New York, NY 10016

Contact: Silvana Rodriguez-Bhatti

Fax: (212) (212) 591-8501

E-mail: rodriguez@sme.org

BSR/ASME PCC-2-200x, Repair of Pressure Equipment and Piping (new standard)

BSR/ASME PTC 1-200x, Performance Test Codes - General Instructions (revision of ANSI/ASME PTC 1-1999)

BSR/ASME PTC 4-200x, Fired Steam Generators (revision of ANSI/ASME PTC 4-1998)

BSR/ASME PTC 6.2-200x, Steam Turbines in Combined Cycle (new standard)

BSR/ASME PTC 34-200x, Waste Combustors with Energy Recovery (new standard)

BSR/ASME PTC 46-200x, Overall Plant Performance (new standard)

BSR/ASME PTC 47-200x, Integrated Gasification Combined Cycle Plants (new standard)

ASTM (ASTM International)

Office: 100 Barr Harbor Drive
West Conshohocken, PA 19428

Contact: Robert Morgan

Fax: (610) (610) 832-9666

E-mail: rmorgan@astm.org

BSR/ASTM Z9823Z-200x, Shipboard Oil Pollution Abatement System (new standard)

BSR/ASTM Z9867Z-200x, Standard Practice for Sampling a Continuous Stream of Product Units by Attributes, Indexed by AQL (new standard)

CEA (Consumer Electronics Association)

Office: 2201 Wilson Boulevard
Arlington, VA 22201

Contact: Shazia McGeehan

Fax: (703) (703) 907-7601

E-mail: smcgeehan@ce.org

BSR/CEA 851.1-200x, IP-Based Digital Telephony for the Versatile Home Network (new standard)

BSR/CEA 851.2-200x, IP-Based Digital Telephony for the Versatile Home Network (new standard)

BSR/CEA 860-A-200x, Device Plug-in Interface to EIA/CEA-709.1 Network Tools (new standard)

BSR/CEA 896-A-200x, Standard Method of Measurement for Digital Versatile Disc-Video Players (new standard)

BSR/CEA CEB-14-200x, EDID Recommended Practice for EIA/CEA-861 (new standard)

CSA (ASC Z21/83) (CSA America, Inc.)

Office: 8501 East Pleasant Valley Road
Cleveland, OH 44131-5575

Contact: Allen Callahan

Fax: (216) (216) 642-3463

E-mail: al.callahan@csa-america.org

BSR Z21.11.2b-200x, Unvented Gas-Fired Room Heaters, Volume II, Unvented Room Heaters (revision of ANSI Z21.11.2-2000 and ANSI Z21.11.2a-)

BSR Z21.50a-200x, Vented Gas Fireplaces (same as CSA 2.22a) (revision of ANSI Z21.50-2000)

BSR Z21.60b-200x, Decorative Gas Appliances for Installation in Solid-Fuel Burning Fireplaces (same as CSA 2.26b) (revision of ANSI Z21.60-2002, Z21.60a)

BSR Z21.84b-200x, Manually Lighted, Natural Gas Decorative Gas Appliances for Installation in Solid-Fuel Burning Fireplaces (revision of ANSI Z21.84-2002 and Z21.84a)

BSR Z21.88b-200x, Vented Gas Fireplace Heaters (same as CSA 2.33b) (revision of ANSI Z21.88-2002, ANSI Z21.88a-2000, and ANSI Z21.88b-2001)

BSR Z21.91b-200x, Ventless Firebox Enclosures for Gas-Fired Decorative type Unvented Room Heaters (revision of ANSI Z21.91-2001, ANSI Z21.91a-2002)

NEMA (ASC C78) (National Electrical Manufacturers Association)

Office: 1300 North 17th Street, Suite 1847
Rosslyn, VA 22209

Contact: Randolph Roy

Fax: (703) (703) 841-3377

E-mail: ran_roy@nema.org

BSR C78.1650-2003, Single-Ended Metal-Halide Lamps (new standard)

American National Standards Maintained Under Continuous Maintenance

The ANSI Procedures for the Development and Coordination of American National Standards (ANSI Procedures) provide two options for the maintenance of American National Standards (ANS): periodic maintenance (see clause 4.4.1) and continuous maintenance (see clause 4.4.2). Continuous maintenance is defined as follows:

The standard shall be maintained by an accredited standards developer. A documented program for periodic publication of revisions shall be established by the standards developer.

Processing of these revisions shall be in accordance with these procedures. The published standard shall include a clear statement of the intent to consider requests for change and information on the submittal of such requests. Procedures shall be established for timely, documented consensus action on each request for change and no portion of the standard shall be excluded from the revision process. In the event that no revisions are issued for a period of four years, action to reaffirm or withdraw the standard shall be taken in accordance with 4.4.1 and 4.4.3.

The Executive Standards Council (ExSC) has determined that for standards maintained under the Continuous Maintenance option, separate PINS announcements are not required. The following ANSI Accredited Standards Developers have formally registered standards under the Continuous Maintenance option.

- AAMVA
- AGRSS
- ASC B109 (AGA)
- ASHRAE
- ASME
- ASTM
- NBBPVI
- NSF International
- TIA
- Underwriters Laboratories Inc.

To obtain additional information with regard to these standards, such as contact information at the ANSI accredited standards developer, please visit ANSI Online at www.ansi.org, select STANDARDS INFO, and choose "American National Standards Maintained Under Continuous Maintenance". This information is also available directly at http://web.ansi.org/public/ans_main/default.htm.

Alternatively, you may contact the Procedures & Standards Administration Department (PSA) at psa@ansi.org or via fax at 212-840-2298. If you request that information be provided via E-mail, please include your E-mail address; if you request that information be provided via fax, please include your fax number. Thank you.



IEC Draft International Standards

This section lists proposed standards that the International Electrotechnical Commission (IEC) is considering for approval. The proposals have received substantial support within the technical committees or subcommittees that developed them and are now being circulated to IEC members for comment and vote. Standards Action readers interested in reviewing and commenting on these documents should order copies from ANSI.

Comments

Comments regarding IEC documents should be sent to Charles T. Zegers, at ANSI's New York offices. The final date for offering comments is listed after each draft.

Ordering Instructions

Global Engineering Documents
15 Inverness Way East
Englewood, CO 80112-5704
phone: (800) 854-7179
fax: (303) 379-7956
e-mail: global@ihs.com
web: <http://global.ihs.com>

15C/1432/FDIS, IEC 60684-3-209, Ed. 2: Flexible insulating sleeving - Part 3: Specifications for individual types of sleeving - Sheet 209: Heat-shrinkable polyolefin sleeving, general purpose, flame retarded, shrink ratio 2:1, 02/21/2003

45B/397/FDIS, IEC 61005: Radiation protection instrumentation - Neutron ambient dose equivalent (rate) meters, 02/14/2003

46C/566/FDIS, 61156-2 A3 Ed. 1: Cables for multicore and symmetrical pair/quad cables for digital communications - Horizontal wiring, edition 1.1/2000-04: subclause 3.3.3 and 3.3.8: Unbalance attenuation in the near end and far end - Part 2: Sectional Specification, 02/14/2003

46C/567/FDIS, 61156-2-1 A3 Ed. 1: Cables for multicore and symmetrical pair/quad cables for digital communications - Horizontal wiring, edition 1.1/2000-04: subclause 3.3.3 and 3.3.8: Unbalance attenuation in the near end and far end - Part 2-1: Blank detail specification, 02/14/2003

46C/568/FDIS, 61156-3 A3 Ed. 1: Cables for multicore and symmetrical pair/quad cables for digital communications - Work area wiring, edition 1.1/2000-04: subclause 3.3.3 and 3.3.8: Unbalance attenuation in the near end and far end - Part 3: Sectional specification, 02/14/2003

46C/569/FDIS, 61156-3-1 A3 Ed. 1: Cables for multicore and symmetrical pair/quad cables for digital communications - Work area wiring, edition 1.1/2000-04: subclause 3.3.3 and 3.3.8: Unbalance attenuation in the near end and far end - Part 3-1: Blank detail specification, 02/14/2003

46C/570/FDIS, 61156-4 A3 Ed. 1: Cables for multicore and symmetrical pair/quad cables for digital communications - Riser cables, edition 1.1/2000-04: subclause 3.3.3 and 3.3.8: Unbalance attenuation in the near end and far end - Part 4: Sectional specification, 02/14/2003

46C/571/FDIS, 61156-4-1 A3 Ed. 1: Cables for multicore and symmetrical pair/quad cables for digital communications - Riser cables, edition 1.1/2000-04: subclause 3.3.3 and 3.3.8: Unbalance attenuation in the near end and far end - Part 4-1: Blank detail specification, 02/14/2003

47C/288/FDIS, Amendment 1 to IEC 61747-1: Liquid crystal and solid-state display devices - Part 1: Generic specification, 02/14/2003

57/618/FDIS, Communication networks and systems in substations - Part 7-3: Basic communication structure for substation and feeder equipment - Common data classes, 02/21/2003

57/619/FDIS, Communication networks and systems in substations - Part 9-1: Specific communication service mapping (SCSM) - Sampled values over serial unidirectional multidrop point to point link, 02/21/2003

80/352/FDIS, Maritime navigation and radiocommunication equipment and systems - VHF radiotelephone equipment incorporating Class "D" digital selective calling (DSC) - Methods of testing and required test results, 02/14/2003

Registration of Organization Names in the United States

The Procedures for Registration of Organization Names in the United States of America (document ISSB 989) require that alphanumeric organization names be subject to a 90-day Public Review period prior to registration. For further information, please contact the Registration Coordinator at (212) 642-4975.

The following is a list of alphanumeric organization names that have been submitted to ANSI for registration. Alphanumeric names appearing for the first time are printed in bold type. Names with confidential contact information, as requested by the organization, list only public review dates.

PUBLIC REVIEW

Misys Hospital Systems, Inc. d/b/a Misys Healthcare Systems

Organization: Misys Healthcare Systems
4801 E. Broadway
Tucson, AZ 85711

Contact: Michael Buchanan
PHONE: 520-570-2000; FAX: 520-733-6707

E-mail: Michael.buchanan@misyshealthcare.com

Public review: November 18, 2002 to February 16, 2003

NOTE: Challenged alphanumeric names are underlined. The Procedures for Registration provide for a challenge process, which follows in brief. For complete details, see Section 6.4 of the Procedures.

A challenge is initiated when a letter from an interested entity is received by the Registration Coordinator. The letter shall identify the alphanumeric organization name being challenged and state the rationale supporting the challenge. A challenge fee shall accompany the letter. After receipt of the challenge, the alphanumeric organization name shall be marked as challenged in the Public Review list. The Registration Coordinator shall take no further action to register the challenged name until the challenge is resolved among the disputing parties.

Proposed Foreign Government Regulations

Call for Comment

U.S. manufacturers, exporters, regulatory agencies and standards developing organizations may be interested in proposed foreign technical regulations issued by members of the World Trade Organization (WTO). In accordance with the WTO Agreement on Technical Barriers to Trade (TBT Agreement), members are required to report proposed technical regulations that may significantly affect trade to the WTO Secretariat in Geneva, Switzerland, who in turn disseminates the information to all WTO members. The purpose of this requirement is to provide trading partners with an opportunity to review and comment on the regulation before it becomes final.

To distribute information on these proposed foreign technical regulations, the National Center for Standards and Certification Information

(NCSCI), National Institute of Standards and Technology (NIST), provides an on-line service - Export Alert! - that allows interested parties to register and obtain notifications, via e-mail, for countries and industry sectors of interest to them. To register, go to <http://ts.nist.gov/ncsci> and click on "Export Alert!".

NCSCI serves as the U.S. WTO TBT inquiry point and receives copies of all notifications, in English, to disseminate to U.S. industry. To obtain copies of the full text of the regulations or for further information, contact NCSCI, NIST, 100 Bureau Drive, Stop 2160, Gaithersburg, MD 20899-2160; telephone (301) 975-4040; fax (301) 926-1559, e-mail - ncsci@nist.gov.

NCSCI will also request an extension of the comment period and transmit comments to the issuing foreign agency for consideration.

Information Concerning

Accredited Standards Committees

Reaccreditation

ASC Z80 - Ophthalmic Standards

The Executive Standards Council has approved the reaccreditation of Accredited Standards Committee Z80, Ophthalmic Standards, using revised operating procedures under the Committee Method of developing consensus, effective December 26, 2002. For additional information, please contact the Secretariat of ASC Z80: Ms. Kris Dinkle, ASC Z80 Coordinator, Optical Laboratories Association, P.O. Box 2000, Merrifield, VA 22116-2000; PHONE: (703) 359-2830; FAX: (703) 359-2834; E-mail: kdinkle@qwest.net.

Accredited Organizations

Approval of Reaccreditation

American Welding Society (AWS)

The Executive Standards Council has approved the reaccreditation of the American Welding Society (AWS) under revised operating procedures submitted in 2002, effective December 27, 2002. For additional information, please contact: Mr. Len Connor, Managing Director, Technical Services Division, American Welding Society, 550 N.W. LeJeune Road, Miami, FL 33126; PHONE: (305) 443-9353; FAX: (305) 443-5951; E-mail: lconnor@aws.org.

International Organization for Standardization

Call for Candidates

JTC 1/SC 35 - Information technology - User Interfaces and JTC 1/SC 35/WG 6 - User interfaces for disabled and elderly people

Comment Deadline: February 3, 2003

Call for candidates to serve as the US TAG and TAG Administrator for:

JTC 1/SC 35 - Information technology - User Interfaces

JTC 1/SC 35/WG 6 - User interfaces for disabled and elderly people

JTC 1 TAG at its November 2002 meeting approved the establishment of US National Body P-Membership on JTC 1/SC 35.

Any organization wishing to assume the role of Candidates to serve as US TAG and TAG Administrator, please contact Henrietta Scully via e-mail: hscully@ansi.org by February 3, 2003.

Reactivation of ISO Technical Committee

ISO/TC 109 - Oil and gas burners and associated equipment

ANSI has been advised the United Kingdom (BSI) is reactivating this ISO Technical Committee

The scope of ISO/TC 109 has been modified as follows:

Standardization concerning definitions, safeguards and security, construction, function and testing of oil and gas burners and their associated equipment.

Excluded: storage tanks and pipe work if they do not form part of the burner assembly

Any organization wishing the United States to assume participating membership in this ISO Technical Committee should contact Henrietta Scully via e-mail: hscully@ansi.org; mail: c/o ANSI, 25 West 43rd Street, New York, NY 10036; or fax to (212) 730-1346.

Meeting Notices

Acoustical Society of America

The four Accredited Standards Committees and ten US Technical Advisory Groups administered by the Acoustical Society of America will meet in conjunction with the 145th meeting of the Acoustical Society of America at the Nashville Convention Center, Nashville, TN from April 28 to May 2, 2003. The specific meeting details and additional details regarding lodging, transportation, etc. can be found on the Acoustical Society of America's website at <http://asa.aip.org>

Standards Action Weekly Publishing Schedule for 2003

VOL 34	ASD submits Data to PSA		SA Publish and Public Review		
	Issue	ASD submit start (Tuesday)	ASD submit end (Monday)	SA Publish (Friday)	45 Day PR Ends
1	12/17/2002	12/23/2002	1/3/2003	2/17/2003	3/4/2003
2	12/24/2002	12/30/2002	1/10/2003	2/24/2003	3/11/2003
3	12/31/2002	1/6/2003	1/17/2003	3/3/2003	3/18/2003
4	1/7/2003	1/13/2003	1/24/2003	3/10/2003	3/25/2003
5	1/14/2003	1/20/2003	1/31/2003	3/17/2003	4/1/2003
6	1/21/2003	1/27/2003	2/7/2003	3/24/2003	4/8/2003
7	1/28/2003	2/3/2003	2/14/2003	3/31/2003	4/15/2003
8	2/4/2003	2/10/2003	2/21/2003	4/7/2003	4/22/2003
9	2/11/2003	2/17/2003	2/28/2003	4/14/2003	4/29/2003
10	2/18/2003	2/24/2003	3/7/2003	4/21/2003	5/6/2003
11	2/25/2003	3/3/2003	3/14/2003	4/28/2003	5/13/2003
12	3/4/2003	3/10/2003	3/21/2003	5/5/2003	5/20/2003
13	3/11/2003	3/17/2003	3/28/2003	5/12/2003	5/27/2003
14	3/18/2003	3/24/2003	4/4/2003	5/19/2003	6/3/2003
15	3/25/2003	3/31/2003	4/11/2003	5/26/2003	6/10/2003
16	4/1/2003	4/7/2003	4/18/2003	6/2/2003	6/17/2003
17	4/8/2003	4/14/2003	4/25/2003	6/9/2003	6/24/2003
18	4/15/2003	4/21/2003	5/2/2003	6/16/2003	7/1/2003
19	4/22/2003	4/28/2003	5/9/2003	6/23/2003	7/8/2003
20	4/29/2003	5/5/2003	5/16/2003	6/30/2003	7/15/2003
21	5/6/2003	5/12/2003	5/23/2003	7/7/2003	7/22/2003
22	5/13/2003	5/19/2003	5/30/2003	7/14/2003	7/29/2003
23	5/20/2003	5/26/2003	6/6/2003	7/21/2003	8/5/2003
24	5/27/2003	6/2/2003	6/13/2003	7/28/2003	8/12/2003
25	6/3/2003	6/9/2003	6/20/2003	8/4/2003	8/19/2003
26	6/10/2003	6/16/2003	6/27/2003	8/11/2003	8/26/2003
27	6/17/2003	6/23/2003	7/4/2003	8/18/2003	9/2/2003
28	6/24/2003	6/30/2003	7/11/2003	8/25/2003	9/9/2003
29	7/1/2003	7/7/2003	7/18/2003	9/1/2003	9/16/2003
30	7/8/2003	7/14/2003	7/25/2003	9/8/2003	9/23/2003
31	7/15/2003	7/21/2003	8/1/2003	9/15/2003	9/30/2003

32	7/22/2003	7/28/2003	8/8/2003	9/22/2003	10/7/2003
33	7/29/2003	8/4/2003	8/15/2003	9/29/2003	10/14/2003
34	8/5/2003	8/11/2003	8/22/2003	10/6/2003	10/21/2003
35	8/12/2003	8/18/2003	8/29/2003	10/13/2003	10/28/2003
36	8/19/2003	8/25/2003	9/5/2003	10/20/2003	11/4/2003
37	8/26/2003	9/1/2003	9/12/2003	10/27/2003	11/11/2003
38	9/2/2003	9/8/2003	9/19/2003	11/3/2003	11/18/2003
39	9/9/2003	9/15/2003	9/26/2003	11/10/2003	11/25/2003
40	9/16/2003	9/22/2003	10/3/2003	11/17/2003	12/2/2003
41	9/23/2003	9/29/2003	10/10/2003	11/24/2003	12/9/2003
42	9/30/2003	10/6/2003	10/17/2003	12/1/2003	12/16/2003
43	10/7/2003	10/13/2003	10/24/2003	12/8/2003	12/23/2003
44	10/14/2003	10/20/2003	10/31/2003	12/15/2003	12/30/2003
45	10/21/2003	10/27/2003	11/7/2003	12/22/2003	1/6/2004
46	10/28/2003	11/3/2003	11/14/2003	12/29/2003	1/13/2004
47	11/4/2003	11/10/2003	11/21/2003	1/5/2004	1/20/2004
48	11/11/2003	11/17/2003	11/28/2003	1/12/2004	1/27/2004
49	11/18/2003	11/24/2003	12/5/2003	1/19/2004	2/3/2004
50	11/25/2003	12/1/2003	12/12/2003	1/26/2004	2/10/2004
51	12/2/2003	12/8/2003	12/19/2003	2/2/2004	2/17/2004
52	12/9/2003	12/15/2003	12/26/2003	2/9/2004	2/24/2004
1	12/16/2003	12/22/2003	1/2/2004	2/16/2004	3/2/2004
2	12/23/2003	12/29/2003	1/9/2004	2/23/2004	3/9/2004
3	12/30/2003	1/5/2004	1/16/2004	3/1/2004	3/16/2004

PROPOSED REQUIREMENTS FOR THE FIFTH EDITION OF THE STANDARD FOR DOOR, DRAPERY, GATE, LOUVER, AND WINDOW OPERATORS AND SYSTEMS, UL 325.

For your convenience in review, proposed additions to the previously proposed requirements are shown underlined and proposed deletions are shown ~~lined-out~~.

1. STOPPED, PARTIALLY OPEN GARAGE DOOR

PROPOSAL

56.5.1 The user instructions shall include the following or equivalent text:

IMPORTANT SAFETY INSTRUCTIONS

WARNING – To reduce the risk of severe injury or death:

1. READ AND FOLLOW ALL INSTRUCTIONS.

2. Never let children operate or play with door controls. Keep the remote control away from children.

3. Always keep the moving door in sight and away from people and objects until it is completely closed. **NO ONE SHOULD CROSS THE PATH OF THE MOVING DOOR .**

4. NEVER GO UNDER A STOPPED, PARTIALLY OPEN DOOR.

~~4.5.~~ Test door opener monthly. The garage door **MUST** reverse on contact with a 1-1/2 inch high object (or a 2 by 4 board laid flat) on the floor. After adjusting either the force or the limit of travel, retest the door opener. Failure to adjust the opener properly increases the risk of severe injury or death.

~~5.6.~~ For products having an emergency release, when possible, use the emergency release only when the door is closed. Use caution when using this release with the door open. Weak or broken springs are capable of increasing the rate of door closure and increasing the risk of severe injury or death.

~~6.7.~~ **KEEP GARAGE DOORS PROPERLY BALANCED.** See owner's manual. An improperly balanced door increases the risk of severe injury or death. Have a qualified service person make repairs to cables, spring assemblies, and other hardware.

~~7.8.~~ **SAVE THESE INSTRUCTIONS.**